

ERSATZTEILLISTE

Spare Parts List
Catalogue de pièces détachées
Catalogo parti di ricambio
Catálogo de recambio

ELEKTRO GABELSTAPLER

Electric Fork Truck
Chariot élévateur électrique
Carrello elevatore elettrico
Carretilla elevadora eléctrica

STILL ELECTRONIC DOCUMENTATION SYSTEM

RX60-25
RX60-25/600
RX60-25 L/600
RX60-30
RX60-30/600
RX60-30 L/600
RX60-35







6345 6346 6347 6348 6353 6354 6355 6356

56338010000 - 04/2014

first in intralogistics

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			PRODUCT INFORMATION			
▶			ELECTRIC MOTOR			
▶			MECHANICAL DRIVE AXLE			
▶			CHASSIS			
▶			OPERATOR'S COMPARTMENT			
▶			STEERING SYSTEM			
▶			WHEELS AND TYRES			
▶			BRAKING SYSTEM			
▶			OPERATING ELEMENTS			
▶			DISPLAY ELEMENTS			
▶			ELECTRICS; ELECTRONICS			
▶			ELECTRONIC CONTROLS			
▶			HYDRAULIC			
▶			WORKING HYDRAULICS			
▶			LOAD LIFT SYSTEM			
▶			MAST			
▶			LOAD SUPPORT			
▶			ATTACHMENT			
▶			OTHER ACCESSORIES			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			TRUCK DOCUMENTATION	R6345-48; R6353-56	01.04.2014->	



8




ABB: D


<http://www.still.de>

19559

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0146792	1	FILE	fill level = 30 mm 30 mm		
1	0146793		FILE	fill level = 45 mm 45 mm		
1	0146794		FILE	fill level = 55 mm 55 mm		
2	0148920	1	STICKER			
3	0905146	1	OVERVIEW OF FROMS STILL	Germany only		
			SERVICE A4			
4	0157528		SERVICE BOOKLET			
5	0148837	1	SERVICE INFORMATION	Germany only		
6	0008042600	1	DIRECTIVE	VDMA-DE		
6	0008042601	1	DIRECTIVE	VDMA-EN		
6	0008042602	1	DIRECTIVE	VDMA-FR		
6	0008042603	1	DIRECTIVE	VDMA-IT		
6	0008042604	1	DIRECTIVE	VDMA-ES		
6	0008042611	1	DIRECTIVE	VDMA-DA		
6	0008042609	1	DIRECTIVE	VDMA-NL		
6	0008042605	1	DIRECTIVE	VDMA-PT		
6	0008042614	1	DIRECTIVE	VDMA-EL		
6	0008042610	1	DIRECTIVE	VDMA-SV		
6	0008042615	1	DIRECTIVE	VDMA-NO		
6	0008042612	1	DIRECTIVE	VDMA-FI		
6	0008042621	1	DIRECTIVE	VDMA-PL		
6	0008042620	1	DIRECTIVE	VDMA-HU		
6	0008042616	1	DIRECTIVE	VDMA-CS		
6	0008042622	1	DIRECTIVE	VDMA-SK		
6	0008042623	1	DIRECTIVE	VDMA-SL		
6	0008042617	1	DIRECTIVE	VDMA-ET		
6	0008042618	1	DIRECTIVE	VDMA-LV		
6	0008042619	1	DIRECTIVE	VDMA-LT		
6	0008042628	1	DIRECTIVE	IS		
6	0008042608	1	DIRECTIVE	VDMA-TR		
6	0008042613	1	DIRECTIVE	VDMA-RU		
6	0008042624	1	DIRECTIVE	VDMA-BG		
6	0008042625	1	DIRECTIVE	VDMA-RO		
6	0008042627	1	DIRECTIVE	HR		
7	56338011802	1	UM	DE operating instructions		
7	56338011803	1	UM	EN operating instructions		
7	56338011804	1	UM	FR operating instructions		
7	56338011805	1	UM	IT operating instructions		


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
7	56338011806	1	UM	ES operating instructions		
7	56338011808	1	UM	NL operating instructions		
7	56338011807	1	UM	DA operating instructions		
7	56338011809	1	UM	PT operating instructions		
7	56338011810	1	UM	EL operating instructions		
7	56338011811	1	UM	BG operating instructions		
7	56338011812	1	UM	SV operating instructions		
7	56338011813	1	UM	NO operating instructions		
7	56338011814	1	UM	FI operating instructions		
7	56338011815	1	UM	RU operating instructions		
7	56338011816	1	UM	RO operating instructions		
7	56338011817	1	UM	PL operating instructions		
7	56338011818	1	UM	HU operating instructions		
7	56338011819	1	UM	CS operating instructions		
7	56338011820	1	UM	SK operating instructions		
7	56338011821	1	UM	SL operating instructions		
7	56338011822	1	UM	HR operating instructions		
7	56338011823	1	UM	ET operating instructions		
7	56338011824	1	UM	LV operating instructions		
7	56338011825	1	UM	LT operating instructions		
7	56338011826	1	UM	IS operating instructions		
7	56338011827	1	UM	TR operating instructions		
8	56338010000	1	SPL	6345-6356 SPARE PARTS LIST		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			PUMP MOTOR		01.02.2019->	



21820

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-24	56333500501	1	TRACTION MOTOR ASSY.			
2	0172460	1	ROTOR			
3	28563452201	1	TRANSMITTER	secure with Loctite 620		
4	0172438	1	RADIAL SEAL			
5	0159461	1	LOCKING RING			
6	0172437	1	SLEEVE BEARING			
7	0009182569	1	COVER			
7a	0009615226	1	SEAL			
8	0526189	4	OVAL HEAD SCREW			
9	9031316180	3	HEXAGON HEAD SCREW	corresponding to the thread depth of the thread tap		
9a	0501035	3	HEXAGON HEAD SCREW	corresponding to the thread depth of the thread tap		
9b	0526244	3	DISC SPRING	corresponding to the thread depth of the thread tap		
9c	0491547	3	WASHER	corresponding to the thread depth of the thread tap		
10	0517538	2	SCREW PLUG			
11	0516118	2	SEALING RING			
12	7917415447	1	SENSOR	transmitter impulse		
13	0171449	1	CHEESE-HEAD SCREW	secure with Loctite 243		
14	0500939	1	DETENT RING			
15	0172441	1	SUPPORT			
16	0521954	3	HEXAGON BOLT			
17	0172440	2	SUPPORT			
18	0172446	2	CHEESE-HEAD SCREW			
19	0009380235	1	LABEL			
20	0172488	1	SEAL			
21	0513185	1	SCREW PLUG			
22	0172439	1	GROOVED BALL BEARING			
23	0502687	1	LUBRICATING NIPPLE (CONE)			
24	0172435	1	SHAFT SEAL			




20106a

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-22	56333500700	1	LIFT MOTOR			
1	0175688	1	DRIVE BEARING			
2	0172564	1	SHAFT SEAL			
3	0163488	0	LUBRICANT	225 g tube lithium base grease for roller bearings		
4	4499823	1	LOCKING RING			
5	0512793	1	GROOVED BALL BEARING			
6	0502376	1	LOCKING RING			
7	0172570	1	RUBBER MOUNTING			
8	0175689	1	ARMATURE			
9	0009643850	1	CAP			
10	0170741	1	SPRING WASHER			
11	0512793	1	GROOVED BALL BEARING			
12	56333502800	1	BEARING SHIELD ASSY.			
13	8002634	4	SPRING LOCK WASHER			
14	9045311219	4	SOCKET HEAD SCREW			
15	7917415862	1	TEMPERATURE SENSOR	temperature sensor		
16	0009182566	1	COVER			
17	0172434	1	SEAL			
18	9078610180	4	BUTTON HEAD SCREW			
19	0172450	3	HEXAGON NUT			
20	0172580	1	PLATE			
21	9027068193	3	COACH BOLT			
22	0156386	1	RUBBER MOUNTING			


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			POWER UNIT			
▶			GEARING			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			DRIVE UNIT, COMPL.	single tyre	01.02.2019->	



15457

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶	1		1	TRACTION MOTOR		01.02.2019->	
	2	0532327	1	SHAFT			
▶	3		1	DRIVE WHEEL UNIT	right; single tyre	21.07.2017->	
	4	0142970	17	SOCKET HEAD SCREW			
	5	0522278		ANTICORROSIVE AGENT			
▶	6		1	DRIVE WHEEL UNIT	left; single tyre	21.07.2017->	
	7	9045394310	16	SOCKET HEAD SCREW			
	8	0522278		ANTICORROSIVE AGENT			
	9	0511769	14	HEXAGON HEAD SCREW			
	10	0532624	14	LOCK WASHER			
▶	11		1	PUMP MOTOR		01.02.2019->	
	12	56342120801	1	BEARING PIN			
	13	56342120802	1	BEARING PIN			
	14	0716581	2	SPRING ELEMENT			
	15	0501031	1	HEXAGON HEAD SCREW			
	16	0526244	1	DISC SPRING			
	17	0703669	1	ELECTRICAL CABLE			
	18	0501069	1	HEXAGON BOLT			
	19	0530487	1	DISC SPRING			
	20	0534187	1	O-RING			
	21	0533467	1	O-RING			



19827

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-39	50632600510	1	DRIVE WHEEL UNIT ASSY.	right		
▶ 1-22		1	DRIVE WHEEL UNIT	left; single tyre	21.07.2017->	
1	0149896	1	BOLT			
2	0172125	1	WASHER			
3	0160015	0	DISTANCE SPACER	Dicke 0,05 mm		
3	0157207	0	DISTANCE SPACER	Dicke: 0,1 mm		
3	0157208	0	DISTANCE SPACER	Thickness: 0.3 mm		
3	0157209	0	DISTANCE SPACER	Thickness: 0,5 mm		
4	0149897	1	O-RING			
5	0149894	1	WASHER			
6-7	0175503	1	WHEEL HUB, COMPL.			
7	0156030	6	WHEEL BOLT			
8	0175504	1	RADIAL SEAL			
9	0175505	1	LOCK RING			
10	0149886	2	TAPER ROLLER BEARING			
11	0156147	1	BREATHER			
12	0175506	1	HOUSING			
13	0172131	8	PIN			
14	0502363	3	LOCKING RING			
15	0175507	1	RING GEAR	gear: Z78		
16	0175508	3	GEAR			
17	50632612000	1	PLANETARY TRANSMISSION			
18	50633350100	3	GEAR			
20	0009075048	3	LOCKING RING			
21	0175513	1	GEAR	gear: Z21		
22	0175514	1	PLANETARY GEAR			
23	9045394310	16	SOCKET HEAD SCREW			
24	0175520	1	O-RING			
25	0175517	1	BEARING BRACKET			
26	0175516	1	GEAR SHAFT			
27	0502372	1	LOCKING RING			
28	0175515	1	BEARING RETAINER PLATE			
29	0517538	2	SCREW PLUG			
30	0172147	2	SEAL			






Fig	Part-No.	Qty.	Description	Remark	validity	trucks
31	0510726	1	SCREW PLUG			
32	0175518	1	SCREW			
33	0175519	1	NIPPLE			
34	0042147	1	LOCKING RING			
35	0172146	1	GROOVED BALL BEARING			
36	0132113	1	LOCK RING			
37	0172145	1	RADIAL SEAL			
38	50982560101	1	DIFFERENTIAL			
▶ 39		1	BRAKE	for hub reduction gearbox right 50632600506 / 50632600510	07.04.2017->	



16450

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-22	50632600509	1	DRIVE WHEEL UNIT ASSY.	left		
1	0149896	1	BOLT			
2	56332561900	1	WASHER			
3	0009146544	1	SHIM RING	Dicke: 0,05 mm		
3	0009146545	1	SHIM RING	Thickness: 0,1 mm		
3	0009146546	1	SHIM RING	Thickness: 0.3 mm		
3	0009146547	1	SHIM RING	Thickness: 0,5 mm		
3	0009146548	1	SHIM RING	Thickness: 0,75 mm		
4	0149897	1	O-RING			
5	0149894	1	WASHER			
6-7	0175503	1	WHEEL HUB, COMPL.			
7	0156030	6	WHEEL BOLT			
8	0175504	1	RADIAL SEAL			
9	0175505	1	LOCK RING			
10	0149886	2	TAPER ROLLER BEARING			
11	0156147	1	BREATHER			
12	0175506	1	HOUSING			
13	0172131	8	PIN			
14	0502363	3	LOCKING RING			
15	0175507	1	RING GEAR	gear: Z78		
16	0175508	3	GEAR			
17	0175509	1	PLANETARY GEAR	to S/N 050006064		
17	50632612000	1	PLANETARY TRANSMISSION	from S/N 050006065		
18	0175510	3	GEAR	to S/N 050006064		
18	50633350100	3	GEAR	from S/N 050006065		
19	0175511	3	SHAFT	to S/N 050006064		
20	0175512	3	LOCK RING	to S/N 050006064		
20	0009075048	3	LOCKING RING	from S/N 050006065		
21	0175513	1	GEAR	gear: Z21		
22	0175514	1	PLANETARY GEAR			



17095

BRAKE**516345V00896**

for hub reduction gearbox right 50632600506 / 50632600510

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0175521	1	BRAKE DISC			
2	0175522	1	BRAKE DISC			
3	0175523	1	BRAKE PISTON			
4	0175524	1	LOCK RING			
5	0175525	1	LOCK RING			
6	0175526	1	BRAKE DISC			
7	0175527	2	BRAKE DISC			
8	0175528	1	BRAKE DISC			
9	0175529	1	BRAKE PISTON			
10	0175530	2	BRAKE DISC			
11	50635045501	1	BRAKE PISTON			
12	0172162	3	ADJUSTER			
13	0172235	1	BRAKE CAM			
14	0149923	1	O-RING			
15	0172234	1	FLANGE			
16	0160633	2	BOLT			
17	0172233	1	O-RING			
18	0172232	1	SPRING			
19	0172231	1	BRAKE LEVER			
20	0172230	1	LOCK RING			
21	0505413	1	HEXAGON HEAD SCREW			
22	0149960	1	NUT			
23	0500812	1	WASHER			
24	9308526014	1	WASHER			
25	0501015	1	HEXAGON HEAD SCREW			

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶				DRIVE WHEEL UNIT	right; single tyre	21.07.2017->	
▶				DRIVE WHEEL UNIT	left; single tyre	21.07.2017->	

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶				FRAME			
▶				COUNTERWEIGHT			
▶				COVERING			


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			FRAME	R6321; R6323; R6361; R6345; R6346; 6353 short		
▶			FLOOR PLATE	SINGLE PEDAL-DRIVE OPER		

FRAME

516345V00896

R6321; R6323; R6361; R6345; R6346; 6353


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			CHASSIS, COMPL.	R7361; R7365; standard		



15485

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56334003050	1	CHASSIS ASSY.		28.03.2014->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			FLOORPLATE, COMPL.	standard with signal switch		



15812

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56324311208	1	FLOORPLATE	Pos. 11 and Pos. 12 no longer required	29.06.2012->	
2	0727887	1	BOTTOM PLATE			
3	0702713	1	FLOORMAT	Nacharbeit 724269		
▶ 4-7		1	TRAVEL SENDER	series	06.10.2017->	
5	0528921	2	COACH BOLT			
6	4492277	2	WASHER			
7	4491878	2	HEXAGON NUT		27.09.2013->	
8	0503037	1	SWITCH			
9	0376997	1	RUBBER CAP			
10	0526986	1	CABLE CLIP	rated diameter: 4.5		
11	0726257	1	PLUG			
11	0524613	2	OVAL HEAD SCREW	M6x20		
12	4491878	2	HEXAGON NUT		27.09.2013->	
13	0704356	1	WIRING HARNESS			
▶			WIRING HARNESS	adapter cable kit for accelerter		




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	7917401042	1	ACCELERATOR			
2	9027316135	2	COACH BOLT			
3	8412197	2	WASHER			
4	4491878	2	HEXAGON NUT			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-6	0009779900	1	WIRING HARNESS			
2	0531753	1	SOCKET HOUSING			
3	0531754	4	CONTACT			
4	7912533330	4	SINGLE WIRE SEAL			
5	7914996001	2	PLUG			
6	0149990	1	PIN HOUSING			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			COUNTERWEIGHT, COMPL.			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			COUNTERWEIGHT, COMPL.	6321; 6345 RX60-25		




15285_2

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0657608	1	COUNTERWEIGHT	R7361; R7365; standard		
1	56336130200	1	COUNTERWEIGHT	high rear axle		
2	0505425	6	HEXAGON HEAD SCREW			
2	0534441	6	HEXAGON HEAD SCREW			
3	0522569	6	WASHER			
4	0532454	1	SLOTTED SPRING PIN			
5	0302454	1	BOLT	standard		
6	0330251	2	MUDFLAP			
7	0501072	4	HEXAGON BOLT			
8	0511858	4	WASHER			
9	0076263	1	SPRING COVER			
10	0502056	1	WASHER			
11	0070173	1	SPRING			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			CHASSIS	COVERING		
▶			COUNTERWEIGHT	COVERING		
▶			CABIN	COVERING		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			SUPERSTRUCTURES, COMPL.	R6345; R6346; R6353; R6356; Standard; short		



17168

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1		1	INTERLOCK ASSY.	from week 29, 2010	19.07.2010->	
1	56344305202	1	INTERLOCK ASSY.	R6321; R6323	19.12.2011->	




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	56344305201	1	INTERLOCK ASSY.			
2	9390003415	2	GROOVED DOWEL PIN			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			TRADEMARK EMBLEM	R6321; R6323; R6345-46; R6353; STILL		
▶			PROTECTIVE COVER ASSY.	6345; 6346; 6353; STILL-Standard		





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0711574	1	COVER	up to week 42, 2010		
1	56334313800	1	COVER	plastic from week 43, 2010		
2	0711592	1	CLAMPING HOLDER	up to week 42, 2010		
2	56344312000	1	CLAMPING HOLDER	from week 43, 2010		
3	0651998	1	CLAMPING HOLDER			
4	0531013	3	COUNTERSUNK SCREW			
5	0520870	1	HEXAGON NUT			
6	0531014	1	COUNTERSUNK SCREW			
7	0706674	1	NAME LABEL		->23.01.2020	



14102a

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56334308304	1	PROTECTIVE COVER ASSY.			
2	56344312000	1	CLAMPING HOLDER			
3	0651998	1	CLAMPING HOLDER			
4	9091351132	2	BUTTON HEAD SCREW			
5	0520870	1	HEXAGON NUT			
6	0531014	1	COUNTERSUNK SCREW			
7	0706674	1	NAME LABEL			
8	0531013	1	COUNTERSUNK SCREW			
9	56333650301	1	FOIL			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			STEERING COLUMN SHROUD	standard		
▶			PANELLING REAR, COMPL.			
▶			PANELLING, COMPL.	headliner		
▶			PANELLING, COMPL.	roof; front left		
▶			PANELLING, COMPL.	roof; front right		
▶			SHELF	Fleetmanager with / without heater	01.02.2010->	




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0643967	1	COVERING			
2	0727968	1	PANELLING			
3	0530390	2	OVAL HEAD SCREW			
4	0530391	2	BUTTON HEAD SCREW			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0713199	1	REAR PANELLING			
2	0530744	6	CLAMP			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0711748	1	PANELLING	standard		
2	0719601	2	HINGE			
3	0720402	5	TAPPING SCREW			
4	0719553	5	PLUG			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0724205	1	SUPPORT		22.11.2012->	
2	0724462	1	ANGLE		22.11.2012->	
3	0524613	1	OVAL HEAD SCREW	M6x20		
4	0521108	1	WASHER			
5	0702729	1	PANELLING			
6	0525604	2	OVAL HEAD SCREW			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0706964	1	SUPPORT, COMPL.			
2	0706999	1	ANGLE, COMPL.			
3	0524613	1	OVAL HEAD SCREW	M6x20		
4	0521108	1	WASHER			
5	0700074	1	PANELLING			
6	0525604	2	OVAL HEAD SCREW			
7	0531015	2	WASHER			




SHELF**516345V00896**Fleetmanager with / without heater

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56334301502	1	SHELF ASSY.	FLEETMANAGER		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			DRIVER CABIN			
▶			DRIVER'S SEAT		01.06.2015->	
▶			OVERHEAD GUARD			
▶			RETROFIT			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			MIRROR			
▶			DOOR, COMPL.			
▶			RESTRAINT SYSTEM; IWS; LEFT			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			MIRROR, COMPL.	panorama: 260X135 mm	23.11.2012->	
▶			EXTERNAL MIRROR	nonbreakable: 220x160 mm; on left front side of overhead guard		
▶			EXTERNAL MIRROR	nonbreakable 220x160 mm; on right front side of overhead guard		




15039_1

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0009941035	1	REAR-VIEW MIRROR		23.11.2012->	
2	0605895	1	BRACKET, WD			
3	0524613	2	OVAL HEAD SCREW	M6x20		
4	0521108	2	WASHER			
5	0520870	2	HEXAGON NUT			
6	0738868	1	CLIP			
7	4401580	1	SOCKET HEAD SCREW		23.11.2012->	
8	0009160804	1	BUSH		23.11.2012->	

EXTERNAL MIRROR

nonbreakable: 220x160 mm; on left front side of overhead guard

516345V00896



15204


EXTERNAL MIRROR**516345V00896**nonbreakable: 220x160 mm; on left front side of overhead guard

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0726200	1	REAR-VIEW MIRROR			
2	0708248	1	CLAMPING PIECE			
3	0708249	1	CLAMPING PIECE			
4	0501039	1	HEXAGON HEAD SCREW			
5	0520152	1	WASHER			
6	0709230	1	HOLDER			
7	4491715	2	HEXAGON HEAD SCREW			
8	0521108	2	WASHER			

EXTERNAL MIRROR

nonbreakable 220x160 mm; on right front side of overhead guard

516345V00896



15205

EXTERNAL MIRROR**516345V00896**nonbreakable 220x160 mm; on right front side of overhead guard


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0726200	1	REAR-VIEW MIRROR			
2	0708248	1	CLAMPING PIECE			
3	0708249	1	CLAMPING PIECE			
4	0501039	1	HEXAGON HEAD SCREW			
5	0520152	1	WASHER			
6	0709230	1	HOLDER			
7	4491715	2	HEXAGON HEAD SCREW			
8	0521108	2	WASHER			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			SIDEWALL, ASSY.	Standard; scratch-resistant polycarbonate R7361; R7365; standard		
▶			SIDEWALL, ASSY.	Container; scratch-resistant polycarbonate Container		

sidewall, assy.


Standard; scratch-resistant polycarbonate

516345V00896




18287

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1		1	SIDE PART	side window right, complete Standard; scratch-resistant polycarbonate		
2	0781095	5	SCREW			
3	0713385	10	WASHER			
4	0713386	5	WASHER			
5	0521097	5	WASHER			
6	0520871	5	HEXAGON NUT			
7	0729004	5	PROTECTIVE CAP			
8	0170293	3	BRACKET	CLAUP		
9	0711733	2	CLAMPING PIECE			
10	0713387	2	WASHER			
11	0720182	3	CLAMPING HOLDER			
12	0722722	3	CLAMPING PIECE			
13	0520620	3	SELF TAPPING SCREW			
14	0174817	1	ADHESIVE TAPE	1 piece = 33m		
15	0738916	1	COVER			
16	0524613	1	OVAL HEAD SCREW	M6x20		
17	0641366	1	RIVET NUT			
18	0719646	1	COVER			
19	0737694	2	CLAMPING PIECE			
20	56324378100	2	COVER			
21	4491878	2	HEXAGON NUT			
22	0505276	2	SOCKET HEAD SCREW			
23	0009227038	2	SPRING CLIP			
24	0009227034	2	SPRING CLIP			




side part**516345V00896**side window right, complete

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-6	56334373604	1	SIDE WINDOW			
2	0171849	1	PROFILE			
3	0172000	1	SEAL			
4	0172001	1	SLIDE DISC	right front		
5	0172002	1	SLIDE DISC	right rear		
6	0171827	2	LOCK	hole distance 29,5mm		



15355

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1		1	SIDE PART	side window right, complete Container; scratch-resistant polycarbonate		
2	0781095	5	SCREW			
3	0713385	10	WASHER			
4	0713386	5	WASHER			
5	0521097	5	WASHER			
6	0520871	5	HEXAGON NUT			
7	0729004	5	PROTECTIVE CAP			
8	0170293	3	BRACKET	CLAUP		
9	0711733	2	CLAMPING PIECE			
10	0713387	2	WASHER			
11	0720182	3	CLAMPING HOLDER			
12	0722722	3	CLAMPING PIECE			
13	0520620	3	SELF TAPPING SCREW			
14	0174817	1	ADHESIVE TAPE	1 piece = 33m		
15	0738916	1	COVER			
16	0524613	1	OVAL HEAD SCREW	M6x20		
17	0641366	1	RIVET NUT			
18	0719646	1	COVER			




side part

side window right, complete

516345V00896

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-6	56334362502	1	SIDE PART			
2	0172366	1	SEAL			
3	0172000	1	SEAL			
4	0172001	1	SLIDE DISC	right front		
5	0172002	1	SLIDE DISC	right rear		
6	0171827	2	LOCK	hole distance 29,5mm rear		
7	0009310197	1	HANDLE	front; with distance plate front		



20995

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶ 1		1	PROTECTIVE CIRCUIT			
2	56326110000	1	COVER		08.06.2009->	
3	0530388	4	OVAL HEAD SCREW	M6x10		
4	56326110001	1	COVER		08.06.2009->	
5	0713370	1	BOLT SUPPORT PL			
6	0501035	2	HEXAGON HEAD SCREW			
7	0520152	3	WASHER			
8	0144782	1	COACH BOLT			
9	0520871	1	HEXAGON NUT			
10	0638416	1	CAP			
11	0740182	1	HOOP GUARD			
12	0524376	2	BUTTON HEAD SCREW	M8x25 10.9		
13	0521097	2	WASHER			
14	0520152	2	WASHER			
15	0520871	2	HEXAGON NUT			
16	0729004	2	PROTECTIVE CAP			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56324364102	1	HOOP GUARD		17.01.2014->	
2	0740096	1	HINGE PLATE			
3	0740097	1	HINGE PLATE			
4	0524376	8	BUTTON HEAD SCREW	M8x25 10.9		
5	0520152	8	WASHER			
6	0520871	2	HEXAGON NUT			
7	0729004	2	PROTECTIVE CAP			
8	0009655723	1	GAS SPRING			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			DRIVER SEAT ASSY			
▶			COMMON PARTS SEAT DRIVERS			
▶			BEDIENELEMENTE UND ARMLEHNE	Joystick; Fingertip; Minihebel		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			DRIVER'S SEAT MSG 65			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			DRIVER´S SEAT MSG 65	model		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			DRIVER SEAT, COMPL.	MSG 65 imitation leather without buckle switch		



20746

DRIVER SEAT, COMPL.**516345V00896**

MSG 65 imitation leather without buckle switch

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0657938	1	DRIVER	MSG 65 imitation leather; without buckle switch		
▶ 2		1	HARNESS WITH MOUNTING PARTS	Common parts seat drivers		




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-5	0707362	1	WIRING HARNESS			
2	0526012		PIPE, TUBE	Bulk stock; State required length rounded up to full metre		
3	0526896	2	CABLE CLIP	rated diameter: 7.5		
4	0149989	1	PIN HOUSING			
5	8434601	1	SOCKET HOUSING	6-PIN		
6	0526989	1	CABLE CLIP			
7	0638416	1	CAP			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			COMMON PARTS SEAT DRIVERS	Standard high	03.03.2009->	




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0532799	4	SOCKET HEAD SCREW			
2	0500942	4	DETENT RING			
3	0641368	4	RIVET NUT			
4	0726270	4	WASHER			
5	0711012	2	RUBBER LINER	drilling template for seat and cable must be put in place as required		
7	0740089	1	ANGLE			
8	0502082	3	WASHER	Not on angle	25.01.2013->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			BEDIENELEMENTE UND ARMLEHNE	fingertip		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			OPERATING UNIT	Fingertip 4-lever		





	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶	1		1	ARMREST ASSY.	Joystick; Fingertip; Minihebel		
▶	2		1	BRACKET	Fingertip 4-lever		



17076

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-31	0733570	1	ARMREST ASSY.			
1	0733565	1	SUPPORT			
2	0733564	1	GUIDE			
3	0534222	6	COACH BOLT			
4	0520152	6	WASHER			
5	0502231	6	HEXAGON NUT			
6	0733566	1	SUPPORT			
7	0733574	2	ROLLER GUIDE			
8	0733576	2	BUSH			
9	0501047	2	HEXAGON HEAD SCREW			
10	0506016	2	WASHER			
11	0520152	2	WASHER			
12	0502231	2	HEXAGON NUT			
13	0733577	1	STAR-GRIP HANDLE			
14	0733571	1	SLIDING BLOCK			
15	0738960	1	SEALING PLUG			
16	0733579	1	SPACER			
17	0534221	1	HEXAGON HEAD SCREW			
18	0519829	1	WASHER			
19	0733578	1	SPACER			
20	0501035	1	HEXAGON HEAD SCREW			
21	0520152	1	WASHER			
22	0525438	1	COACH BOLT			
23	0521108	1	WASHER			
24	0502228	1	HEXAGON NUT	ISO 4032 M6-8-A2C		
25	0733568	1	ARMREST			
26	0532058	1	STAR-GRIP HANDLE			
27	0534192	1	CABLE TIE			
28	0525454	3	EXPANDING RIVET			
29	0733575	1	COVER			
30	0511858	1	WASHER			
31	0502084	1	WASHER	DIN125 10.5 ST A2A		




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-13	0713967	1	CONSOLE	Fingertip 4-lever		
1	50634382200	1	SHELF			
2	0533526	1	EMERGENCY OFF SWITCH			
3	0009619019	1	SEAL			
4	0009619018	1	SEAL			
5	0009643834	1	CAP			
6	0009643833	4	CAP			
7-11	56323810354	1	WIRING HARNESS			
8-9	0149993	1	HOUSING	packaging group		
8	0526688	1	SOCKET HOUSING	6-pin		
9	0526696	1	CONTACT LOCK			
10	0526986	1	CABLE CLIP	rated diameter: 4.5		
11	0526989	4	CABLE CLIP			
12	0713954	1	CONTROL SYMBOL PL	Lifting / lowering see functional group 713; control symbol		
13	0713960	1	CONTROL SYMBOL PL	Tilt forward / backward see functional group 713; control symbol		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			GUARD OVERHEAD, COMPL.	standard		
▶			GUARD OVERHEAD, COMPL.	Container		
▶			GUARD OVERHEAD, COMPL.	Drive-in		
▶			GUARD OVERHEAD, COMPL.	reinforced version	12.09.2017->	





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56338702030	1	OVERHEAD GUARD ASSY.			
2	0715224	4	SPRING ELEMENT			
3	0715225	2	WASHER			
4	0715226	2	WASHER			
5	0715227	2	THREADED BUSH			
6	0715228	2	THREADED BUSH			
7	0715229	2	THREADED BUSH			
8	0530302	2	LOCK EDGE WASHER			
9	0501091	2	HEXAGON BOLT			
10	0702705	2	SPRING ELEMENT			
11	0702706	2	PLATE			
12	0702707	2	BUSH			
13	0530302	2	LOCK EDGE WASHER			
14	0501085	2	HEXAGON BOLT			
15	0705190	1	BEARING FLANGE			
16	0519694	4	WASHER	DIN6796 10-FST MECH.VERZ.		
17	0502145	4	SOCKET HEAD SCREW			
18	0523774	2	CAP			
19	0638416	12	CAP			
20	0626776	9	CAP			



15343

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56338702031	1	OVERHEAD GUARD ASSY.			
2	0715224	4	SPRING ELEMENT			
3	0715225	2	WASHER			
4	0715226	2	WASHER			
5	0715227	2	THREADED BUSH			
6	0715228	2	THREADED BUSH			
7	0715229	2	THREADED BUSH			
8	0530302	2	LOCK EDGE WASHER			
9	0501091	2	HEXAGON BOLT			
10	0702705	2	SPRING ELEMENT			
11	0702706	2	PLATE			
12	0702707	2	BUSH			
13	0530302	2	LOCK EDGE WASHER			
14	0501085	2	HEXAGON BOLT			
15	0705190	1	BEARING FLANGE			
16	0519694	4	WASHER	DIN6796 10-FST MECH.VERZ.		
17	0502145	4	SOCKET HEAD SCREW			
18	0523774	2	CAP			
19	0638416	12	CAP			
20	0626776	9	CAP			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56338702032	1	OVERHEAD GUARD ASSY.			
2	0715224	4	SPRING ELEMENT			
3	0715225	2	WASHER			
4	0715226	2	WASHER			
5	0715227	2	THREADED BUSH			
6	0715228	2	THREADED BUSH			
7	0715229	2	THREADED BUSH			
8	0530302	2	LOCK EDGE WASHER			
9	0501091	2	HEXAGON BOLT			
10	0702705	2	SPRING ELEMENT			
11	0702706	2	PLATE			
12	0702707	2	BUSH			
13	0530302	2	LOCK EDGE WASHER			
14	0501085	2	HEXAGON BOLT			
15	0705190	1	BEARING FLANGE			
16	0519694	4	WASHER	DIN6796 10-FST MECH.VERZ.		
17	0502145	4	SOCKET HEAD SCREW			
18	0523774	2	CAP			
19	0638416	12	CAP			
20	0626776	9	CAP			
21	0507254	3	CABLE SLEEVE			
22	0526182	4	EXPANDING RIVET			



15343

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56348702038	1	OVERHEAD GUARD			
2	0715224	4	SPRING ELEMENT			
3	0715225	2	WASHER			
4	0715226	2	WASHER			
5	0715227	2	THREADED BUSH			
6	0715228	2	THREADED BUSH			
7	0715229	2	THREADED BUSH			
8	0530302	2	LOCK EDGE WASHER			
9	0501091	2	HEXAGON BOLT			
10	0702705	2	SPRING ELEMENT			
11	0702706	2	PLATE			
12	0702707	2	BUSH			
13	0530302	2	LOCK EDGE WASHER			
14	0501085	2	HEXAGON BOLT			
15	0705190	1	BEARING FLANGE			
16	0519694	4	WASHER	DIN6796 10-FST MECH.VERZ.		
17	0502145	4	SOCKET HEAD SCREW			
18	0523774	2	CAP			
19	0638416	12	CAP			
20	0626776	9	CAP			

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶				WEATHER PROTECTION I	ohne Heckscheibe		
▶				WEATHER PROTECTION II	with rear window		
▶				CABIN			
▶				TARP CAB			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			MIRROR, COMPL.	panorama: 260X135 mm	23.11.2012->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			MIRROR, COMPL.	panorama: 260X135 mm	23.11.2012->	

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶				MIRROR, COMPL.	panorama: 260X135 mm	23.11.2012->	
▶				PANELLING, COMPL.	headliner		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			MIRROR, COMPL.	panorama: 260X135 mm	23.11.2012->	
▶			EXTERNAL MIRROR	nonbreakable: 220x160 mm; on left front side of overhead guard		
▶			PANELLING, COMPL.	headliner		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			HYDRAULIC STEERING			
▶			STEERING WHEEL WITH STEERING COLUMN			
▶			STEERING AXLE			
▶			STEERING CYLINDER			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			CONTROL VALVE	R6345-48; R6353-56	29.01.2010->	





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0532129	1	STEERING UNIT		13.09.2013->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			STEERING COLUMN		29.01.2010->	



17315

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0501042	4	HEXAGON HEAD SCREW			
2	0520152	6	WASHER			
3	0722824	4	SPRING ELEMENT			
4	0722823	4	SPRING ELEMENT			
5	0703596	4	COLLAR NUT			
6	0532323	1	SOCKET HEAD SCREW			
7	0519829	1	WASHER			
8	0524762	4	THREADED PIPE			
9	0009520803	1	SCREW JOINT			
10	0519829	2	WASHER			
11	0531024	2	SLEEVE BEARING			
12	0729129	1	SLEEVE			
13	0720127	1	GEAR SEGMENT			
14	0502082	2	WASHER			
15	0525237	2	OVAL HEAD SCREW			
16	0501015	1	HEXAGON HEAD SCREW			
17	0521108	1	WASHER			
18	0525025	1	WASHER			
19	0530046	2	BEARING			
20	0727219	1	BOLT			
21	0733684	1	LATCH ASSY.			
22	0529565	1	LOCK WASHER			
23	0532322	1	TENSION SPRING			
▶ 24			CONTROL VALVE	R6345-48; R6353-56	29.01.2010->	
25	8006005	4	SOCKET HEAD SCREW			
26	8418482	1	WASHER			
27	0703670	1	ELECTRIC CABLE			
28	0519694	4	WASHER	DIN6796 10-FST MECH.VERZ.		
29	0728131	1	STEERING COLUMN			
30	0009910231	1	STEERING WHEEL		24.06.2013->	
30a	0163524	1	HANDLE			
31	56324335600	1	COVER		24.06.2013->	
32	0702667	1	SENSOR			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
33	0702668	1	CLAMPING RING			
34	0520620	1	SELF TAPPING SCREW			
35	0526174	2	SCREW			
36	0703335	1	MAGNET SUPPORT			
37	0501933	1	BUTTON HEAD SCREW			
38	0526986	1	CABLE CLIP	rated diameter: 4.5		
39	0519899	1	POURABLE PLASTICS			
40	0009640543	1	EDGE PROTECTION		18.03.2016->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			STEERING AXLE, COMPL.	swing axle	29.07.2016->	





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶ 1		1	STEERING AXLE		29.07.2016->	
2	0138527	2	SPRING ELEMENT			
3	0370185	2	JOINING PLATE			
4	0501150	4	HEXAGON HEAD SCREW			
5	0500955	4	DETENT RING			
6	0502472	10	WHEEL NUT			



10299

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-36	0524160	1	STEER AXLE			
1	0146127	1	AXLE BEAM			
▶ 2			STEERING CYLINDER		24.11.2003->	
3	0522170	2	SLOTTED SPRING PIN			
4	0511322	4	HEXAGON HEAD SCREW			
5	0148003	1	AXLE STUB	right		
6	0148004	1	AXLE STUB	left		
7	0148002	2	PIPE			
8	0146129	2	TAPERED ROLLER BEARING			
9	0146139	4	WIPER			
10	0146131	2	WASHER			
11	0159452	2	TAPERED ROLLER BEARING			
12	0520603	2	O-RING			
13	0146972	2	SPACER RING ASSY.			
14	0146132	2	STEERING PIVOT PIN			
15	0138531	2	SEALING PLUG			
16	0146133	2	WASHER			
17	0171942	2	HEXAGON NUT			
18	0527038	4	LUBRICATOR			
19	0501106	2	HEXAGON BOLT			
20	8003277	2	HEXAGON NUT			
21-24	0146775	2	TRACK ROD ASSY.	assembly		
22	0159470	4	SPHERICAL BEARING			
23	0159471	8	SEALING RING			
24	0527038	4	LUBRICATOR			
25	0146125	4	BOLT			
26	0146126	8	PIN			
27	0138573	2	SHAFT SEAL			
28	0518189	2	TAPERED ROLLER BEARING			
29-30	0144488	2	WHEEL HUB ASSY.			
30	0137162	10	BOLT			
31	0138565	2	TAPERED ROLLER BEARING			
32	0525031	2	WASHER			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
33	0505689	2	SLOTTED SPRING PIN			
34	0522564	2	HEXAGON NUT			
35	0142754	2	HUBCAP			
36	0158993	2	SEAL			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-8	0725527	1	CYLINDER ASSY.			
2	0344032	1	PISTON ROD ASSY.			
3	0725528	2	BUCHSE,ZSB			
4	0340996	2	SNAP RING			
5-6	0524195	2	PIPE UNION			
6	0146886	2	SEAL			
7	0525746	2	CAP SCREW			
8	0525177	1	SEALING RING			


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			WHEELS		24.02.2017->	
▶			MUDGUARDS			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			TYRES FRONT	Superelastik; nature; 225/75-10 track width 1096mm	24.02.2017->	
▶			TYRES REAR	Superelastik; nature; 180/70-8 track width 900mm	24.02.2017->	
▶			EARTH SHEATHING	required with natural-colour tyres	12.08.2016->	



TYRES FRONT**516345V00896**Superelastik; nature; 225/75-10

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0531994	2	DISC WHEEL			
2	0525909	2	SUPER ELASTIC TYRES			
3	0509525	12	WHEEL NUT			



TYRES REAR**516345V00896**Superelastik; nature; 180/70-8

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0521815	2	DISC WHEEL			
2	0525182	2	SUPER ELASTIC TYRES			
3	0502472	10	WHEEL NUT			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0523531	1	EARTH SHEATHING			
2	0501071	1	HEXAGON BOLT			
3	0511858	1	WASHER			



FENDER, COMPL.**516345V00896**

track: 1002 mm; track: 1050 mm; track: 1066 mm; track: 1096 mm

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0728946	1	MUDGUARD	left		
2	0728947	1	MUDGUARD	right		
3	0524376	8	BUTTON HEAD SCREW	M8x25 10.9		
4	0521097	8	WASHER			
5	0520871	8	HEXAGON NUT			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			HYDRAULIC SERVICE BRAKE			
▶			MECHANICAL OPERATING BRAKE			
▶			PARKING BRAKE		01.09.2010->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			BRAKE	for hub reduction gearbox right 50632600506 / 50632600510	07.04.2017->	




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶ 1			BRAKE PEDAL ASSY.		16.04.2007->	
2	0721503	1	BRAKE CABLE PULL	foot brake cable medi		






Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0720126	1	STOP			
2	0501119	1	HEXAGON BOLT			
3	0519829	1	WASHER			
4	0524394	2	OVAL HEAD SCREW			
5	0720784	1	POTENTIOMETER ASSY.			
6	0703406	1	PERFORATED PLATE			
7	0703405	1	PLATE			
8	0358982	1	PEDAL COVER			
9	50635205805	1	PEDAL ASSY.	Standard	12.02.2016->	
10	0531024	2	SLEEVE BEARING			
11	0533134	1	TENSION SPRING			
12	0522141	1	BEARING BUSH			
13	0729086	1	SLEEVE			
14	0532866	1	GROOVED DOWEL PIN			




15596

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶ 1			HAND BRAKE, COMPL.		30.04.2010->	
2	56335160100	1	BRAKE CABLE PULL	hand brake cable medi		



15597

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-39	56325100500	1	HANDBRAKE ASSY.			
▶ 1			HAND BRAKE LEVER			
26	0147873		LUBRICANT			
34	0501017	2	HEXAGON HEAD SCREW			
36	0502228	2	HEXAGON NUT	ISO 4032 M6-8-A2C		
37	56325171301	2	WEAR STRIP		17.12.2010->	
39	0525765	1	HEXAGON NUT			




15597a

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-4d	0720121	1	HANDBRAKE LEVER ASSY.		21.09.2012->	
2	56345432800	1	NUT		19.04.2013->	
3	0530315	1	SPRING			
4a	56325043601	1	SCREW		19.04.2013->	
4b	4499109	1	BEARING BUSH		21.09.2012->	
4c	0530315	1	SPRING		21.09.2012->	
4d	56325170400	1	ROD		21.09.2012->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			OPERATING UNIT ASSY.	steering; brake		
▶			ACCEL.+BRAKING CONTR.			
▶			SWITCH			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			OPERATING UNIT ASSY.	steering; brake		




17314

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶	1			STEERING COLUMN		29.01.2010->	
▶	2			HAND BRAKE, COMPL.		30.04.2010->	
	3	56335160100	1	BRAKE CABLE PULL	hand brake cable medi		
	5	0721503	1	BRAKE CABLE PULL	foot brake cable medi		
▶	6			BRAKE PEDAL ASSY.		16.04.2007->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			FLOOR PLATE	SINGLE PEDAL-DRIVE OPER		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			FLOORPLATE, COMPL.	standard with signal switch		



15812

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56324311208	1	FLOORPLATE	Pos. 11 and Pos. 12 no longer required		
2	0727887	1	BOTTOM PLATE			
3	0702713	1	FLOORMAT	Nacharbeit 724269		
▶ 4-7		1	TRAVEL SENDER	series	06.10.2017->	
5	0528921	2	COACH BOLT			
6	4492277	2	WASHER			
7	4491878	2	HEXAGON NUT			
8	0503037	1	SWITCH			
9	0376997	1	RUBBER CAP			
10	0526986	1	CABLE CLIP	rated diameter: 4.5		
11	0524613	2	OVAL HEAD SCREW	M6x20		
12	4491878	2	HEXAGON NUT			
13	0704356	1	WIRING HARNESS			
▶		1	WIRING HARNESS	adapter cable kit for accelerter		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			KEY SWITCH (695)	number 530		









Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	0526800	1	SWITCH IGNITION AND STA	key 530		
2	0149442	2	KEY`PAIR	key 530		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			SUPPORT			
▶			DATA CARD			



14208a

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
5	0737871	1	CONTROL UNIT PL	Anzeige-Bedieneinheit II Facelift	16.03.2009->	





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0623229	1	DATA CARRIER			
2	0623230	1	TRUCK PASS			
3	0119079	1	SHIPPING POCKET			
4	0519376	1	PLASTIC BAG			
5	0503668	1	CABLE TIE			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			ELECTRICS; ELECTRONICS IN GENERAL			
▶			WIRING			
▶			LIGHTING			
▶			WORKING LAMP			
▶			ELECTR.INSTALLATION			
▶			HAZARD WARNING SYSTEM			
▶			BATTERY AND ACCESSORIES			
▶			SENSORS			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			POWER SUPPLY			
▶			CAN POWER PORT / RELAY PLATE			
▶			CONVERSION KIT			


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			POWER SUPPLY	24 V; 0W - 800W		



15541

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	7917401104	2	VOLTAGE TRANSFORMER	48-80V / 24V / 400W	30.01.2015->	
1-2	7917401102	1	VOLTAGE TRANSFORMER	48-80V / 12,5V / 400W	09.01.2015->	
3	0531421	4	LOCK WASHER			
4	4491434	4	SOCKET HEAD SCREW			
5	0526714	4	PLUG			
6	0147420		ADHESIVE	LOCTITE 243		
7-11	0712031	1	PRINTED CIRCUIT BOARD ASSY.			
8	0527978	1	FUSE LINK	30A; 80V		
9	0524362	1	FUSE LINK	10A		
10	0155036	1	FUSE LINK	25 A		
11	0525839	1	FUSE LINK	C15-32V		
12	0711135	2	HEXAGON HEAD BOLT			
13	0711128	1	HEXAGON HEAD BOLT			
14	0711129	1	HEXAGON HEAD BOLT			
15	0501983	2	BUTTON HEAD SCREW			
16	0500861	2	LOCK WASHER			
17	0501017	2	HEXAGON HEAD SCREW			
18	0502448	2	LOCK WASHER	DIN 137 B6-A2C		
19	0525548	1	HOLDER			
20	0738456	1	FUSE ELEMENT	80V/30A; Farbe Grün		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			CANBOX	CPP; vorne; Beleuchtung	06.06.2014->	
▶			CANBOX	CAN Power Port - roof		
▶			CANBOX	CAN Power Port - seat		



2

X51			B	X53		X54										X52		B
1	2	3		1	2	1	2	3	4	5	6	7	8	9	10	1	2	
1	2	3	A	1	2	1	2	3	4	5	6	7	8	9	10	1	2	A

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	51523602606	1	CONTROL UNIT ASSY.	CAN-POWER-PORT (CPP- BELEUCHTUNG), Für STVZO- Beleuchtung	21.09.2012->	
2	0707491	1	STICKER			
3	0703340	1	SUPPORT, COMPL.			
4	4492277	2	WASHER			
5	0520870	4	HEXAGON NUT			
6	8412197	2	WASHER			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	56323602607	1	CONTROL UNIT ASSY.	CAN-POWER-PORT (CPP-DACH)	12.08.2011->	
2	0707491	1	STICKER			
3	0720402	2	TAPPING SCREW			
4	0155036	1	FUSE LINK	25 A		




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	56323602606	1	CONTROL UNIT ASSY.	CAN-POWER-PORT (CPP-SITZ)	12.08.2011->	
2	0707491	1	STICKER			
3	0641366	2	RIVET NUT			
4	4491715	2	HEXAGON HEAD SCREW			
5	0521108	2	WASHER			
6	0155036	1	FUSE LINK	25 A 25 A		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			CONVERSION KIT	Kabelsatz Unfallrecorder proportional control		
▶			CONVERSION KIT	Stromversorgung; 800 W		





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0639865	1	LINE			
2	0529239	3	ELECTRICAL TAPE	length: 360 mm; mast height: 4.8 mm		
3	0520871	1	HEXAGON NUT			
4	0520152	1	WASHER			
5	4491709	1	HEXAGON HEAD SCREW			
6	0506016	2	WASHER			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			HARNESS			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-6	0720258	1	WIRING HARNESS			
3	0170206	2	PLUG HOUSING			
4	0170205	2	PLUG HOUSING			
6	0173551	2	HOUSING			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			CONTROL CABLE LOOM	CHASSIS		
▶			CONTROL CABLE LOOM	OVERHEAD GUARD		
▶			CABLE TREE			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			CONTROL CABLE LOOM	Rahmen; mit Lenkwinkelerfassung	20.04.2012->	



18280

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-24	56333810322	1	WIRING HARNESS			
1	0149963	2	HOUSING			
2	0157269	1	HOUSING			
3	0736686	1	SWITCHING			
4	0527204	1	CABLE CLIP	rated diameter: 15; AHW version		
5	0149993	1	HOUSING	packaging group		
6	0526696	1	CONTACT LOCK			
7	0149991	1	HOUSING			
8	0526692	1	CONTACT LOCK			
9	0173551	1	HOUSING			
10	0173543	1	HOUSING			
11	0173492	1	HOUSING			
12	0173849	2	PLUG			
13	0527277	1	HOUSING	16-pin; 1X3		
14	8406249	1	SOCKET HOUSING	42-pin		
15	0613922	1	CAP			
16	0526755	0	CONTACT	0,5-1,0		
17	0526756	0	SEAL			
18	8406206	0	BLIND PLUG			
19	0527274	0	SEAL			
20	0527273	0	CONTACT	1,0-2,5		
21	0613922	1	CAP			
22	0527270	0	SPRING CONTACT			
23	0527271	0	SINGLE WIRE SEAL			
24	0527272	0	BLIND PLUG			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			CONTROL CABLE LOOM	roof; for proportional control and add-on electrics; with heater and preparation card reader	01.04.2016->	
▶			WIRING HARNESS	adapter cable kit plug 11X54	01.04.2016->	





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-42	56343810376	1	WIRING HARNESS			
1	0527277	1	HOUSING	16-pin; 1X3		
2	0527273	0	CONTACT	1,0-2,5		
3	0527274	0	SEAL			
4	0526755	0	CONTACT	0,5-1,0		
5	0526756	0	SEAL			
6	0173491	1	HOUSING			
7	0173550	6	HOUSING			
8	0173542	4	HOUSING			
9	0149991	2	HOUSING			
10	0173547	2	HOUSING			
11	0173548	3	HOUSING			
12	0173543	3	HOUSING			
13a	57340206014	1	SOCKET HOUSING ASSY.			
13b	57340206001	1	SOCKET HOUSING ASSY.			
14	50983609526	1	PLUG			
15	0149989	1	PIN HOUSING			
16	0149965	3	PIN HOUSING			
18	0157269	1	HOUSING			
20	0149963	10	HOUSING			
21	0521939	2	INSULATION SLEEVE			
22	0518853	2	RECEPTACLE	0,7-1,5 mm ²		
27	8406206	0	BLIND PLUG			
30	0173494	1	HOUSING			
31	0149994	1	HOUSING			
32	0149993	2	HOUSING	packaging group		
32a	0631692	1	SUPPORT MOUNTING			
33	8406249	3	SOCKET HOUSING	42-pin		
34	0613922	3	CAP			
35	0527270	0	SPRING CONTACT			
36	0527271	0	SINGLE WIRE SEAL			
37	0527272	0	BLIND PLUG			
38	4401571	1	PIN HOUSING	7-pole		
39	7912533711	1	LID			




control cable loom

516345V00896

roof; for proportional control and add-on electrics; with heater and preparation card reader

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
40	4401560	7	PIN CONTACT	0,5-1,0		
41	0532144	1	RING			
42	0532145	1	LID			
			WIRING HARNESS	adapter cable kit plug 11X54	01.04.2016->	








Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	56343810385	1	WIRING HARNESS			
1	57340206015	1	SOCKET HOUSING ASSY.			
2	0173549	1	PIN HOUSING			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			WIRING HARNESS	Dach; Verlängerung für ISO-Senkventil		
▶			WIRING HARNESS	R6321; R6323; power cable		
▶			WIRING HARNESS	Sicherungsplatte - Umformer	10.12.2010->	
▶			WIRING HARNESS	adapter cable kit from LAC2 up to SAC2-converter		
▶			CABEL TREE	lighting rear top; with spotlight; left		
▶			CABEL TREE	lighting rear top; with spotlight; right		
▶			CABLE TREE	working spotlight; front top left		
▶			CABLE TREE	working spotlight; front top right		
▶			CABEL TREE	Flashing light on / under roof		
▶			WIRING HARNESS	adapter cable kit for accelerter		



17310

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	50633810412	1	WIRING HARNESS			
2	0149963	1	HOUSING			
3	0155073	1	PIN HOUSING			



15536

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-13	0724482	1	WIRING HARNESS			
1	0717577	4	CABLE CLIP PL			
2	0702657	4	CABLE CLIP			
3	0702655	4	CABLE CLAMP			
4	0522540	8	SELF TAPPING SCREW			
5	0702681	1	CABLE GUIDE			
6	0656135	1	CABLE CLAMP			
7	0713109	6	CABLE SHOE			
8	0513035	6	CABLE SHOE			
9	0328989	6	COVER			
10	0724966	1	SUPPORT			
11	0529239	7	ELECTRICAL TAPE	length: 360 mm; mast height: 4.8 mm		
12	0502999	0	LINE	50 mm ² length as needed		
13	0703665	2	SCREW			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-5	56323810363	1	WIRING HARNESS			
1	0170205	1	PLUG HOUSING			
2	0170207	1	PLUG HOUSING			
3	0173542	1	HOUSING			
4	0173491	1	HOUSING			
5	50983609527	1	PLUG			



wiring harness**516345V00896**adapter cable kit from LAC2 up to SAC2-converter

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-4	0728440	1	WIRING HARNESS			
2	0156972	1	PLUG HOUSING	16-pin		
3	0525761	4	CABLE TIE			
4	0173849	1	PLUG			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-9	0738227	1	WIRING HARNESS			
2	0173548	1	HOUSING			
3	0174220	1	PLUG			
4	0526896	2	CABLE CLIP	rated diameter: 7.5		
5	0661882	1	GROMMET			
6	0173547	1	HOUSING			
7	0527886	1	SOCKET HOUSING	2-pin		
8	0521837	2	RECEPTACLE	6,3x0,8		
9	0527975	1	GROMMET			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-9	0738231	1	HARNESS			
2	0173548	1	HOUSING			
3	0174220	1	PLUG			
4	0526896	2	CABLE CLIP	rated diameter: 7.5		
5	0661882	1	GROMMET			
6	0173547	1	HOUSING			
7	0527886	1	SOCKET HOUSING	2-pin		
8	0521837	2	RECEPTACLE	6,3x0,8		
9	0527975	1	GROMMET			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-6	0722195	1	WIRING HARNESS			
2	0173547	1	HOUSING			
3	0527886	1	SOCKET HOUSING	2-pin		
4	0521837	2	RECEPTACLE	6,3x0,8		
5	0527975	1	GROMMET			
6	0661882	1	GROMMET			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-6	0722194	1	WIRING HARNESS			
2	0173547	1	HOUSING			
3	0527886	1	SOCKET HOUSING	2-pin		
4	0521837	2	RECEPTACLE	6,3x0,8		
5	0527975	1	GROMMET			
6	0661882	1	GROMMET			





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	0732117	1	HARNESS			
1	0173547	1	HOUSING			
2	0174214	1	HOUSING			
3	0661882	1	GROMMET			

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶				LIGHTING	24 V; front bottom	08.02.2010->	
▶				LIGHTING	rear top		




LIGHTING

24 V; front bottom

516345V00896


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-4	0660089	2	HEADLIGHT			
2	0170031	2	BULB	24 V/70 W		
3	0523895	2	BULB	24 V/4 W		
4	0163619	2	BULB	24V / 21W		
5	0505273	4	CHEESE-HEAD SCREW	DIN912 M6X12-8.8 A2A		
6	4492277	4	WASHER			
7	4491878	2	HEXAGON NUT			
8	0531202	2	SOCKET HEAD SCREW			
9-12	0736314	1	WIRING HARNESS			
10	0149992	2	HOUSING			
11	0173548	2	HOUSING			
12	0526989	2	CABLE CLIP			



19037

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56323631236	2	SUPPORT		08.01.2016->	
2	0009740247	1	REAR LIGHT	left including position 4 and 5		
3	0009740248	1	REAR LIGHT	RIGHT including position 4 and 5		
4	0513989	2	BULB	24V/21W Blinkleuchte		
5	0500150	2	BULB			
6	0501039	4	HEXAGON HEAD SCREW		08.01.2016->	
7	0714548	4	SEALING RING			
8	0502228	4	HEXAGON NUT	ISO 4032 M6-8-A2C		
9	0721882	4	DISC SPRING			
10	0525714	4	HEXAGON NUT		08.01.2016->	
11-15	0738219	1	WIRING HARNESS	left		
11-15	0738223	1	WIRING HARNESS	RIGHT		
12	0173548	1	HOUSING			
13	0174220	1	PLUG			
14	0661882	1	GROMMET			
15	0526896	2	CABLE CLIP	rated diameter: 7.5		
16-19	0741647	1	WIRING HARNESS			
17	0173548	2	HOUSING			
18	0173549	1	PIN HOUSING			
19	0526896	2	CABLE CLIP	rated diameter: 7.5		
20	0502082	8	WASHER		09.01.2015->	
21	0523214	4	CAP		09.01.2015->	

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶				HEADLIGHT	front; top; left	30.04.2015->	
▶				HEADLIGHT	front; top; right	30.04.2015->	
▶				HEADLIGHT	hinten oben; rechts; bei Beleuchtung		




HEADLIGHT

front; top; left

516345V00896


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	0009740319	1	HEADLIGHT			
2	0522981	1	BULB	24 V/ 70 W		
3	0729711	1	SUPPORT	single		
4	0722803	1	SPACER BUSH			
5	0532461	1	COACH BOLT			
6	0525714	1	HEXAGON NUT			
7	0521224	1	PROTECTIVE CAP			
8	0521097	4	WASHER			
9	0729004	2	PROTECTIVE CAP		03.07.2015->	
10	0501039	2	HEXAGON HEAD SCREW			
11	0520152	2	WASHER			
▶			CABLE TREE	working spotlight; front top left		



CABLE TREE**516345V00896**

working spotlight; front top left

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-7	0706163	1	CABLE TREE			
2	0173547	1	HOUSING			
3	0661882	1	GROMMET			
4	0527975	1	GROMMET			
5	0527886	1	SOCKET HOUSING	2-pin		
6	0521837	1	RECEPTACLE	6,3x0,8		
7	0526884	1	CORRUGATED HOSE	by the meter		




HEADLIGHT

front; top; right

516345V00896

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	0009740319	1	HEADLIGHT			
2	0522981	1	BULB	24 V/ 70 W		
3	0729712	1	SUPPORT	single		
4	0722803	1	SPACER BUSH			
5	0532461	1	COACH BOLT			
6	0525714	1	HEXAGON NUT			
7	0521224	1	PROTECTIVE CAP			
8	0521097	4	WASHER			
9	0729004	2	PROTECTIVE CAP		03.07.2015->	
10	0501039	2	HEXAGON HEAD SCREW			
11	0520152	2	WASHER			



HEADLIGHT

516345V00896

hinten oben; rechts; bei Beleuchtung


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	0009740319	1	HEADLIGHT		30.04.2015->	
2	0522981	1	BULB	24 V/ 70 W		
3	0533100	1	COACH BOLT			
4	56323630500	1	SPACER BUSH		08.01.2016->	
5	0521097	1	WASHER		30.04.2015->	
6	0525714	1	HEXAGON NUT		30.04.2015->	
7	0729004	1	PROTECTIVE CAP		03.07.2015->	
8	0522268	1	WASHER		08.01.2016->	

CABEL TREE

lighting rear top; with spotlight;
right

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			ELECTR.INSTALLATION			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			ELECTR.INSTALLATION	roof; joystick; fingertip		



15615

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0633019	1	ELECTRIC CABLE			
2	0525765	1	HEXAGON NUT			
3	0531283	1	DISC SPRING			
4	0502078	1	WASHER			
5	0721874	1	SPACER BUSH			
6	0524187	2	PLUG			
7	0502228	2	HEXAGON NUT	ISO 4032 M6-8-A2C		
8	0521108	2	WASHER			
10	0520870	1	HEXAGON NUT			
11	4492277	1	WASHER			
12	0721875	1	SPACER BUSH			
13	0721882	1	DISC SPRING			
14	0503668	3	CABLE TIE			
15	0501014	1	HEXAGON HEAD SCREW			
16	0502448	1	LOCK WASHER	DIN 137 B6-A2C		
17	0724910	1	WIRING HARNESS	earth wire 6 mm ²		
18	0726294	1	CABLE GUIDE	screw adaptor sheet 730678 externally to the the back panel		
19	9078610125	1	BUTTON HEAD SCREW	M6x10 strap earthing		
20	0524758	1	COVER CAP	Diameter: 32,5 mm		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			LAMP	flashing light under the roof	21.01.2008->	
▶			HEADLIGHT	Safety Light Plus; rear left; with light	08.01.2016->	





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0714003	1	FLASHING BEACON			
2	0730904	1	SUPPORT			
3	0523214	2	CAP			
4	8004733	1	HEXAGON HEAD SCREW			
5	0502082	4	WASHER			
6	0520871	2	HEXAGON NUT			
7-12	0732117	1	HARNESS			
8	0526884	0	CORRUGATED HOSE	by the meter		
9	0527136	2	CABLE CLIP			
10	0661882	1	GROMMET			
11	0533127	1	PLUG HOUSING			
12	0173547	1	HOUSING			
13	0526986	2	CABLE CLIP	rated diameter: 4.5		
14	0501971	3	BUTTON HEAD SCREW			
15	4492277	3	WASHER			
16	0520870	3	HEXAGON NUT			



HEADLIGHT**516345V00896**

Safety Light Plus; rear left; with light

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
2	0009740313	1	HEADLIGHT	BLUE SAFETY SPOTLIGHTS PLUS remove fastening bracket		
3	0533100	1	COACH BOLT			
4	56323630500	1	SPACER BUSH			
5	0521097	1	WASHER			
6	0525714	1	HEXAGON NUT			
7	0729004	1	PROTECTIVE CAP			
8	0520798	1	CABLE TIE			
9	0522268	1	WASHER			

CABEL TREE**lighting rear top; with spotlight;
left**

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			APPLIANCE PLUG ASSY.			
▶			CABLE TREE, COMPL.			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			APPLIANCE PLUG ASSY.	DIN 320A LV Schaltbau	09.02.2009->	





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
2	0720659	1	SUPPORT ASSY.			
3	0502140	2	SOCKET HEAD SCREW			
4	0530487	2	DISC SPRING			
5	0527033	2	SCREW			
6	4492277	2	WASHER			
7	0520870	2	HEXAGON NUT			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			BATTERY HARNESS ASSY.	DIN 320A Rema; with integrated pneumatic coupling and pilot contact		



battery harness assy.**516345V00896**DIN 320A Rema; with integrated pneumatic coupling and pilot contact

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	0736631	1	WIRING HARNESS	Handle 0528304 see supplies		
2	0527990	1	SOCKET			
3	0524621	2	CABLE SHOE			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			STEER AXLE CONVERSION KIT	CSC (curve speed control)		
▶			ACCIDENT LOGGER		25.04.2014->	




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0653037	1	SWITCH SUPPORT			
2	0524433	2	HEXAGON HEAD SCREW			
3	0653034	1	SWITCH RETAINER			
4	0653035	1	SWITCH RETAINER			
5	0501015	4	HEXAGON HEAD SCREW			
6	0500950	4	DETENT RING			
7	0653039	2	CONTROL HANDLE			
8	0511146	2	SLOTTED SPRING PIN			
9-12	0729052	1	WIRING HARNESS ASSY.			
10	0149989	1	PIN HOUSING			
11	0526898	2	CABLE CLIP	rated diameter: 11 mm *		
12	0526886		CORRUGATED HOSE			
13	0509894	4	OVAL HEAD SCREW			
14	8418530	4	SPRING WASHER			
15	0503668	5	CABLE TIE			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56323608905	1	SENSOR ASSY.			
2	56323631227	1	SUPPORT			
3	0505518	2	COUNTERSUNK SCREW			
4	0502081	2	WASHER			
5	4492582	2	HEXAGON NUT			
6	4491709	2	HEXAGON HEAD SCREW			
7	0520152	2	WASHER			
8	0525714	2	HEXAGON NUT			
9	0522268	2	WASHER			
10	0636421	1	LINE, COMPL.			
11	0503668	0	CABLE TIE	as needed		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			CONTROLLER	SU2 80V	21.08.2015->	
▶			CONTROLLER	Main control unit; proportional control; with CAN-Bus connector	15.04.2016->	
▶			CONVERTER	SAC2 80V	18.11.2011-> >05.03.2020	
▶			ELECTRONIC CONTROL UNIT ASSY.	GSM	10.12.2010->	
▶			CONSOLE	Anzeige-Bedieneinheit II		





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56323602609	1	CONTROL UNIT ASSY.			

CONTROLLER

Main control unit; proportional control; with CAN-Bus connector

516345V00896



15618

CONTROLLER**516345V00896**Main control unit; proportional control; with CAN-Bus connector

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56323602615	1	CONTROL UNIT ASSY.	also for trucks with lithium-ion battery battery 0526618		
2	0009632108	1	O-RING			
3	0009041217	1	HEXAGON NUT			






Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	51523654201	1	CONVERTER	FM rechts (MEDI); PM (Compact); 80V; SAC2		



16892


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56323631204	1	SUPPORT			
2	56323631100	1	COVER			
3	56323631201	1	SUPPORT			
4	0533510	4	SELF TAPPING SCREW			
5	9102604236	4	SELF TAPPING SCREW			
6	0523462	1	CAP		14.02.2014->	
7	56323652007	1	RADIO MODULE	GSM with SIM-card	14.02.2014->	
7	55523652003	1	RADIO MODULE	GSM without SIM-card	02.12.2011->	
8	56323571200	1	ADAPTOR			
9-12	56323810432	1	WIRING HARNESS		16.03.2018->	
10	0173550	1	HOUSING			
11	0173543	1	HOUSING			
12	7912533041	1	SOCKET HOUSING			
12a	0530808	4	CONTACT			
13	56323801025	1	WIRING HARNESS ASSY.			
14	0502082	4	WASHER			
16	8004733	2	HEXAGON HEAD SCREW			
17	0520871	2	HEXAGON NUT			
18	0714548	2	SEALING RING			



16320

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0737871	1	CONTROL UNIT PL	Anzeige-Bedieneinheit II		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			HYDRAULIC	proportional control	25.04.2014->	



15469a

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	0532633	1	HYDRAULIC PUMP			
2	0171888	1	O-RING			
3	0171887	1	CATCH			
4-5	0531348	1	VALVE			
5	0170136	1	SEAL KIT			
6	4491541	4	SOCKET HEAD SCREW			
7	0532630	1	CONNECTOR PIPE			
8	0529809	1	O-RING			
9	0501035	4	HEXAGON HEAD SCREW			
10	0500951	4	DETENT RING			
11	0532634	2	SCREW			
12	0500942	2	DETENT RING			
13	0532159	1	HOSE CLIP			
14	0532032	1	FLEXIBLE FORMED HOSE			
15	0530771	1	HOSE CLIP	choice		
15	0532635	1	HOSE CLIP	choice		
16	0009837011	1	SUCTION FILTER			
▶ 17		1	RETURN FLOW FILTER	with breather filter	24.02.2012->	
18	0502082	4	WASHER			
19	0525714	4	HEXAGON NUT			
20-21	0532038	1	HOSE LINE			
21	0158781	2	O-RING			
22-23	0529437	1	THREADED PIPE			
23	0147032	1	SEAL			
24	56324411400	1	CONNECTION PIECE			
25	0399597	1	UNION			
26-27	0530776	1	HIGH PRESSURE HOSE	STANDARD		
27	0159051	2	O-RING			
28-29	0520516	1	PIPE UNION			
29	0146883	1	SEAL			
30-31	0525740	2	UNION			
31	0161355	2	O-RING			
32-33	0523938	1	THREADED PIPE			




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
33	0146885	1	SEAL			
34-35	0525836	1	THREADED PIPE			
35	0146884	1	SEAL			
36-37	0531845	2	HOSE LINE			
37	0159051	4	O-RING			
38-39	56334413220	1	HOSE LINE			
▶ 40		1	FILTER, COMPL.	high-pressure filter	18.11.2011->	
41-42	56334413221	1	HOSE LINE			
43-44	9721016018	2	PIPE UNION			
44	0158548	2	SEAL			
45	56334415805	1	SUPPORT			
46	0501035	3	HEXAGON HEAD SCREW			
47	0520152	3	WASHER			
48	4491709	2	HEXAGON HEAD SCREW			
49	0520152	2	WASHER			
50	0506016	2	WASHER			
51	0520871	2	HEXAGON NUT			
52	0525548	3	HOLDER			
53	0533449	1	SCREW PLUG	mit Innengewinde M 10		
55	0159119	1	O-RING			
56	0159119	1	O-RING			
57-59	0532647	1	HOSE LINE			
58	0159051	2	O-RING			
59	0158883	1	O-RING			
60-62	0533121	1	HOSE LINE			
61	0159051	2	O-RING			
62	0158883	1	O-RING			
63-64	0531837	1	PIPE			
64	0159051	1	O-RING			
65	0399597	4	UNION			
66-67	0531486	1	HIGH PRESSURE HOSE			
67	0159051	2	O-RING			
68-69	0532632	2	HOSE LINE			






Fig	Part-No.	Qty.	Description	Remark	validity	trucks
69	0159051	2	O-RING			
70-71	0531467	1	HOSE LINE			
71	0159051	2	O-RING			
72	56334415806	1	SUPPORT			
73	8418878	4	CLAMPING PIECE PAIR			
74	0501044	1	HEXAGON HEAD SCREW			
75	0500812	2	WASHER		13.11.2015->	
76	0525714	2	HEXAGON NUT		13.11.2015->	
77	0723603	1	CLIP			
78	0501044	1	HEXAGON HEAD SCREW			
79	0521097	1	WASHER			
80	0641368	1	RIVET NUT			
81	0531852	4	CLIP			
82	0502082	4	WASHER			
83	0520871	4	HEXAGON NUT			
84	0532043	2	CLIP			
85	0511858	1	WASHER			
86	0501078	1	HEXAGON BOLT			



RETURN FLOW FILTER**516345V00896**with breather filter

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-6	0009830897	1	FILTER	with breather filter		
2	0533107	1	FILTER	for hydraulic system; breather filter with dipstick		
3	0174164	1	FILTER CARTRIDGE			
4	0135733	1	SEAL			
5	0529320	1	O-RING			
6	0174165	1	SEAL			




FILTER, COMPL.**516345V00896**high-pressure filter

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-4	0009831500	1	FILTER			
2	0009831714	1	FILTER INSERT			
3	0143001	1	O-RING			
3a	0170710	1	SCREW PLUG	with seal ring		
4	0009632605	1	O-RING			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			DIRECTIONAL CONTROL VALVE; CONTROL VALVE			
▶			WORKING HYDRAULICS CONTROLS			
▶			TILT CYLINDER			
▶			ADD. HYDRAULICS			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			DIRECTIONAL CONTROL VALVE; CONTROL VALVE	proportional technology		


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			DIRECTIONAL CONTROL VALVE BLOCK, ASSEMBLY	4 functions; proportional control; R6345-48		
▶			CONTROL VALVE	4 functions; proportional control; R6345-48		



DIRECTIONAL CONTROL VALVE BLOCK, ASSEMBLY**516345V00896**

4 functions; proportional control; R6345-48

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0720631	1	MOUNTING FLANGE			
2	0289543	3	RUBBER MOUNTING			
3	4499243	3	SOCKET HEAD SCREW			
4	0520152	3	WASHER			
5	0521097	3	WASHER			
6	0713197	1	COVER			
▶ 8		1	CONTROL VALVE	4 functions; proportional control; R6345-48		
9	4491536	3	HEXAGON HEAD SCREW			
10	0520152	3	WASHER			
11-12	0526432	2	UNION			
12	0526367	2	SEAL			
13-14	0529888	1	THREADED PIPE			
14	0526367	1	SEAL			
15-16	8017709	4	PIPE UNION			
16	0146884	4	SEAL			
17-18	0532046	2	PIPE ADAPTOR			
18	0146884	2	SEAL			
19	0027601	1	ANGLE SCREWDRIVER	mount in cubby hole		




CONTROL VALVE**516345V00896**

4 functions; proportional control; R6345-48

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-10	0534057	1	CONTROL VALVE			
2	0173812	6	SOLENOID COIL	Coil magnet only		
3	0173707	1	SOLENOID	Coil magnet only		
4	0173819	2	SOLENOID COIL	Coil magnet only		
5	0173818	1	THROTTLE VALVE	Senken; komplett; ohne Spule		
6	0173817	1	THROTTLE VALVE	Heben; komplett; ohne Spule		
7	0170455	1	RELIEF VALVE			
8	0170453	1	CHECK VALVE			
9	0173809	1	WAY VALVE	complete; without coil		
10	0175695	1	SEAL KIT			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			SYMBOL PLATE		03.03.2009->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			SYMBOL PLATE	fingertip	03.03.2009->	



15626a

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
11	0713954	1	CONTROL SYMBOL PL	Lifting / lowering		
12	0713960	1	CONTROL SYMBOL PL	Tilt forward / backward		
13	0729531	1	STICKER	Fingertip 5. Funktion 3 Hebel		
14	0729530	1	STICKER	Fingertip 5. Funktion 4 Hebel		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			OVERVIEW OF TILT CYLINDERS	R6345-48; R6353-56		
▶			TILT CYLINDER			
▶			GLEICHTEILE	mounting parts for tilt cylinder		

Tele-Hubgerüst

Dach	Ausstattung	Bauhöhe		Neigung		Neigzylinder links + rechts	Lg. mm	Hub mm
		von	bis	* α°	* β°			
Standard	ohne Frontscheibe	2200	3225	5	7	51704400311	397	111
	mit Frontscheibe (mit Wischeranlage)	2200	3225	5	5	51704400313	416	92
	mit Schutzgitter statt Frontscheibe	2200	3225	5	5	51704411313	416	92
	mit Frontscheibe gekedert in Blechrahmen	2200	2225	5	4	51704400316	424	80
		2275	3225	5	5	51704400313	416	92
	mit Schutzgitter auf Dach (vorn verlängert, hochgesetzt gerade)	2200	3225	5	5	51704400313	416	92
Drive in	ohne Frontscheibe	2200	3225	5	5	51704400313	416	92
	mit Frontscheibe (mit Wischeranlage) oder Beleuchtung oben	2200	2425	5	4	51704400316	424	80
		2475	3225	5	5	51704400313	416	92
Container	ohne Frontscheibe	2125	3225	5	7	51704400311	397	111
	mit Frontscheibe (mit Wischeranlage)	2125	3225	5	5	51704400313	416	92
	mit Frontscheibe gekedert in Blechrahmen	2125	2175	5	4	51704400316	424	80
		2200	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

Niho-Hubgerüst

Dach	Ausstattung	Bauhöhe		Neigung		Neigzylinder links + rechts	Lg. mm	Hub mm
		von	bis	* α°	* β°			
Standard	ohne Frontscheibe	2125	3225	5	7	51704400311	397	111
	mit Frontscheibe (mit Wischeranlage)	2125	3225	5	5	51704400313	416	92
	mit Schutzgitter statt Frontscheibe	2125	3225	5	5	51704400313	416	92
	mit Frontscheibe gekedert in Blechrahmen	2125	3225	5	5	51704400313	416	92
	mit Schutzgitter auf Dach (vorn verlängert, hochgesetzt gerade)	2125	3225	5	5	51704400313	416	92
Drive in	ohne Frontscheibe	2125	3225	5	5	51704400313	416	92
	mit Frontscheibe (mit Wischeranlage) oder Beleuchtung oben	2125	3225	5	4	51704400316	424	80
		2425	3225	5	5	51704400313	416	92
Container	ohne Frontscheibe	2100	3225	5	7	51704400311	397	111
	mit Frontscheibe (mit Wischeranlage)	2100	3225	5	5	51704400313	416	92
	mit Frontscheibe gekedert in Blechrahmen	2100	3225	5	5	51704400313	416	92
				5	5	51704400314	416	100

* α° = Vorneigung * β° = Rückneigung

Achtung: 6°/5° ist möglich, wenn 5°/7° oder 5°/5° möglich sind

Achtung: Bei Getränke-Ausführung maximale Rückneigung 5°

Ab Hubgerüsthöhe: Tele=2525 mm

Niho=2475 mm

Dreifach=2475 mm

Niedrigere Hubgerüst-BH führen zu Sichtbehinderungen

19795_de

Dreifach-Hubgerüst

Dach	Ausstattung	Bauhöhe		Neigung		Neigzylinder links + rechts	Lg. mm	Hub mm
		von	bis	* α°	* β°			
Standard	ohne Frontscheibe	2175	3225	5	7	51704400311	397	111
	mit Frontscheibe (mit Wischeranlage)	2175	3225	5	5	51704400313	416	92
	mit Schutzgitter statt Frontscheibe	2175	3225	5	5	51704411313	416	92
	mit Frontscheibe gekedert in Blechrahmen	2175	2175	5	4	51704400316	424	80
		2225	3225	5	5	51704400313	416	92
	mit Schutzgitter auf Dach (vorn verlängert, hochgesetzt gerade)	2175	3225	5	5	51704400313	416	92
Drive in	ohne Frontscheibe	2175	3225	5	5	51704400313	416	92
	mit Frontscheibe (mit Wischeranlage) oder Beleuchtung oben	2175	2325	5	4	51704400316	424	80
		2425	3225	5	5	51704400313	416	92
Container	ohne Frontscheibe	2100	3225	5	7	51704400311	397	111
	mit Frontscheibe (mit Wischeranlage)	2100	3225	5	5	51704400313	416	92
		2100	2125	5	4	51704400316	424	80
	mit Frontscheibe gekedert in Blechrahmen	2175	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

* α° = Vorneigung * β° = Rückneigung

Achtung: 6°/5° ist möglich, wenn 5°/7° oder 5°/5° möglich sind

Achtung: Bei Getränke-Ausführung maximale Rückneigung 5°

Ab Hubgerüsthöhe: Tele=2525 mm

Niho=2475 mm

Dreifach=2475 mm

Niedrigere Hubgerüst-BH führen zu Sichtbehinderungen

Tele-Mast

Roof	Equipment	Overall height		Inclination		Tilt cylinder left + right	Length mm	Lifting mm
		from	to	* α°	* β°			
Standard	without windscreen	2200	3225	5	7	51704400311	397	111
	with windscreen (with wipersystem)	2200	3225	5	5	51704400313	416	92
	with screen grid instead of windscreen	2200	3225	5	5	51704411313	416	92
	windscreen in the metalframe edge-protected	2200	2225	5	4	51704400316	424	80
		2275	3225	5	5	51704400313	416	92
	with screen grid on the roof (front extended)	2200	3225	5	5	51704400313	416	92
Drive in	without windscreen	2200	3225	5	5	51704400313	416	92
	with windscreen	2200	2425	5	4	51704400316	424	80
	(with wipersystem) or top light	2475	3225	5	5	51704400313	416	92
Container	without windscreen	2125	3225	5	7	51704400311	397	111
	with windscreen (with wipersystem)	2125	3225	5	5	51704400313	416	92
	windscreen in the metalframe edge-protected	2125	2175	5	4	51704400316	424	80
		2200	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

Niho-Mast

Roof	Equipment	Overall height		Inclination		Tilt cylinder left + right	Length mm	Lifting mm
		from	to	* α°	* β°			
Standard	without windscreen	2125	3225	5	7	51704400311	397	111
	with windscreen (with wipersystem)	2125	3225	5	5	51704400313	416	92
	with screen grid instead of windscreen	2125	3225	5	5	51704400313	416	92
	windscreen in the metalframe edge-protected	2125	3225	5	5	51704400313	416	92
	with screen grid on the roof (front extended)	2125	3225	5	5	51704400313	416	92
Drive in	without windscreen	2125	3225	5	5	51704400313	416	92
	with windscreen	2125	3225	5	4	51704400316	424	80
	(with wipersystem) or top light	2425	3225	5	5	51704400313	416	92
Container	without windscreen	2100	3225	5	7	51704400311	397	111
	with windscreen (with wipersystem)	2100	3225	5	5	51704400313	416	92
	windscreen in the metalframe edge-protected	2100	3225	5	5	51704400313	416	92
				5	5	51704400314	416	100

* α° = forwards * β° = backwards

Attention: 6°/5° is possible if 5°/7° or 5°/5° are possible

Attention: beverage trucks maximum backwards 5°

From mast height: Tele=2525 mm

Niho=2475 mm

Triple=2475 mm

Lower mast overall height produces interference with visibility

19795_en

Triple-Mast

Roof	Equipment	Overall height		Inclination		Tilt cylinder left + right	Length mm	Lifting mm
		from	to	* α°	* β°			
Standard	without windscreen	2175	3225	5	7	51704400311	397	111
	with windscreen (with wipersystem)	2175	3225	5	5	51704400313	416	92
	with screen grid instead of windscreen	2175	3225	5	5	51704411313	416	92
	windscreen in the metalframe	2175	2175	5	4	51704400316	424	80
	edge-protected	2225	3225	5	5	51704400313	416	92
	with screen grid on the roof (front extended)	2175	3225	5	5	51704400313	416	92
Drive in	without windscreen	2175	3225	5	5	51704400313	416	92
	with windscreen	2175	2325	5	4	51704400316	424	80
	(with wipersystem) or top light	2425	3225	5	5	51704400313	416	92
Container	without windscreen	2100	3225	5	7	51704400311	397	111
	with windscreen (with wipersystem)	2100	3225	5	5	51704400313	416	92
	windscreen in the metalframe	2100	2125	5	4	51704400316	424	80
	edge-protected	2175	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

* α° = forwards * β° = backwards

Attention: 6°/5° is possible if 5°/7° or 5°/5° are possible

Attention: beverage trucks maximum backwards 5°

From mast height: Tele=2525 mm

Niho=2475 mm

Triple=2475 mm

Lower mast overall height produces interference with visibility

Tele-Mât élévateur

Toit	Caractéristique	Hauteur hors tout		Inclinaison		Inclinomètre	Lg. mm	Hub mm
		da	a	*α°	*β°			
Standard	sans pare-brise	2200	3225	5	7	51704400311	397	111
	avec pare-brise (sistè avec me d'essvie-glace)	2200	3225	5	5	51704400313	416	92
	avec grille protectrice au lieu de pare brise	2200	3225	5	5	51704411313	416	92
		2200	2225	5	4	51704400316	424	80
	avec pare-brise encadrer	2275	3225	5	5	51704400313	416	92
	avec grille protectrice sur toit (arant prolouge, attachèeshaut, solo	2200	3225	5	5	51704400313	416	92
Drive in	sans pare-brise	2200	3225	5	5	51704400313	416	92
	avec pare-brise (sistè avec me d'essvie-glace) ou illumination dessus	2200	2425	5	4	51704400316	424	80
		2475	3225	5	5	51704400313	416	92
Container	sans pare-brise	2125	3225	5	7	51704400311	397	111
	avec pare-brise (sistè avec me d'essvie-glace)	2125	3225	5	5	51704400313	416	92
	avec pare-brise encadrer	2125	2175	5	4	51704400316	424	80
		2200	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

Niho-Mât élévateur

Toit	Caractéristique	Hauteur hors tout		Inclinaison		Inclinomètre	Lg. mm	Hub mm
		da	a	*α°	*β°			
Standard	sans pare-brise	2125	3225	5	7	51704400311	397	111
	avec pare-brise (sistè avec me d'essvie-glace)	2125	3225	5	5	51704400313	416	92
	avec grille protectrice au lieu de pare brise	2125	3225	5	5	51704400313	416	92
	avec pare-brise encadrer	2125	3225	5	5	51704400313	416	92
	avec grille protectrice sur toit (arant prolouge, attachèeshaut, solo	2125	3225	5	5	51704400313	416	92
Drive in	sans pare-brise	2125	3225	5	5	51704400313	416	92
	avec pare-brise (sistè avec me d'essvie-glace) ou illumination dessus	2125	3225	5	4	51704400316	424	80
		2425	3225	5	5	51704400313	416	92
Container	sans pare-brise	2100	3225	5	7	51704400311	397	111
	avec pare-brise (sistè avec me d'essvie-glace)	2100	3225	5	5	51704400313	416	92
	avec pare-brise encadrer	2100	3225	5	5	51704400313	416	92
				5	5	51704400314	416	100

*α° = avant *β° = arrière

Attenzion: 6°/5° c'est possible, se 5°/7° soit 5°/5° possible sommes

Attenzion: Pour la version-boisson la récidivité maximale est de 5°

À partir de e'le'vateur: Tele=2525 mm Triplex=2475 mm

Niho=2475 mm

Une hauteur moins basse du mât amène à une abstraction

19795_fr

Triplex-Mât élévateur

Toit	Caractéristique	Hauteur hors tout		Inclinaison		Inclinomètre	Lg. mm	Hub mm
		de	à	* α°	* β°			
Standard	sans pare-brise	2175	3225	5	7	51704400311	397	111
	avec pare-brise (sistè avec me d'essvie-glace)	2175	3225	5	5	51704400313	416	92
	avec grille protectrice au lieu de pare brise	2175	3225	5	5	51704411313	416	92
		2175	2175	5	4	51704400316	424	80
	avec pare-brise encadrer	2225	3225	5	5	51704400313	416	92
	avec grille protectrice sur toil (arant prolouge, attachèeshaut, solo	2175	3225	5	5	51704400313	416	92
Drive in	sans pare-brise	2175	3225	5	5	51704400313	416	92
	avec pare-brise (sistè avec me d'essvie-glace) ou illumination dessus	2175	2325	5	4	51704400316	424	80
		2425	3225	5	5	51704400313	416	92
Container	sans pare-brise	2100	3225	5	7	51704400311	397	111
	avec pare-brise (sistè avec me d'essvie-glace)	2100	3225	5	5	51704400313	416	92
	avec pare-brise encadrer	2100	2125	5	4	51704400316	424	80
		2175	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

* α° = avant * β° = arrière

Attenzion: 6°/5° c'est possible, se 5°/7° soit 5°/5° possible sommes

Attenzion: Pour la version-boisson la récidivité maximale est de 5°

À partir de e'le'vateur: Tele=2525 mm Triplex=2475 mm

Niho=2475 mm

Une hauteur moins basse du mât amène à une abstruction

Tele-Mástil

Techo	Característica	Altura		Inclinación hacia		Cilindro inclinado izquierda + derecho	Lg. mm	Hub mm
		desde	hasta	* α°	* β°			
Standard	sin luna delantera	2200	3225	5	7	51704400311	397	111
	con luna delantera (con sistema de limpiaparabrisas)	2200	3225	5	5	51704400313	416	92
	con rejilla protectora en lugar de la luna delantera	2200	3225	5	5	51704411313	416	92
		2200	2225	5	4	51704400316	424	80
	con luna delantera burlada en el cuadro de metal	2275	3225	5	5	51704400313	416	92
	con rejilla protectora en el techno (prolongada adelante, alto)	2200	3225	5	5	51704400313	416	92
Drive in	sin luna delantera	2200	3225	5	5	51704400313	416	92
	con parabrisa (con sistema de limpiaparabrisas)	2200	2425	5	4	51704400316	424	80
		2475	3225	5	5	51704400313	416	92
	o con iluminación arriba							
Container	sin luna delantera	2125	3225	5	7	51704400311	397	111
	con luna delantera (con sistema de limpiaparabrisas)	2125	3225	5	5	51704400313	416	92
	con luna delantera burlada en el cuadro de metal	2125	2175	5	4	51704400316	424	80
		2200	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

Niho-Mástil

Techo	Característica	Altura		Inclinación hacia		Cilindro inclinado izquierda + derecho	Lg. mm	Hub mm
		desde	hasta	* α°	* β°			
Standard	sin luna delantera	2125	3225	5	7	51704400311	397	111
	con luna delantera (con sistema de limpiaparabrisas)	2125	3225	5	5	51704400313	416	92
	con rejilla protectora en lugar de la luna delantera	2125	3225	5	5	51704400313	416	92
	con luna delantera burlada en el cuadro de metal	2125	3225	5	5	51704400313	416	92
	con rejilla protectora en el techno (prolongada adelante, alto)	2125	3225	5	5	51704400313	416	92
Drive in	sin luna delantera	2125	3225	5	5	51704400313	416	92
	con parabrisa (con sistema de limpiaparabrisas)	2125	3225	5	4	51704400316	424	80
		2425	3225	5	5	51704400313	416	92
	o con iluminación arriba							
Container	sin luna delantera	2100	3225	5	7	51704400311	397	111
	con luna delantera (con sistema de limpiaparabrisas)	2100	3225	5	5	51704400313	416	92
	con luna delantera burlada en el cuadro de metal	2100	3225	5	5	51704400313	416	92
				5	5	51704400314	416	100

* α° = adelante * β° = atrás

Atención: 6°/5° es posible, cuando 5°/7° o 5°/5° posibles son

Atención: la inclinación máxima para atrás es de 5° para la versión de bebidas

Apartir de la altura del mástil: Tele=2525 mm Triple=2475 mm

Niho=2475 mm Mastiles con baja altura producen una vista obstruida

19795_es

Triple-Mástil

Techo	Característica	Altura		Inclinación hacia		Cilindro inclinado izquierda + derecho	Lg. mm	Hub mm
		desde	hasta	* α°	* β°			
Standard	sin luna delantera	2175	3225	5	7	51704400311	397	111
	con luna delantera (con sistema de limpiaparabrisas)	2175	3225	5	5	51704400313	416	92
	con rejilla protectora en lugar de la luna delantera	2175	3225	5	5	51704411313	416	92
	con luna delantera burlada en el cuadro de metal	2175	2175	5	4	51704400316	424	80
		2225	3225	5	5	51704400313	416	92
	con rejilla protectora en el techno (prolongada adelante, alto)	2175	3225	5	5	51704400313	416	92
Drive in	sin luna delantera	2175	3225	5	5	51704400313	416	92
	con parabrisa (con sistema de limpiaparabrisas) o con iluminación arriba	2175	2325	5	4	51704400316	424	80
		2425	3225	5	5	51704400313	416	92
Container	sin luna delantera	2100	3225	5	7	51704400311	397	111
	con luna delantera (con sistema de limpiaparabrisas)	2100	3225	5	5	51704400313	416	92
	con luna delantera burlada en el cuadro de metal	2100	2125	5	4	51704400316	424	80
		2175	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

* α° = adelante * β° = atrás

Atención: 6°/5° es posible, cuando 5°/7° o 5°/5° posibles son

Atención: la inclinación máxima para atrás es de 5° para la versión de bebidas

Apartir de la altura del mástil: Tele=2525 mm

Triple=2475 mm

Niho=2475 mm

Mastiles con baja altura producen una vista obstruida

Tele-Montante

Tettuccio	Caratteristica	Altezza		Brandeggio		griglia di protezione sinistra + destro	Lg. mm	Hub mm
		da	a	* α°	* β°			
Standard	senza parabrezza	2200	3225	5	7	51704400311	397	111
	con parabrezza (con tergicristallo)	2200	3225	5	5	51704400313	416	92
	con griglia di protezione invece della parabrezza	2200	3225	5	5	51704411313	416	92
		2200	2225	5	4	51704400316	424	80
	con parabrezza incorniciata	2275	3225	5	5	51704400313	416	92
	con griglia sul tetto (allungato arauli, piazzato all'insu diritto)	2200	3225	5	5	51704400313	416	92
Drive in	senza parabrezza	2200	3225	5	5	51704400313	416	92
	con parabrezza (con tergicristallo)	2200	2425	5	4	51704400316	424	80
	oppure illuminazione sopra	2475	3225	5	5	51704400313	416	92
Container	senza parabrezza	2125	3225	5	7	51704400311	397	111
	con parabrezza (con tergicristallo)	2125	3225	5	5	51704400313	416	92
	con parabrezza incorniciata	2125	2175	5	4	51704400316	424	80
		2200	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

Niho-Montante

Tettuccio	Caratteristica	Altezza		Brandeggio		griglia di protezione sinistra + destro	Lg. mm	Hub mm
		da	a	* α°	* β°			
Standard	senza parabrezza	2125	3225	5	7	51704400311	397	111
	con parabrezza (con tergicristallo)	2125	3225	5	5	51704400313	416	92
	con griglia di protezione invece della parabrezza	2125	3225	5	5	51704400313	416	92
	con parabrezza incorniciata	2125	3225	5	5	51704400313	416	92
	con griglia sul tetto (allungato arauli, piazzato all'insu diritto)	2125	3225	5	5	51704400313	416	92
Drive in	senza parabrezza	2125	3225	5	5	51704400313	416	92
	con parabrezza (con tergicristallo)	2125	3225	5	4	51704400316	424	80
	oppure illuminazione sopra	2425	3225	5	5	51704400313	416	92
Container	senza parabrezza	2100	3225	5	7	51704400311	397	111
	con parabrezza (con tergicristallo)	2100	3225	5	5	51704400313	416	92
	con parabrezza incorniciata							
		2100	3225	5	5	51704400313	416	92
				5	5	51704400314	416	100

* α° = avanti * β° = indietro

Attenzione: 6°/5° sté possibile, se 5°/7° oppure 5°/5° sono possibile

Attenzione: Per la versione bevanda esecuzione massima di brandeggio 5°

Dall' altezza del sollevatore: Tele=2525 mm Tre stadi=2475 mm

Niho=2475 mm

L'altezza sollevatore bassa porta a una disabilità visiva

19795_it

Tre stadi-Montante

Tettuccio	Caratteristica	Altezza		Brandeggio		griglia di protezione sinistra + destro	Lg. mm	Hub mm
		da	a	* α°	* β°			
Standard	senza parabrezza	2175	3225	5	7	51704400311	397	111
	con parabrezza (con tergicristallo)	2175	3225	5	5	51704400313	416	92
	con griglia di protezione invece della parabrezza	2175	3225	5	5	51704411313	416	92
		2175	2175	5	4	51704400316	424	80
	con parabrezza incorniciata	2225	3225	5	5	51704400313	416	92
	con griglia sul tetto (allungato arauli, piazzato all'insu diritto)	2175	3225	5	5	51704400313	416	92
Drive in	senza parabrezza	2175	3225	5	5	51704400313	416	92
	con parabrezza (con tergicristallo)	2175	2325	5	4	51704400316	424	80
	oppure illuminazione sopra	2425	3225	5	5	51704400313	416	92
Container	senza parabrezza	2100	3225	5	7	51704400311	397	111
	con parabrezza (con tergicristallo)	2100	3225	5	5	51704400313	416	92
	con parabrezza incorniciata	2100	2125	5	4	51704400316	424	80
		2175	3225	5	5	51704400313	416	92
				6	5	51704400314	416	100

* α° = avanti * β° = indietro

Attenzione: 6°/5° sté possibile, se 5°/7° oppure 5°/5° sono possibile

Attenzione: Per la versione bevanda esecuzione massima di brandeggio 5°

Dall' altezza del sollevatore: Tele=2525 mm Tre stadi=2475 mm

Niho=2475 mm

L'altezza sollevatore bassa porta a una disabilità visiva





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1		1	TILT CYLINDER ASSY.	length: 397 mm; lift: 111 mm; inclination: 5°/7° 2 parts per machine		
2	0399597	2	UNION	see functional group 701		

tilt cylinder assy.**516345V00896**


length: 397 mm; lift: 111 mm; inclination: 5°/7°



tilt cylinder assy.**516345V00896**

length: 397 mm; lift: 111 mm; inclination: 5°/7°

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-19	51704400311	1	TILT CYLINDER ASSY.	without threaded elbow pipe		
1-2	0376235	1	EYE BOLT ASSY.			
2	0503337	1	BALL SOCKET			
3	0519150	1	HEXAGON NUT			
4	0265245	1	WASHER			
5	0393380	1	LID			
6	0254602	1	SNAP RING			
7-8	0737485	1	CYLINDER HEAD ASSY.	with seals		
7	51704464108	1	CYLINDER HEAD			
9	51704911674	1	PISTON ROD			
10	0521077	1	LIQUID PLASTIC	Loctite 270; 50 ml; high-strength threadlocker to M20		
13	0324994	1	PISTON			
14-15	0715742	1	CYLINDER PIPE ASSY.			
15	0503337	1	BALL SOCKET			
17	50984489901	1	SET OF SEALS			
18	0518903	1	HEXAGON NUT			



19797

Gleichteile

mounting parts for tilt cylinder

516345V00896

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0722184	2	BOLT			
2	4499874	4	LOCKING RING			
3	0502407	2	SHIM RING	Thickness: 1.4 mm		

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶				ADD. HYDRAULICS	in the truck		
▶				ADD. HYDRAULICS	on mast		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			ADD. HYDRAULICS	double auxiliary hydraulics with hose lines		
▶			FASTENING PARTS	double auxiliary hydraulics without mast vertical position		





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	56334413225	1	HOSE LINE	length: 1400 mm		
3-4	56334413214	1	HOSE LINE	length: 1345 mm		
5	56334485317	1	SUPPORT			
6	9090353180	1	BUTTON HEAD SCREW			
7	8418878	2	CLAMPING PIECE PAIR			
8	0009551500	2	COVER PLATE			
9	0500770	1	COACH BOLT			
10	0525714	1	HEXAGON NUT			
11	0501053	1	HEXAGON HEAD SCREW			
12	0520152	1	WASHER			
13	0520871	1	HEXAGON NUT			
14	0520804	0	EDGE PROTECTION	edge protection length: 120 mm		
15	0519938	2	CABLE TIE			
16	0504164	2	HOSE CLIP	with tele-; triplex mast; mounting liftcylinder		
16	0502548	2	HOSE CLIP	with niho mast; mounting liftcylinder		
17	55234460903	1	GUIDE	mounting liftcylinder		
18	55234460900	1	GUIDE	mounting liftcylinder		
20-21	56334413224	2	HOSE LINE	length: 2130 mm		
22	0338686	2	HALF CLIP			
23	0398249	1	COVER			
24	0500770	1	COACH BOLT			
25	0525714	1	HEXAGON NUT			
26	0338686	2	HALF CLIP			
27	0398249	1	COVER			
28	0501047	1	HEXAGON HEAD SCREW			
29	0338686	2	HALF CLIP		03.07.2015->	
30	0500769	1	SCREW		14.11.2014->	
31	0506016	1	WASHER		14.11.2014->	
32	0520871	1	HEXAGON NUT		14.11.2014->	



FASTENING PARTS**516345V00896**double auxiliary hydraulics without mast vertical position

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56334485316	1	SUPPORT			
2	9090353180	1	BUTTON HEAD SCREW			
3	56334308205	1	SUPPORT ASSY.			
4	0501039	2	HEXAGON HEAD SCREW			
5	0520152	2	WASHER			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			ATTACHMENT HOSE LINE	triplex 130; 2,2 t bis 3,5 t		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			OVERVIEW OF HOSE	2.2 t to 2.5 t integrated sideshift		
▶			HOSE CONDUIT	triple; built-in sideshift; double form A		

Dreifach-Hubgerüst (2,2-2,5 t)								
Zuordnung Schlauchleitung								
Einbauseitenschieber (ESSV) ISO 2328 Form 2A								
Bauhöhe	bei einfach + doppelt				bei doppelt			
	Anschluss A		Anschluss B		Anschluss A		Anschluss B	
	Teile-Nr.	Länge*	Teile-Nr.	Länge*	Teile-Nr.	Länge*	Teile-Nr.	Länge*
2025	55234483846	4950	55234483848	5050	55234483845	49000	55234483847	5000
2075	55234483849	5100	55234483851	5200	55234483848	5050	55234483850	5150
2100	55234483850	5150	55234483852	5250	55234483849	5100	55234483851	5200
2125	55234483852	5250	55234483854	5350	55234483851	5200	55234483852	5250
2175	55234483855	5400	55234483857	5500	55234483854	5350	55234483855	5400
2225	55234483858	5550	55234483860	5650	55234483857	5500	55234483858	5550
2275	55234483861	5700	55234483862	5750	55234483859	5600	55234483861	5700
2325	55234483864	5850	55234483865	5900	55234483862	5750	55234483864	5850
2375	55234483867	6000	55234483868	6050	55234483865	5900	55234483867	6000
2425	55234483870	6150	55234483871	6200	55234483868	6050	55234483870	6150
2475	55234483872	6250	55234483874	6350	55234483871	6200	55234483873	6300
2525	55234483875	6400	55234483877	6500	55234483874	6350	55234483876	6450
2575	55234483878	6550	55234483880	6650	55234483877	6500	55234483879	6600
2625	55234483881	6700	55234483883	6800	55234483880	6650	55234483882	6750
2725	55234483887	7000	55234483889	7100	55234483886	6950	55234483888	7050
2775	55234483890	7150	55234483892	7250	55234483889	7100	55234483891	7200
2825	55234483893	7300	55234483895	7400	55234483892	7250	55234483894	7350
2875	55234483896	7450	55234483898	7550	55234483895	7400	55234483897	7500
2925	55234483899	7600	55234483901	7700	55234483898	7550	55234483899	7600
2975	55234483902	7750	55234483904	7850	55234483901	7700	55234483902	7750
3025	55234483905	7900	55234483907	8000	55234483904	7850	55234483905	7900
3075	55234483908	8050	55234483910	8150	55234483907	8000	55234483908	8050
3125	55234483911	8200	55234483912	8250	55234483909	8100	55234483911	8200
3175	55234483914	8350	55234483915	8400	55234483912	8250	55234483914	8350
3225	55234483917	8500	55234483918	8550	55234483915	8400	55234483917	8500

* Länge in mm

Triple-Mast (2,2-2,5 t)								
assignment of hose line								
integrated sideshift (ESSV) ISO 2328 Form 2A								
	single (right) + double				double			
	connection A		connection B		connection A		connection B	
Overall height	part-no.	Lenght*	part-no.	Lenght*	part-no.	Lenght*	part-no.	Lenght*
2025	55234483846	4950	55234483848	5050	55234483845	49000	55234483847	5000
2075	55234483849	5100	55234483851	5200	55234483848	5050	55234483850	5150
2100	55234483850	5150	55234483852	5250	55234483849	5100	55234483851	5200
2125	55234483852	5250	55234483854	5350	55234483851	5200	55234483852	5250
2175	55234483855	5400	55234483857	5500	55234483854	5350	55234483855	5400
2225	55234483858	5550	55234483860	5650	55234483857	5500	55234483858	5550
2275	55234483861	5700	55234483862	5750	55234483859	5600	55234483861	5700
2325	55234483864	5850	55234483865	5900	55234483862	5750	55234483864	5850
2375	55234483867	6000	55234483868	6050	55234483865	5900	55234483867	6000
2425	55234483870	6150	55234483871	6200	55234483868	6050	55234483870	6150
2475	55234483872	6250	55234483874	6350	55234483871	6200	55234483873	6300
2525	55234483875	6400	55234483877	6500	55234483874	6350	55234483876	6450
2575	55234483878	6550	55234483880	6650	55234483877	6500	55234483879	6600
2625	55234483881	6700	55234483883	6800	55234483880	6650	55234483882	6750
2725	55234483887	7000	55234483889	7100	55234483886	6950	55234483888	7050
2775	55234483890	7150	55234483892	7250	55234483889	7100	55234483891	7200
2825	55234483893	7300	55234483895	7400	55234483892	7250	55234483894	7350
2875	55234483896	7450	55234483898	7550	55234483895	7400	55234483897	7500
2925	55234483899	7600	55234483901	7700	55234483898	7550	55234483899	7600
2975	55234483902	7750	55234483904	7850	55234483901	7700	55234483902	7750
3025	55234483905	7900	55234483907	8000	55234483904	7850	55234483905	7900
3075	55234483908	8050	55234483910	8150	55234483907	8000	55234483908	8050
3125	55234483911	8200	55234483912	8250	55234483909	8100	55234483911	8200
3175	55234483914	8350	55234483915	8400	55234483912	8250	55234483914	8350
3225	55234483917	8500	55234483918	8550	55234483915	8400	55234483917	8500

* Lenght in mm

Triplex-Mât élévateur (2,2-2,5 t)								
Classement conduite flexible								
Tablier à déplacement latéral intégré (ESSV) ISO 2328 forme 2A								
	simple (droite) + double				double			
	connexion A		connexion B		connexion A		connexion B	
Hauteur nors tout	Numéro de pièces	Long- ueur*	Numéro de pièces	Long- ueur*	Numéro de pièces	Long- ueur*	Numéro de pièces	Long- ueur*
2025	55234483846	4950	55234483848	5050	55234483845	49000	55234483847	5000
2075	55234483849	5100	55234483851	5200	55234483848	5050	55234483850	5150
2100	55234483850	5150	55234483852	5250	55234483849	5100	55234483851	5200
2125	55234483852	5250	55234483854	5350	55234483851	5200	55234483852	5250
2175	55234483855	5400	55234483857	5500	55234483854	5350	55234483855	5400
2225	55234483858	5550	55234483860	5650	55234483857	5500	55234483858	5550
2275	55234483861	5700	55234483862	5750	55234483859	5600	55234483861	5700
2325	55234483864	5850	55234483865	5900	55234483862	5750	55234483864	5850
2375	55234483867	6000	55234483868	6050	55234483865	5900	55234483867	6000
2425	55234483870	6150	55234483871	6200	55234483868	6050	55234483870	6150
2475	55234483872	6250	55234483874	6350	55234483871	6200	55234483873	6300
2525	55234483875	6400	55234483877	6500	55234483874	6350	55234483876	6450
2575	55234483878	6550	55234483880	6650	55234483877	6500	55234483879	6600
2625	55234483881	6700	55234483883	6800	55234483880	6650	55234483882	6750
2725	55234483887	7000	55234483889	7100	55234483886	6950	55234483888	7050
2775	55234483890	7150	55234483892	7250	55234483889	7100	55234483891	7200
2825	55234483893	7300	55234483895	7400	55234483892	7250	55234483894	7350
2875	55234483896	7450	55234483898	7550	55234483895	7400	55234483897	7500
2925	55234483899	7600	55234483901	7700	55234483898	7550	55234483899	7600
2975	55234483902	7750	55234483904	7850	55234483901	7700	55234483902	7750
3025	55234483905	7900	55234483907	8000	55234483904	7850	55234483905	7900
3075	55234483908	8050	55234483910	8150	55234483907	8000	55234483908	8050
3125	55234483911	8200	55234483912	8250	55234483909	8100	55234483911	8200
3175	55234483914	8350	55234483915	8400	55234483912	8250	55234483914	8350
3225	55234483917	8500	55234483918	8550	55234483915	8400	55234483917	8500

* Longueur en mm

Triple-Mástil (2,2-2,5 t)								
Indicator de la tubería								
tablero a desplazamiento lateral integrado (ESSV) ISO 2328 ejecución 2A								
	simple derecha + doble				doble			
	conexión A		conexión B		conexión A		conexión B	
Altura		Largura*		Largura*		Largura*		Largura*
2025	55234483846	4950	55234483848	5050	55234483845	49000	55234483847	5000
2075	55234483849	5100	55234483851	5200	55234483848	5050	55234483850	5150
2100	55234483850	5150	55234483852	5250	55234483849	5100	55234483851	5200
2125	55234483852	5250	55234483854	5350	55234483851	5200	55234483852	5250
2175	55234483855	5400	55234483857	5500	55234483854	5350	55234483855	5400
2225	55234483858	5550	55234483860	5650	55234483857	5500	55234483858	5550
2275	55234483861	5700	55234483862	5750	55234483859	5600	55234483861	5700
2325	55234483864	5850	55234483865	5900	55234483862	5750	55234483864	5850
2375	55234483867	6000	55234483868	6050	55234483865	5900	55234483867	6000
2425	55234483870	6150	55234483871	6200	55234483868	6050	55234483870	6150
2475	55234483872	6250	55234483874	6350	55234483871	6200	55234483873	6300
2525	55234483875	6400	55234483877	6500	55234483874	6350	55234483876	6450
2575	55234483878	6550	55234483880	6650	55234483877	6500	55234483879	6600
2625	55234483881	6700	55234483883	6800	55234483880	6650	55234483882	6750
2725	55234483887	7000	55234483889	7100	55234483886	6950	55234483888	7050
2775	55234483890	7150	55234483892	7250	55234483889	7100	55234483891	7200
2825	55234483893	7300	55234483895	7400	55234483892	7250	55234483894	7350
2875	55234483896	7450	55234483898	7550	55234483895	7400	55234483897	7500
2925	55234483899	7600	55234483901	7700	55234483898	7550	55234483899	7600
2975	55234483902	7750	55234483904	7850	55234483901	7700	55234483902	7750
3025	55234483905	7900	55234483907	8000	55234483904	7850	55234483905	7900
3075	55234483908	8050	55234483910	8150	55234483907	8000	55234483908	8050
3125	55234483911	8200	55234483912	8250	55234483909	8100	55234483911	8200
3175	55234483914	8350	55234483915	8400	55234483912	8250	55234483914	8350
3225	55234483917	8500	55234483918	8550	55234483915	8400	55234483917	8500

* Largura en mm

Tre stadi-Montante (2,2-2,5 t)								
Associazione lunghezza tubo								
Translator laterale incorporato (ESSV) ISO 2328 tipo 2A								
	semplice (destra) + doppia				doppia			
	collegamento A		collegamento B		collegamento A		collegamento B	
Altezza	Codice	Lun- ghezza*	Codice	Lun- ghezza*	Codice	Lun- ghezza*	Codice	Lun- ghezza*
2025	55234483846	4950	55234483848	5050	55234483845	49000	55234483847	5000
2075	55234483849	5100	55234483851	5200	55234483848	5050	55234483850	5150
2100	55234483850	5150	55234483852	5250	55234483849	5100	55234483851	5200
2125	55234483852	5250	55234483854	5350	55234483851	5200	55234483852	5250
2175	55234483855	5400	55234483857	5500	55234483854	5350	55234483855	5400
2225	55234483858	5550	55234483860	5650	55234483857	5500	55234483858	5550
2275	55234483861	5700	55234483862	5750	55234483859	5600	55234483861	5700
2325	55234483864	5850	55234483865	5900	55234483862	5750	55234483864	5850
2375	55234483867	6000	55234483868	6050	55234483865	5900	55234483867	6000
2425	55234483870	6150	55234483871	6200	55234483868	6050	55234483870	6150
2475	55234483872	6250	55234483874	6350	55234483871	6200	55234483873	6300
2525	55234483875	6400	55234483877	6500	55234483874	6350	55234483876	6450
2575	55234483878	6550	55234483880	6650	55234483877	6500	55234483879	6600
2625	55234483881	6700	55234483883	6800	55234483880	6650	55234483882	6750
2725	55234483887	7000	55234483889	7100	55234483886	6950	55234483888	7050
2775	55234483890	7150	55234483892	7250	55234483889	7100	55234483891	7200
2825	55234483893	7300	55234483895	7400	55234483892	7250	55234483894	7350
2875	55234483896	7450	55234483898	7550	55234483895	7400	55234483897	7500
2925	55234483899	7600	55234483901	7700	55234483898	7550	55234483899	7600
2975	55234483902	7750	55234483904	7850	55234483901	7700	55234483902	7750
3025	55234483905	7900	55234483907	8000	55234483904	7850	55234483905	7900
3075	55234483908	8050	55234483910	8150	55234483907	8000	55234483908	8050
3125	55234483911	8200	55234483912	8250	55234483909	8100	55234483911	8200
3175	55234483914	8350	55234483915	8400	55234483912	8250	55234483914	8350
3225	55234483917	8500	55234483918	8550	55234483915	8400	55234483917	8500

* Lunghezza mm





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶ 1-6		1	SUPPORT ASSY.	lift cylinder; centre guide		
7	0009550912	1	CLIP			
8	8665691	1	CLAMPING PIECE			
9	0502177	2	CHEESE-HEAD SCREW			
10	0502082	2	WASHER			
11	15234404800	1	SUPPORT ASSY.			
12	15154415805	2	SUPPORT			
13	55234466102	2	ADAPTOR	only 2,2 t; 2,5 t		
14	0505275	2	SOCKET HEAD SCREW			
15	0521108	2	WASHER			
16	15234460903	2	GUIDE	left		
17	15234460902	2	GUIDE	right		
18	0505274	8	SOCKET HEAD SCREW			
19	0521108	8	WASHER			
20	15234453300	2	GUIDE			
21	9186385137	4	CUTTING SCREW			
22	0009553690	2	CLAMPING CLIP			
23	0512240	4	SOCKET HEAD SCREW			
24	55234460900	6	GUIDE	from mast length: 2300 mm		
25	0504164	6	HOSE CLIP	from mast length: 2300 mm		
26	1864411502	1	BRACKET			
26a	1864411501	1	BRACKET			
27	0501035	2	HEXAGON HEAD SCREW			
28	0522268	2	WASHER			
29	0009550912	1	CLIP			
30	8665691	1	CLAMPING PIECE			
31	0502177	2	CHEESE-HEAD SCREW			
32	0502082	2	WASHER			
33	55234452713	1	SHEET METAL HOLDER		->18.06.2020	
34	0502177	2	CHEESE-HEAD SCREW			
35	0502082	2	WASHER			
36	0632073	2	CONNECTING PART ASSY.			
37	0502207	2	HEXAGON NUT			

HOSE CONDUIT

516345V00896


triple; built-in sideshift; double

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
38	0529471	1	PROTECTIVE CAP	red		
39	0529474	1	PROTECTIVE CAP	black		
▶ 40		4	HOSE LINE	2.2 t to 2.5 t; double auxiliary hydraulics	21.08.2015->	
▶ 40		4	HOSE LINE	3.0 t to 3.5 t; double auxiliary hydraulics	21.08.2015->	



19965c

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234452735	1	SHEET METAL HOLDER			
2	55234485202	3	AXLE			
3	0716321	4	WASHER			
4	55234452736	1	SHEET METAL HOLDER			
5	8666791	6	BUTTON HEAD SCREW			
5a	0501035	2	HEXAGON HEAD SCREW			
5b	0502082	2	WASHER			
6	8006261	6	SPRING LOCK WASHER			
6a	0147420		ADHESIVE	LOCTITE 243		



HOSE LINE

516345V00896

2.2 t to 2.5 t; double auxiliary hydraulics

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶				OVERVIEW OF HOSE	2.2 t to 2.5 t integrated sideshift		
▶	1		1	HOSE LINE	triplex connection A; right		
▶	2		1	HOSE LINE	triplex connection B; right		
▶	3		1	HOSE LINE	triplex connection A; left		
▶	4		1	HOSE LINE	triplex connection B; left		






Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234483899	1	HOSE LINE	length: 7600 mm		



19955

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234483901	1	HOSE LINE	Länge: 7700 mm		



19955

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234483898	1	HOSE LINE	Länge: 7550 mm		





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234483899	1	HOSE LINE	length: 7600 mm		




HOSE LINE

516345V00896

3.0 t to 3.5 t; double auxiliary hydraulics

	Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶	1		1	HOSE LINE	triplex connection A; right		
▶	3		1	HOSE LINE	triplex connection A; left		
▶	4		1	HOSE LINE	triplex connection B; left		



19955

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234483899	1	HOSE LINE	length: 7600 mm		




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234483898	1	HOSE LINE	Länge: 7550 mm		





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234483899	1	HOSE LINE	length: 7600 mm		


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			BEARING (NECK), COMPL.			



19791a


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0719599	2	BOLT			
2	0523826	2	SPHERICAL BEARING			
2a	0502687	2	LUBRICATING NIPPLE (CONE)			
3	52034410200	4	SCREW	M16x55-10.9-DAC-TUFLOK 1. version		
3a	52034410202	4	SCREW	M16x60-10.9-DAC-TUFLOK 2. version		
3b	52044410200	4	SCREW	M16x80-10.9 3. version		
4	0528867	4	LOCK EDGE WASHER	1. version		
4a	0009141627	4	WASHER	Thickness: 6 mm 2. version		
4b	0009161631	4	BUSH	Thickness: 16 mm 3. version		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			LIFT MAST	triplex 130; 2,2 t bis 3,5 t MaLiS		



19804

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
COMMON PARTS				triplex 130; 2,2 t bis 3,5 t		
1		1	OUTER MAST	please with printed form order get in contact with the service (K-Mat)		
2		1	INTERMEDIATE MAST	please with printed form order get in contact with the service (K-Mat)		
3		1	INNER MAST SECTION	please with printed form order get in contact with the service (K-Mat)		
4		1	LIFT CYLINDER	left		
5		1	LIFT CYLINDER	right		
6		1	LIFT CYLINDER	middle		
7		2	CHAIN	left and right		
8		1	CHAIN	middle	11.11.2016->	
9		1	HOSE	on mast supply hose	24.03.2016->	
10	55234483304	1	PIPE LINE	RX60; hydraulic manifold lift cylinder assy.		



19805


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶ 1		8	ROLLER SUPPORT	diameter: 89.9 mm		
2	15234462803	2	TENSIONER			
3	0390891	2	CHEESE-HEAD SCREW			
4	0520898	2	LOCKING RING	16x1,5		
5	0009141627	2	WASHER	Thickness: 6 mm		
6	0648810	1	CHAIN ROLLER			
8	0648809	1	BOLT			
9	0502082	2	WASHER			
10	4491536	2	HEXAGON HEAD SCREW			
11	8416867	1	FORK CLEVIS	2.2 t; 2.5 t	05.10.2018->	
11	1834464502	1	FORK CLEVIS	3.0 t; 3.5 t	05.10.2018->	
11a	0510993	0	SHIM RING	as needed	05.10.2018->	
11b	8417008	1	SEALING PLUG			
12	0147420	0	ADHESIVE	LOCTITE 243		
13	0009313101	1	BRACKET			
14	0501078	2	HEXAGON BOLT			
15	8002073	2	WASHER			
16	55238512300	1	CAP			
17	9045323138	1	SOCKET HEAD SCREW			
18	0527262	4	BEARING BUSHING			
19	1864460957	2	GUIDE			
20	0501071	2	HEXAGON BOLT			
21	0009141087	2	WASHER			
22	0501069	1	HEXAGON BOLT			
23	55234469200	1	LOCKING PLATE			
24	8428803	1	PIPE UNION			
25	4492500	2	SOCKET HEAD SCREW			
26	9321620014	2	SPRING LOCK WASHER			
27	55214410600	1	CLAMPING PIECE			
28	0009180299	1	PLATE			
29	0505276	1	SOCKET HEAD SCREW			
29a	0520867	1	SOCKET HEAD SCREW			
30	0009933524	2	CHAIN ROLLER			
31	15234464401	2	COVER			

Common parts

triplex 130; 2,2 t bis 3,5 t

516345V00896

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
32	15234452710	2	SHEET METAL HOLDER			
33	0728602	4	TAPPING SCREW			
34	15234460600	1	BUSH			
35	4401580	1	SOCKET HEAD SCREW			
36	0532917	2	COUNTERSUNK SCREW			
37	15234464400	1	COVER			
38	0009933758	1	HOSE PULLEY			
39	15234461000	1	BOLT			
40	4499823	1	LOCKING RING			
41	0502161	1	SOCKET HEAD SCREW			
42	15234415801	1	SUPPORT			
43	0505276	2	SOCKET HEAD SCREW			
44	8004977	2	HEXAGON NUT			
45	0621647	2	CAP			
46	0620448	2	SOCKET HEAD SCREW			
47	0009553691	1	CLAMPING CLIP			
48	0521108	2	WASHER			
49	0505275	2	SOCKET HEAD SCREW			
50	55234460902	3	GUIDE	from mast length: 2300 mm; 4 items		
51	0504164	3	HOSE CLIP	from mast length: 2300 mm; 4 items		



Zulässiges radiales Spiel (mm)

min. 0,05 / max. 0,4 an engster Stelle, sonst max. 0,6

Zulässiges seitliches Spiel (mm)

min. 0,1 - max. 0,3 an engster Stelle, sonst max. 1,1

6 Rollen Gabelträger: Spiel der mittleren Rollen um 0,2 größer als Spiel der oberen Rollen

Permissible radial clearance (mm)

min. 0.05 / max. 0.4 at the max. tightmost spot otherwise 0.6 at the max.

Permissible lateral clearance (mm)

0.1 at the min., 0.3 at the max. tightmost spot otherwise 1.1 at the max.

6 roller fork mount: Clearance of the central rollers 0.2 higher than clearance of top rollers

Jeu admissible radial (mm)

mini. 0.05 / maxi. 0,4 sur la partie la plus étroite sinon 0,6 au maxi.

Jeu admissible latéral (mm)

0,1 au mini., 0,3 maxi. sur la partie la plus étroite sinon 1,1 au maxi.

Tablier 6 porte-fourche: Jeu des galets central 0,2 plus grand que jeu des galets supérieur

Gioco radiale ammissibile (mm)

min. 0,05 / max. 0,4 sul punto più stretto altrove max. 0,6

Gioco laterale ammissibile (mm)

min. 0,1 - max. 0,3 sul punto più stretto altrove max. 1,1

Piastra 6 portaforca: Gioco dei rulli centrali 0,2 più grande che gioco dei rulli superiori

Holgura radial admisible (mm)

mín. 0,05 / máx. 0,4 en la parte más angosta sino de máx. 0,6

Holgura lateral admisible (mm)

mín. 0,1, máx. 0,3 en la parte más angosta sino de máx. 1,1

Porta-horquillas 6: Holgura rodillos central 0,2 más grande que rodillos arribas

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	8422623	1	SUPPORT ROLLER	diameter: 89.9 mm		
1	8422625	1	SUPPORT ROLLER	diameter: 90.5 mm		
2	0794592	1	SHIM RING			


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			LIFT CYLINDER	lift cylinder; piston diameter: 46 mm; for 2.2 t; 2.5 t		

LIFT CYLINDER

516345V00896


lift cylinder; piston diameter: 46 mm; for 2.2 t; 2.5 t

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			LIFT CYLINDER ASSY.	length: 2455 mm; lift: 2177 mm		



19812a

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	51784902183	1	LIFT CYLINDER ASSY.			
▶ 1		1	GLEICHTEILE			
2	51784454712	1	PISTON ROD			
3	51784454087	1	CYLINDER PIPE			



19865

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	51724701058	1	CYLINDER HEAD ASSY.			
2	0009013106	1	BUTTON HEAD SCREW		23.12.2016->	
3	0500265	1	SEALING RING			
4	0009442495	1	LINE BREAK SAFETY VALVE			
5	0602566	1	GUIDE STRIP			
6	0602481	1	SNAP RING			
7	0009212282	1	COMPRESSION SPRING			
8	51784461116	1	PISTON			
9	0009070620	1	SNAP RING			
10	0147420	0	ADHESIVE	LOCTITE 243		


Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			LIFT CYLINDER	lift cylinder; piston diameter: 46 mm; for 2.2 t; 2.5 t		

LIFT CYLINDER

516345V00896

lift cylinder; piston diameter: 46 mm; for 2.2 t; 2.5 t

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			LIFT CYLINDER ASSY.	length: 2455 mm; lift: 2177 mm		




19812

LIFT CYLINDER ASSY.

516345V00896

length: 2455 mm; lift: 2177 mm

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	51724902926	1	LIFT CYLINDER ASSY.			
▶ 1		1	COMMON PARTS	lift cylinder; piston diameter: 46 mm		
2	51724470025	1	PISTON ROD			
3	51724910295	1	CYLINDER PIPE			



Common parts**516345V00896**

lift cylinder; piston diameter: 46 mm

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	51724701058	1	CYLINDER HEAD ASSY.			
2	0009013106	1	BUTTON HEAD SCREW		23.12.2016->	
3	0500265	1	SEALING RING			
4	0009442495	1	LINE BREAK SAFETY VALVE			
5	0602566	1	GUIDE STRIP			
6	0602481	1	SNAP RING			
7	0147420	1	ADHESIVE	LOCTITE 243		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			LIFT CYLINDER	lift cylinder; piston diameter: 68 mm; for 2.2 t; 2.5 t middle		

LIFT CYLINDER

516345V00896

lift cylinder; piston diameter: 68 mm; for 2.2 t; 2.5 t

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			LIFT CYLINDER ASSY.	length: 1276 mm; lift: 1162.5 mm		





Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	51764408935	1	LIFT CYLINDER ASSY.			
▶ 1		1	COMMON PARTS	lift cylinder; piston diameter: 68 mm		
2	0642654	1	PISTON BARREL	length: 1233.5 mm		
3	51764920462	1	CYLINDER PIPE			




19851a

common parts**516345V00896**

lift cylinder; piston diameter: 68 mm

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-3	0730200	1	CYLINDER HEAD ASSY.			
2	0522350	1	HEXAGON HEAD SCREW			
3	0500265	1	SEALING RING			
4	51724462502	1	SUPPORT			
5	0009442497	1	LINE BREAK SAFETY VALVE			
6-8	51764701214	1	PISTON COVER ASSY.		27.10.2017->	
7	0009623338	1	GUIDE RING			
8	0529616	1	SEALING RING			
9	0145358	0	ADHESIVE			
10	0147420	1	ADHESIVE	LOCTITE 243		



CHAIN

left and right

516345V00896

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
OVERVIEW OF LIFT CHAIN				2.2 t to 2.5 t		
1-2	55234704221	1	LEAF CHAIN ASSY.	length: 2920 mm		
2	52014460800	1	THREADED BUSH			


Dreifach-Hubgerüst		Zuordnung Lastkette außen am Hubgerüst	
		2 Stück	
Bauhöhe	Nennhub	Teile-Nr.	Länge mm
2025	4140	55234704200	2006
2075	4290	55234704201	2044
2100	4360	55234704202	2082
2125	4440	55234704203	2120
2175	4590	55234704204	2158
2225	4740	55234704205	2196
2275	4890	55234704206	2234
2325	5040	55234704207	2310
2375	5190	55234704208	2349
2425	5240	55234704209	2387
2475	5390	55234704210	2463
2525	5540	55234704211	2501
2575	5690	55234704212	2539
2625	5840	55234704214	2615
2725	6040	55234704216	2691
2775	6190	55234704217	2730
2825	6340	55234704218	2806
2875	6490	55234704219	2844
2925	6640	55234704221	2920
2975	6790	55234704222	2958
3025	6940	55234704223	2996
3075	7090	55234704224	3034
3125	7240	55234704225	3111
3175	7390	55234704226	3149
3225	7540	55234704227	3187

Triple-Mast		Lift chain assignment outside of the mast	
		2 pieces	
Overall height	Rated lift	Part-no.	Lenght mm
2025	4140	55234704200	2006
2075	4290	55234704201	2044
2100	4360	55234704202	2082
2125	4440	55234704203	2120
2175	4590	55234704204	2158
2225	4740	55234704205	2196
2275	4890	55234704206	2234
2325	5040	55234704207	2310
2375	5190	55234704208	2349
2425	5240	55234704209	2387
2475	5390	55234704210	2463
2525	5540	55234704211	2501
2575	5690	55234704212	2539
2625	5840	55234704214	2615
2725	6040	55234704216	2691
2775	6190	55234704217	2730
2825	6340	55234704218	2806
2875	6490	55234704219	2844
2925	6640	55234704221	2920
2975	6790	55234704222	2958
3025	6940	55234704223	2996
3075	7090	55234704224	3034
3125	7240	55234704225	3111
3175	7390	55234704226	3149
3225	7540	55234704227	3187

Triplex-Mât élévateur		Classement chaîne extérieur de la mât élévateur	
		2 pièces	
Hauteur hors tout	Levée	Numéro de pièces	Longueur mm
2025	4140	55234704200	2006
2075	4290	55234704201	2044
2100	4360	55234704202	2082
2125	4440	55234704203	2120
2175	4590	55234704204	2158
2225	4740	55234704205	2196
2275	4890	55234704206	2234
2325	5040	55234704207	2310
2375	5190	55234704208	2349
2425	5240	55234704209	2387
2475	5390	55234704210	2463
2525	5540	55234704211	2501
2575	5690	55234704212	2539
2625	5840	55234704214	2615
2725	6040	55234704216	2691
2775	6190	55234704217	2730
2825	6340	55234704218	2806
2875	6490	55234704219	2844
2925	6640	55234704221	2920
2975	6790	55234704222	2958
3025	6940	55234704223	2996
3075	7090	55234704224	3034
3125	7240	55234704225	3111
3175	7390	55234704226	3149
3225	7540	55234704227	3187

Triple-Mástil		Indicador de la cadena el exterior del mástil	
		2 piezas	
Altura	Elevación nominal	Número de la pieza	Largura mm
2025	4140	55234704200	2006
2075	4290	55234704201	2044
2100	4360	55234704202	2082
2125	4440	55234704203	2120
2175	4590	55234704204	2158
2225	4740	55234704205	2196
2275	4890	55234704206	2234
2325	5040	55234704207	2310
2375	5190	55234704208	2349
2425	5240	55234704209	2387
2475	5390	55234704210	2463
2525	5540	55234704211	2501
2575	5690	55234704212	2539
2625	5840	55234704214	2615
2725	6040	55234704216	2691
2775	6190	55234704217	2730
2825	6340	55234704218	2806
2875	6490	55234704219	2844
2925	6640	55234704221	2920
2975	6790	55234704222	2958
3025	6940	55234704223	2996
3075	7090	55234704224	3034
3125	7240	55234704225	3111
3175	7390	55234704226	3149
3225	7540	55234704227	3187

Tre stadi-Montante		Associazione catena all'esterno del Montante	
		2 pezzi	
Altezza	Alzata nominale	Codice	Lunghezza mm
2025	4140	55234704200	2006
2075	4290	55234704201	2044
2100	4360	55234704202	2082
2125	4440	55234704203	2120
2175	4590	55234704204	2158
2225	4740	55234704205	2196
2275	4890	55234704206	2234
2325	5040	55234704207	2310
2375	5190	55234704208	2349
2425	5240	55234704209	2387
2475	5390	55234704210	2463
2525	5540	55234704211	2501
2575	5690	55234704212	2539
2625	5840	55234704214	2615
2725	6040	55234704216	2691
2775	6190	55234704217	2730
2825	6340	55234704218	2806
2875	6490	55234704219	2844
2925	6640	55234704221	2920
2975	6790	55234704222	2958
3025	6940	55234704223	2996
3075	7090	55234704224	3034
3125	7240	55234704225	3111
3175	7390	55234704226	3149
3225	7540	55234704227	3187



21815b

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			OVERVIEW OF LIFT CHAIN	2.2 t to 2.5 t	11.11.2016->	
1-2	0648632	1	LIFT CHAIN, COMPL.	length: 1970 mm		
2	0143002	1	HEXAGON NUT			

Dreifach Hubgerüst 2,2-3,5 t		Zuordnung Lastkette 1 Stück	
		Gabelträger / ESSV	
		Form A	
Bauhöhe	Nennhub	Teile-Nr.	L
2025	4140	0648623	1513
2075	4290	0648624	1563
2100	4360	0648624	1563
2125	4440	0648624	1563
2175	4590	0648625	1614
2225	4740	0648625	1614
2275	4890	0648626	1665
2325	5040	0648626	1665
2375	5190	0648627	1716
2425	5240	0648627	1716
2475	5390	0648628	1767
2525	5540	0648628	1767
2575	5690	0648629	1817
2625	5840	0648629	1817
2725	6040	0648630	1868
2775	6190	0648631	1919
2825	6340	0648631	1919
2875	6490	0648632	1970
2925	6640	0648632	1970
2975	6790	0648633	2021
3025	6940	0648633	2021
3075	7090	0648634	2071
3125	7240	0648634	2071
3175	7390	0648635	2122
3225	7540	0648635	2122

L = Länge in mm

Dreifach Hubgerüst 2,2-3,5 t		Zuordnung Lastkette 1 Stück	
		Gabelträger / ESSV	
		Form A	
Bauhöhe	Nennhub	Teile-Nr.	L
2025	4140	0648623	1513
2075	4290	0648624	1563
2100	4360	0648624	1563
2125	4440	0648624	1563
2175	4590	0648625	1614
2225	4740	0648625	1614
2275	4890	0648626	1665
2325	5040	0648626	1665
2375	5190	0648627	1716
2425	5240	0648627	1716
2475	5390	0648628	1767
2525	5540	0648628	1767
2575	5690	0648629	1817
2625	5840	0648629	1817
2725	6040	0648630	1868
2775	6190	0648631	1919
2825	6340	0648631	1919
2875	6490	0648632	1970
2925	6640	0648632	1970
2975	6790	0648633	2021
3025	6940	0648633	2021
3075	7090	0648634	2071
3125	7240	0648634	2071
3175	7390	0648635	2122
3225	7540	0648635	2122


L = Länge in mm

Triplex-Mât élévateur 2,2-3,5 t		Classement chaîne au milieu 1 pièce	
		tablier élévateur / ESSV	
		forme A	
Hauteur nors tout	Levée	Numéro de pièces	L
2025	4140	0648623	1513
2075	4290	0648624	1563
2100	4360	0648624	1563
2125	4440	0648624	1563
2175	4590	0648625	1614
2225	4740	0648625	1614
2275	4890	0648626	1665
2325	5040	0648626	1665
2375	5190	0648627	1716
2425	5240	0648627	1716
2475	5390	0648628	1767
2525	5540	0648628	1767
2575	5690	0648629	1817
2625	5840	0648629	1817
2725	6040	0648630	1868
2775	6190	0648631	1919
2825	6340	0648631	1919
2875	6490	0648632	1970
2925	6640	0648632	1970
2975	6790	0648633	2021
3025	6940	0648633	2021
3075	7090	0648634	2071
3125	7240	0648634	2071
3175	7390	0648635	2122
3225	7540	0648635	2122

L = Longueur mm

Tre stadi- Montante 2,2-3,5 t		Associazione catena centrale 1 pezzo	
		Portaforche / ESSV	
		forma A	
Altezza	Alzata nominale	Codice	L
2025	4140	0648623	1513
2075	4290	0648624	1563
2100	4360	0648624	1563
2125	4440	0648624	1563
2175	4590	0648625	1614
2225	4740	0648625	1614
2275	4890	0648626	1665
2325	5040	0648626	1665
2375	5190	0648627	1716
2425	5240	0648627	1716
2475	5390	0648628	1767
2525	5540	0648628	1767
2575	5690	0648629	1817
2625	5840	0648629	1817
2725	6040	0648630	1868
2775	6190	0648631	1919
2825	6340	0648631	1919
2875	6490	0648632	1970
2925	6640	0648632	1970
2975	6790	0648633	2021
3025	6940	0648633	2021
3075	7090	0648634	2071
3125	7240	0648634	2071
3175	7390	0648635	2122
3225	7540	0648635	2122

L = Lunghezza mm



19864

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	55234483516	1	HOSE LINE	length: 5050 mm		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			LOAD SUPPORT	triplex 130; 2,2 t bis 3,5 t		
▶			ROLLER SUPPORT	diameter: 89.9 mm		

LOAD SUPPORT

516345V00896

triplex 130; 2,2 t bis 3,5 t

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			LOAD SUPPORT	integrated sideshift for TRIPLEX mast		






Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			COMMON PARTS	für Einbauseitenschieber mit 6 Rollen		
1	15234409802	1	SIDESHIFT ASSY.	2.2 t to 2.5 t; telescopic; form A; 6 rollers; width: 1150 mm		






Common parts**516345V00896**

für Einbauseitenschieber mit 6 Rollen

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶ 1		6	ROLLER SUPPORT	diameter: 89.9 mm		
2	0009030273	2	SCREW PLUG			
3	55234461402	1	STOP		->08.08.2019	
4	8410677	1	PARALLEL PIN	omitted from 09.08.2019; is included in Pos. 3a	->08.08.2019	
5	0505285	1	SOCKET HEAD SCREW		->08.08.2019	
6	0502155	1	SOCKET HEAD SCREW			
7	0520871	1	HEXAGON NUT			
8	8418506	2	HEXAGON HEAD SCREW			
9	4492295	2	WASHER			
10	0346229	1	SPACER			



Zulässiges radiales Spiel (mm)

min. 0,05 / max. 0,4 an engster Stelle, sonst max. 0,6

Zulässiges seitliches Spiel (mm)

min. 0,1 - max. 0,3 an engster Stelle, sonst max. 1,1

6 Rollen Gabelträger: Spiel der mittleren Rollen um 0,2 größer als Spiel der oberen Rollen

Permissible radial clearance (mm)

min. 0.05 / max. 0.4 at the max. tightmost spot otherwise 0.6 at the max.

Permissible lateral clearance (mm)

0.1 at the min., 0.3 at the max. tightmost spot otherwise 1.1 at the max.

6 roller fork mount: Clearance of the central rollers 0.2 higher than clearance of top rollers

Jeu admissible radial (mm)

mini. 0.05 / maxi. 0,4 sur la partie la plus étroite sinon 0,6 au maxi.

Jeu admissible latéral (mm)

0,1 au mini., 0,3 maxi. sur la partie la plus étroite sinon 1,1 au maxi.

Tablier 6 porte-fourche: Jeu des galets central 0,2 plus grand que jeu des galets supérieur

Gioco radiale ammissibile (mm)

min. 0,05 / max. 0,4 sul punto più stretto altrove max. 0,6

Gioco laterale ammissibile (mm)

min. 0,1 - max. 0,3 sul punto più stretto altrove max. 1,1

Piastra 6 portaforca: Gioco dei rulli centrali 0,2 più grande che gioco dei rulli superiori

Holgura radial admisible (mm)

mín. 0,05 / máx. 0,4 en la parte más angosta sino de máx. 0,6

Holgura lateral admisible (mm)

mín. 0,1, máx. 0,3 en la parte más angosta sino de máx. 1,1

Porta-horquillas 6: Holgura rodillos central 0,2 más grande que rodillos arribas

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	8422623	1	SUPPORT ROLLER	diameter: 89.9 mm		
1	8422625	1	SUPPORT ROLLER	diameter: 90.5 mm		
2	0794592	1	SHIM RING			

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			SIDE SHIFT		03.03.2009->	




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			PLATES		01.04.2014->	
▶			FLEET-MANAGER ASSY.			
▶			DATA CARD			
▶			DATA CARRIER	packaging group key fob	02.12.2011->	

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			PLATES	standard	01.04.2014->	
▶			IDENTIFICATION PLATE		01.04.2014->	
▶			IDENTIF.PLATE		01.04.2014->	
▶			LABEL	air conditioning		
▶			STICKER	INSPECTION STICKER		
▶			LABEL	cold store hydraulic oil		




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0724726	2	LABEL			
2	0648143	1	WARNING SIGN			
4	0648139	1	NOTE PLATE			
5	0716266	1	LABEL			
6	0646136	1	WARNING SIGN			
7	0724762	1	LABEL			
8	0621275	1	LABEL			
9	0393264	1	PLATE			
10	56324391011	1	LABEL			
11	0710601	1	PLATE			
12	0781070	1	LABEL			
13	0732251	1	LABEL	with battery out thrust		
14	50634391301	1	ADHESIVE LABEL			
15	50634391302	1	ADHESIVE LABEL			
16	56324313734	1	PRODUCT IDENTIFICATION	STILL	25.09.2015->	
17	0717618	1	NAME LABEL			
18	56344391019	1	LABEL	UVV (DE)		
19	0706669	1	LABEL			
20	0706670	1	LABEL			
21	57314391000	1	LABEL	LOAD WEIGHING		
22	0735363	1	LABEL	for food industry		

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
			NAMEPLATE - SERIAL NO REQUIRED	standard	11.01.2010->	

1

STILL

Type-Modèle-Typ / Serial no.-No. de série-Serien-Nr. / year-année-Baujahr

	/		/	
--	---	--	---	--

Rated capacity
Capacité nominale
Nenn-Tragfähigkeit


	kg
--	----

Unladen mass
Masse à vide
Leergewicht

	kg
--	----

Battery voltage
Tension batterie
Batteriespannung

	V
--	---




max.
*
min.

	kg
	kg

Rated drive power
Puissance motr.nom.
Nenn-Antriebsleist.

	kW
--	----



*

	kg
--	----




*

see Operating instructions
voir Mode d'emploi
siehe Betriebsanleitung

D-22113 Hamburg
Berzeliusstr. 10

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
▶			PRODUCT IDENTIFICATION	6345; STILL-Standard	01.04.2014->	
▶			PRODUCT IDENTIFICATION	6345; STILL-Standard with spring-loaded latch	01.04.2014->	



(L)




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56336133002	1	PANELLING			
2	0726301	1	PRODUCT IDENTIFICATION			
2a	56334313706	1	PRODUCT IDENTIFICATION			
3	0524376	2	BUTTON HEAD SCREW	M8x25 10.9		
4	0500812	2	WASHER			
5	0525714	2	HEXAGON NUT			






Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56336133003	1	PANELLING			
2	0726301	1	PRODUCT IDENTIFICATION			
2a	56334313706	1	PRODUCT IDENTIFICATION			
3	0735419	2	JOINING PLATE			
4	0371220	4	BUSHING			
5	0532864	2	FASTENER			
6	4491878	4	HEXAGON NUT			
7	0527995	4	BUTTON HEAD SCREW			
8	0009644676	2	SEALING PROFILE	length: 2000 mm as needed to cut		



Klimaanlage enthält florierte Treibhausgase			
Kältemittel	GWP Wert	Füllmenge (kg)	CO2 Äquivalent (t)
Hermetisch verschlossen: nein Leakage Meldesystem eingebaut: nein			
0009387600			

1


air-conditioning equipment contains fluorinated greenhouse gases			
refrigerant	GWP value	charge (kg)	CO2 equal (ton)
Hermetically sealed: no Leakage detection system installed: no			
0009387601			



Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0009387600	1	ADHESIVE LABEL	german		
1	0009387601	1	ADHESIVE LABEL	English		
1	0009387602	1	ADHESIVE LABEL	Italian		
1	0009387604	1	ADHESIVE LABEL	french		
1	0009387605	1	ADHESIVE LABEL	Spanish		



Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	0009384814	1	STICKER	2020; brown	01.01.2019- >31.12.2019	

1





17014a

Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1-2	51523604922	1	FLEETMANAGER ASSY.	fleetmanager control unit with card reader with Bluetooth	07.09.2018->	
1-2	51523604923	1	FLEETMANAGER ASSY.	fleetmanager control unit with card reader without Bluetooth	07.09.2018->	
1	51523604924	1	FLEETMANAGER ASSY.	Fleetmanager control unit; standard; with key card; with chip	07.09.2018->	
1	51523604925	1	FLEETMANAGER ASSY.	Fleetmanager control unit; standard; with key card; with chip	07.09.2018->	




Fig	Part-No.	Qty.	Description	Remark	validity	trucks
1	56323654031		DATA CARRIER	RFID-Chip		
2	0519376	1	PLASTIC BAG			
3	0503668	1	CABLE TIE			

0008042600	Page:	6
0008042601	Page:	6
0008042602	Page:	6
0008042603	Page:	6
0008042604	Page:	6
0008042605	Page:	6
0008042608	Page:	6
0008042609	Page:	6
0008042610	Page:	6
0008042611	Page:	6
0008042612	Page:	6
0008042613	Page:	6
0008042614	Page:	6
0008042615	Page:	6
0008042616	Page:	6
0008042617	Page:	6
0008042618	Page:	6
0008042619	Page:	6
0008042620	Page:	6
0008042621	Page:	6
0008042622	Page:	6
0008042623	Page:	6
0008042624	Page:	6
0008042625	Page:	6
0008042627	Page:	6
0008042628	Page:	6
0009013106	Page:	466, 474
0009030273	Page:	516
0009041217	Page:	336
0009070620	Page:	466
0009075048	Page:	22, 26
0009141087	Page:	454
0009141627	Page:	448, 454
0009146544	Page:	26
0009146545	Page:	26
0009146546	Page:	26
0009146547	Page:	26
0009146548	Page:	26
0009160804	Page:	88
0009161631	Page:	448
0009180299	Page:	454
0009182566	Page:	14
0009182569	Page:	12
0009212282	Page:	466
0009227034	Page:	96

0009227038	Page:	96
0009310197	Page:	102
0009313101	Page:	454
0009380235	Page:	12
0009384814	Page:	542
0009387600	Page:	540
0009387601	Page:	540
0009387602	Page:	540
0009387604	Page:	540
0009387605	Page:	540
0009442495	Page:	466, 474
0009442497	Page:	482
0009520803	Page:	162
0009550912	Page:	422,
0009551500	Page:	404
0009553690	Page:	422
0009553691	Page:	456
0009615226	Page:	12
0009619018	Page:	132
0009619019	Page:	132
0009623338	Page:	482
0009632108	Page:	336
0009632605	Page:	354
0009640543	Page:	164
0009643833	Page:	132
0009643834	Page:	132
0009643850	Page:	14
0009644676	Page:	538
0009655723	Page:	106
0009740247	Page:	292
0009740248	Page:	292
0009740313	Page:	314
0009740319	Page:	296, 300, 302
0009779900	Page:	46
0009830897	Page:	352
0009831500	Page:	354
0009831714	Page:	354
0009837011	Page:	346
0009910231	Page:	162
0009933524	Page:	454
0009933758	Page:	456
0009941035	Page:	88
0027601	Page:	362
0042147	Page:	24
0070173	Page:	52

0076263	Page:	52
0119079	Page:	226
0132113	Page:	24
0135733	Page:	352
0137162	Page:	170
0138527	Page:	168
0138531	Page:	170
0138565	Page:	170
0138573	Page:	170
0142754	Page:	172
0142970	Page:	20
0143001	Page:	354
0143002	Page:	496
0144488	Page:	170
0144782	Page:	104
0145358	Page:	482
0146125	Page:	170
0146126	Page:	170
0146127	Page:	170
0146129	Page:	170
0146131	Page:	170
0146132	Page:	170
0146133	Page:	170
0146139	Page:	170
0146775	Page:	170
0146792	Page:	6
0146793	Page:	6
0146794	Page:	6
0146883	Page:	346
0146884	Page:	348, 362,
0146885	Page:	348
0146886	Page:	174
0146972	Page:	170
0147032	Page:	346
0147420	Page:	234, 426, 454, 466, 474, 482
0147873	Page:	202
0148002	Page:	170
0148003	Page:	170
0148004	Page:	170
0148837	Page:	6
0148920	Page:	6
0149442	Page:	220
0149886	Page:	22, 26
0149894	Page:	22, 26
0149896	Page:	22, 26

0149897	Page:	22, 26
0149923	Page:	28
0149960	Page:	28
0149963	Page:	256, 260, 270
0149965	Page:	260
0149989	Page:	118, 260, 328
0149990	Page:	46
0149991	Page:	256, 260
0149992	Page:	290
0149993	Page:	132, 256, 260
0149994	Page:	260
0155036	Page:	234, 240, 242
0155073	Page:	270
0156030	Page:	22, 26
0156147	Page:	22, 26
0156386	Page:	14
0156972	Page:	276
0157207	Page:	22
0157208	Page:	22
0157209	Page:	22
0157269	Page:	256, 260
0157528	Page:	6
0158548	Page:	348
0158781	Page:	346
0158883	Page:	348,
0158993	Page:	172
0159051	Page:	346, 348, 350,
0159119	Page:	348,
0159452	Page:	170
0159461	Page:	12
0159470	Page:	170
0159471	Page:	170
0160015	Page:	22
0160633	Page:	28
0161355	Page:	346
0163488	Page:	14
0163524	Page:	162
0163619	Page:	290
0170031	Page:	290
0170136	Page:	346
0170205	Page:	250, 274
0170206	Page:	250
0170207	Page:	274
0170293	Page:	96, 100
0170453	Page:	364

0170455	Page:	364
0170710	Page:	354
0170741	Page:	14
0171449	Page:	12
0171827	Page:	98, 102
0171849	Page:	98
0171887	Page:	346
0171888	Page:	346
0171942	Page:	170
0172000	Page:	98, 102
0172001	Page:	98, 102
0172002	Page:	98, 102
0172125	Page:	22
0172131	Page:	22, 26
0172145	Page:	24
0172146	Page:	24
0172147	Page:	22
0172162	Page:	28
0172230	Page:	28
0172231	Page:	28
0172232	Page:	28
0172233	Page:	28
0172234	Page:	28
0172235	Page:	28
0172366	Page:	102
0172434	Page:	14
0172435	Page:	12
0172437	Page:	12
0172438	Page:	12
0172439	Page:	12
0172440	Page:	12
0172441	Page:	12
0172446	Page:	12
0172450	Page:	14
0172460	Page:	12
0172488	Page:	12
0172564	Page:	14
0172570	Page:	14
0172580	Page:	14
0173491	Page:	260, 274
0173492	Page:	256
0173494	Page:	260
0173542	Page:	260, 274
0173543	Page:	256, 260, 340
0173547	Page:	260, 278, 280, 282, 284, 286, 298, 312

0173548	Page:	260, 278, 280, 290, 292,
0173549	Page:	266, 292
0173550	Page:	260, 340
0173551	Page:	250, 256
0173707	Page:	364
0173809	Page:	364
0173812	Page:	364
0173817	Page:	364
0173818	Page:	364
0173819	Page:	364
0173849	Page:	256, 276
0174164	Page:	352
0174165	Page:	352
0174214	Page:	286
0174220	Page:	278, 280, 292
0174817	Page:	96, 100
0175503	Page:	22, 26
0175504	Page:	22, 26
0175505	Page:	22, 26
0175506	Page:	22, 26
0175507	Page:	22, 26
0175508	Page:	22, 26
0175509	Page:	26
0175510	Page:	26
0175511	Page:	26
0175512	Page:	26
0175513	Page:	22, 26
0175514	Page:	22, 26
0175515	Page:	22
0175516	Page:	22
0175517	Page:	22
0175518	Page:	24
0175519	Page:	24
0175520	Page:	22
0175521	Page:	28
0175522	Page:	28
0175523	Page:	28
0175524	Page:	28
0175525	Page:	28
0175526	Page:	28
0175527	Page:	28
0175528	Page:	28
0175529	Page:	28
0175530	Page:	28
0175688	Page:	14

0175689	Page:	14
0175695	Page:	364
0254602	Page:	396
0265245	Page:	396
0289543	Page:	362
0302454	Page:	52
0324994	Page:	396
0328989	Page:	272
0330251	Page:	52
0338686	Page:	404,
0340996	Page:	174
0344032	Page:	174
0346229	Page:	516
0358982	Page:	198
0370185	Page:	168
0371220	Page:	538
0376235	Page:	396
0376997	Page:	42, 216
0390891	Page:	454
0393264	Page:	528
0393380	Page:	396
0398249	Page:	404,
0399597	Page:	346, 348, 394
0491547	Page:	12
0500150	Page:	292
0500265	Page:	466, 474, 482
0500769	Page:	404
0500770	Page:	404,
0500812	Page:	28, 350, 536
0500861	Page:	234
0500939	Page:	12
0500942	Page:	122, 346
0500950	Page:	328
0500951	Page:	346
0500955	Page:	168
0501014	Page:	308
0501015	Page:	28, 162, 328
0501017	Page:	202, 234
0501031	Page:	20
0501035	Page:	12, 104, 130, 346, 348, 422, 426
0501039	Page:	90, 92, 292, 296, 300, 406
0501042	Page:	162
0501044	Page:	350,
0501047	Page:	130, 404
0501053	Page:	404

0501069	Page:	20, 454
0501071	Page:	186, 454
0501072	Page:	52
0501078	Page:	350, 454
0501085	Page:	136, 138, 140, 142
0501091	Page:	136, 138, 140, 142
0501106	Page:	170
0501119	Page:	198
0501150	Page:	168
0501933	Page:	164
0501971	Page:	312
0501983	Page:	234
0502056	Page:	52
0502078	Page:	308
0502081	Page:	330
0502082	Page:	122, 162, 292, 312, 340, 346, 350, 422, 426, 454
0502084	Page:	130
0502140	Page:	320
0502145	Page:	136, 138, 140, 142
0502155	Page:	516
0502161	Page:	456
0502177	Page:	422,
0502207	Page:	422
0502228	Page:	130, 202, 292, 308
0502231	Page:	130,
0502363	Page:	22, 26
0502372	Page:	22
0502376	Page:	14
0502407	Page:	398
0502448	Page:	234, 308
0502472	Page:	168, 184
0502548	Page:	404
0502687	Page:	12, 448
0502999	Page:	272
0503037	Page:	42, 216
0503337	Page:	396,
0503668	Page:	226, 308, 328, 330, 548
0504164	Page:	404, 422, 456
0505273	Page:	290
0505274	Page:	422
0505275	Page:	422, 456
0505276	Page:	96, 454, 456
0505285	Page:	516
0505413	Page:	28
0505425	Page:	52

0505518	Page:	330
0505689	Page:	172
0506016	Page:	130, 246, 348, 404
0507254	Page:	140
0509525	Page:	182
0509894	Page:	328
0510726	Page:	24
0510993	Page:	454
0511146	Page:	328
0511322	Page:	170
0511769	Page:	20
0511858	Page:	52, 130, 186, 350
0512240	Page:	422
0512793	Page:	14,
0513035	Page:	272
0513185	Page:	12
0513989	Page:	292
0516118	Page:	12
0517538	Page:	12, 22
0518189	Page:	170
0518853	Page:	260
0518903	Page:	396
0519150	Page:	396
0519376	Page:	226, 548
0519694	Page:	136, 138, 140, 142, 162
0519829	Page:	130, 162, 198
0519899	Page:	164
0519938	Page:	404
0520152	Page:	90, 92, 104, 106, 130, 162, 246, 296, 300, 330, 348, 362, 404, 406
0520516	Page:	346
0520603	Page:	170
0520620	Page:	96, 100, 164
0520798	Page:	314
0520804	Page:	404
0520867	Page:	454
0520870	Page:	64, 66, 88, 238, 308, 312, 320
0520871	Page:	96, 100, 104, 106, 190, 246, 312, 340, 348, 350, 404, 516
0520898	Page:	454
0521077	Page:	396
0521097	Page:	96, 100, 104, 190, 296, 300, 302, 314, 350, 362
0521108	Page:	76, 78, 88, 90, 92, 130, 162, 242, 308, 422, 456
0521224	Page:	296, 300
0521815	Page:	184
0521837	Page:	278, 280, 282, 284, 298
0521939	Page:	260

0521954	Page:	12
0522141	Page:	198
0522170	Page:	170
0522268	Page:	302, 314, 330, 422
0522278	Page:	20,
0522350	Page:	482
0522540	Page:	272
0522564	Page:	172
0522569	Page:	52
0522981	Page:	296, 300, 302
0523214	Page:	292, 312
0523462	Page:	340
0523531	Page:	186
0523774	Page:	136, 138, 140, 142
0523826	Page:	448
0523895	Page:	290
0523938	Page:	346
0524160	Page:	170
0524187	Page:	308
0524195	Page:	174
0524362	Page:	234
0524376	Page:	104, 106, 190, 536
0524394	Page:	198
0524433	Page:	328
0524613	Page:	42, 76, 78, 88, 96, 100, 216
0524621	Page:	324
0524758	Page:	308
0524762	Page:	162
0525025	Page:	162
0525031	Page:	170
0525177	Page:	174
0525182	Page:	184
0525237	Page:	162
0525438	Page:	130
0525454	Page:	130
0525548	Page:	234, 348
0525604	Page:	76, 78
0525714	Page:	292, 296, 300, 302, 314, 330, 346, 350, 404, 536
0525740	Page:	346
0525746	Page:	174
0525761	Page:	276
0525765	Page:	202, 308
0525836	Page:	348
0525839	Page:	234
0525909	Page:	182

0526012	Page:	118
0526174	Page:	164
0526182	Page:	140
0526189	Page:	12
0526244	Page:	12, 20
0526367	Page:	362,
0526432	Page:	362
0526688	Page:	132
0526692	Page:	256
0526696	Page:	132, 256
0526714	Page:	234
0526755	Page:	256, 260
0526756	Page:	256, 260
0526800	Page:	220
0526884	Page:	298, 312
0526886	Page:	328
0526896	Page:	118, 278, 280, 292,
0526898	Page:	328
0526986	Page:	42, 132, 164, 216, 312
0526989	Page:	118, 132, 290
0527033	Page:	320
0527038	Page:	170,
0527136	Page:	312
0527204	Page:	256
0527262	Page:	454
0527270	Page:	256, 260
0527271	Page:	256, 260
0527272	Page:	256, 260
0527273	Page:	256, 260
0527274	Page:	256, 260
0527277	Page:	256, 260
0527886	Page:	278, 280, 282, 284, 298
0527975	Page:	278, 280, 282, 284, 298
0527978	Page:	234
0527990	Page:	324
0527995	Page:	538
0528867	Page:	448
0528921	Page:	42, 216
0529239	Page:	246, 272
0529320	Page:	352
0529437	Page:	346
0529471	Page:	424
0529474	Page:	424
0529565	Page:	162
0529616	Page:	482

0529809	Page:	346
0529888	Page:	362
0530046	Page:	162
0530302	Page:	136, 138, 140, 142,
0530315	Page:	204,
0530388	Page:	104
0530390	Page:	70
0530391	Page:	70
0530487	Page:	20, 320
0530744	Page:	72
0530771	Page:	346
0530776	Page:	346
0530808	Page:	340
0531013	Page:	64, 66
0531014	Page:	64, 66
0531015	Page:	78
0531024	Page:	162, 198
0531202	Page:	290
0531283	Page:	308
0531348	Page:	346
0531421	Page:	234
0531467	Page:	350
0531486	Page:	348
0531753	Page:	46
0531754	Page:	46
0531837	Page:	348
0531845	Page:	348
0531852	Page:	350
0531994	Page:	182
0532032	Page:	346
0532038	Page:	346
0532043	Page:	350
0532046	Page:	362
0532058	Page:	130
0532129	Page:	158
0532144	Page:	262
0532145	Page:	262
0532159	Page:	346
0532322	Page:	162
0532323	Page:	162
0532327	Page:	20
0532454	Page:	52
0532461	Page:	296, 300
0532624	Page:	20
0532630	Page:	346

0532632	Page:	348
0532633	Page:	346
0532634	Page:	346
0532635	Page:	346
0532647	Page:	348
0532799	Page:	122
0532864	Page:	538
0532866	Page:	198
0532917	Page:	456
0533100	Page:	302, 314
0533107	Page:	352
0533121	Page:	348
0533127	Page:	312
0533134	Page:	198
0533449	Page:	348
0533467	Page:	20
0533510	Page:	340
0533526	Page:	132
0534057	Page:	364
0534187	Page:	20
0534192	Page:	130
0534221	Page:	130
0534222	Page:	130
0534441	Page:	52
0602481	Page:	466, 474
0602566	Page:	466, 474
0605895	Page:	88
0613922	Page:	256, 260
0620448	Page:	456
0621275	Page:	528
0621647	Page:	456
0623229	Page:	226
0623230	Page:	226
0626776	Page:	136, 138, 140, 142
0631692	Page:	260
0632073	Page:	422
0633019	Page:	308
0636421	Page:	330
0638416	Page:	104, 118, 136, 138, 140, 142
0639865	Page:	246
0641366	Page:	96, 100, 242
0641368	Page:	122, 350
0642654	Page:	480
0643967	Page:	70
0646136	Page:	528

0648139	Page:	528
0648143	Page:	528
0648632	Page:	496
0648809	Page:	454
0648810	Page:	454
0651998	Page:	64, 66
0653034	Page:	328
0653035	Page:	328
0653037	Page:	328
0653039	Page:	328
0656135	Page:	272
0657608	Page:	52
0657938	Page:	116
0660089	Page:	290
0661882	Page:	278, 280, 282, 284, 286, 292, 298, 312
0700074	Page:	78
0702655	Page:	272
0702657	Page:	272
0702667	Page:	162
0702668	Page:	164
0702681	Page:	272
0702705	Page:	136, 138, 140, 142
0702706	Page:	136, 138, 140, 142
0702707	Page:	136, 138, 140, 142
0702713	Page:	42, 216
0702729	Page:	76
0703335	Page:	164
0703340	Page:	238
0703405	Page:	198
0703406	Page:	198
0703596	Page:	162
0703665	Page:	272
0703669	Page:	20
0703670	Page:	162
0704356	Page:	42, 216
0705190	Page:	136, 138, 140, 142
0706163	Page:	298
0706669	Page:	528
0706670	Page:	528
0706674	Page:	64, 66
0706964	Page:	78
0706999	Page:	78
0707362	Page:	118
0707491	Page:	238, 240, 242
0708248	Page:	90, 92

0708249	Page:	90, 92
0709230	Page:	90, 92
0710601	Page:	528
0711012	Page:	122
0711128	Page:	234
0711129	Page:	234
0711135	Page:	234
0711574	Page:	64
0711592	Page:	64
0711733	Page:	96, 100
0711748	Page:	74
0712031	Page:	234
0713109	Page:	272
0713197	Page:	362
0713199	Page:	72
0713370	Page:	104
0713385	Page:	96, 100
0713386	Page:	96, 100
0713387	Page:	96, 100
0713954	Page:	132, 370
0713960	Page:	132, 370
0713967	Page:	132
0714003	Page:	312
0714548	Page:	292, 340
0715224	Page:	136, 138, 140, 142
0715225	Page:	136, 138, 140, 142
0715226	Page:	136, 138, 140, 142
0715227	Page:	136, 138, 140, 142
0715228	Page:	136, 138, 140, 142
0715229	Page:	136, 138, 140, 142
0715742	Page:	396
0716266	Page:	528
0716321	Page:	426
0716581	Page:	20
0717577	Page:	272
0717618	Page:	528
0719553	Page:	74
0719599	Page:	448
0719601	Page:	74
0719646	Page:	96, 100
0720121	Page:	204
0720126	Page:	198
0720127	Page:	162
0720182	Page:	96, 100
0720258	Page:	250

0720402	Page:	74, 240
0720631	Page:	362
0720659	Page:	320
0720784	Page:	198
0721503	Page:	196, 210
0721874	Page:	308
0721875	Page:	308
0721882	Page:	292, 308
0722184	Page:	398
0722194	Page:	284
0722195	Page:	282
0722722	Page:	96, 100
0722803	Page:	296, 300
0722823	Page:	162
0722824	Page:	162
0723603	Page:	350
0724205	Page:	76
0724462	Page:	76
0724482	Page:	272
0724726	Page:	528
0724762	Page:	528
0724910	Page:	308
0724966	Page:	272
0725527	Page:	174
0725528	Page:	174
0726200	Page:	90, 92
0726257	Page:	42
0726270	Page:	122
0726294	Page:	308
0726301	Page:	536, 538
0727219	Page:	162
0727887	Page:	42, 216
0727968	Page:	70
0728131	Page:	162
0728440	Page:	276
0728602	Page:	456
0728946	Page:	190
0728947	Page:	190
0729004	Page:	96, 100, 104, 106, 296, 300, 302, 314
0729052	Page:	328
0729086	Page:	198
0729129	Page:	162
0729530	Page:	370
0729531	Page:	370
0729711	Page:	296

0729712	Page:	300
0730200	Page:	482
0730904	Page:	312
0732117	Page:	286, 312
0732251	Page:	528
0733564	Page:	130
0733565	Page:	130
0733566	Page:	130
0733568	Page:	130
0733570	Page:	130
0733571	Page:	130
0733574	Page:	130
0733575	Page:	130
0733576	Page:	130
0733577	Page:	130
0733578	Page:	130
0733579	Page:	130
0733684	Page:	162
0735363	Page:	528
0735419	Page:	538
0736314	Page:	290
0736631	Page:	324
0736686	Page:	256
0737485	Page:	396
0737694	Page:	96
0737871	Page:	224, 342
0738219	Page:	292
0738223	Page:	292
0738227	Page:	278
0738231	Page:	280
0738456	Page:	234
0738868	Page:	88
0738916	Page:	96, 100
0738960	Page:	130
0740089	Page:	122
0740096	Page:	106
0740097	Page:	106
0740182	Page:	104
0741647	Page:	292
0781070	Page:	528
0781095	Page:	96, 100
0794592	Page:	458, 518
0905146	Page:	6
15154415805	Page:	422
15234404800	Page:	422

15234409802	Page:	512
15234415801	Page:	456
15234452710	Page:	456
15234453300	Page:	422
15234460600	Page:	456
15234460902	Page:	422
15234460903	Page:	422
15234461000	Page:	456
15234462803	Page:	454
15234464400	Page:	456
15234464401	Page:	454
1834464502	Page:	454
1864411501	Page:	422
1864411502	Page:	422
1864460957	Page:	454
28563452201	Page:	12
4401560	Page:	262
4401571	Page:	260
4401580	Page:	88, 456
4491434	Page:	234
4491536	Page:	362, 454
4491541	Page:	346
4491709	Page:	246, 330, 348
4491715	Page:	90, 92, 242
4491878	Page:	42, 44, 96, 216, 290, 538
4492277	Page:	42, 216, 238, 290, 308, 312, 320
4492295	Page:	516
4492500	Page:	454
4492582	Page:	330
4499109	Page:	204
4499243	Page:	362
4499823	Page:	14, 456
4499874	Page:	398
50632600509	Page:	26
50632600510	Page:	22
50632612000	Page:	22, 26
50633350100	Page:	22, 26
50633810412	Page:	270
50634382200	Page:	132
50634391301	Page:	528
50634391302	Page:	528
50635045501	Page:	28
50635205805	Page:	198
50982560101	Page:	24
50983609526	Page:	260

50983609527	Page:	274
50984489901	Page:	396
51523602606	Page:	238
51523604922	Page:	546
51523604923	Page:	546
51523604924	Page:	546
51523604925	Page:	546
51523654201	Page:	338
51704400311	Page:	396
51704464108	Page:	396
51704911674	Page:	396
51724462502	Page:	482
51724470025	Page:	472
51724701058	Page:	466, 474
51724902926	Page:	472
51724910295	Page:	472
51764408935	Page:	480
51764701214	Page:	482
51764920462	Page:	480
51784454087	Page:	464
51784454712	Page:	464
51784461116	Page:	466
51784902183	Page:	464
52014460800	Page:	484
52034410200	Page:	448
52034410202	Page:	448
52044410200	Page:	448
55214410600	Page:	454
55234452713	Page:	422
55234452735	Page:	426
55234452736	Page:	426
55234460900	Page:	404, 422
55234460902	Page:	456
55234460903	Page:	404
55234461402	Page:	516
55234466102	Page:	422
55234469200	Page:	454
55234483304	Page:	452
55234483516	Page:	506
55234483898	Page:	434, 442
55234483899	Page:	430, 436, 440, 444
55234483901	Page:	432
55234485202	Page:	426
55234704221	Page:	484
55238512300	Page:	454

55523652003	Page:	340
56323571200	Page:	340
56323602606	Page:	242
56323602607	Page:	240
56323602609	Page:	334
56323602615	Page:	336
56323608905	Page:	330
56323630500	Page:	302, 314
56323631100	Page:	340
56323631201	Page:	340
56323631204	Page:	340
56323631227	Page:	330
56323631236	Page:	292
56323652007	Page:	340
56323654031	Page:	548
56323801025	Page:	340
56323810354	Page:	132
56323810363	Page:	274
56323810432	Page:	340
56324311208	Page:	42, 216
56324313734	Page:	528
56324335600	Page:	162
56324364102	Page:	106
56324378100	Page:	96
56324391011	Page:	528
56324411400	Page:	346
56325043601	Page:	204
56325100500	Page:	202
56325170400	Page:	204
56325171301	Page:	202
56326110000	Page:	104
56326110001	Page:	104
56332561900	Page:	26
56333500501	Page:	12
56333500700	Page:	14
56333502800	Page:	14
56333650301	Page:	66
56333810322	Page:	256
56334003050	Page:	38
56334301502	Page:	80
56334308205	Page:	406
56334308304	Page:	66
56334313706	Page:	536, 538
56334313800	Page:	64
56334362502	Page:	102

56334373604	Page:	98
56334413214	Page:	404
56334413220	Page:	348
56334413221	Page:	348
56334413224	Page:	404
56334413225	Page:	404
56334415805	Page:	348
56334415806	Page:	350
56334485316	Page:	406
56334485317	Page:	404
56335160100	Page:	200, 210
56336130200	Page:	52
56336133002	Page:	536
56336133003	Page:	538
56338010000	Page:	8
56338011802	Page:	6
56338011803	Page:	6
56338011804	Page:	6
56338011805	Page:	6
56338011806	Page:	8
56338011807	Page:	8
56338011808	Page:	8
56338011809	Page:	8
56338011810	Page:	8
56338011811	Page:	8
56338011812	Page:	8
56338011813	Page:	8
56338011814	Page:	8
56338011815	Page:	8
56338011816	Page:	8
56338011817	Page:	8
56338011818	Page:	8
56338011819	Page:	8
56338011820	Page:	8
56338011821	Page:	8
56338011822	Page:	8
56338011823	Page:	8
56338011824	Page:	8
56338011825	Page:	8
56338011826	Page:	8
56338011827	Page:	8
56338702030	Page:	136
56338702031	Page:	138
56338702032	Page:	140
56342120801	Page:	20

56342120802	Page:	20
56343810376	Page:	260
56343810385	Page:	266
56344305201	Page:	60
56344305202	Page:	58
56344312000	Page:	64, 66
56344391019	Page:	528
56345432800	Page:	204
56348702038	Page:	142
57314391000	Page:	528
57340206001	Page:	260
57340206014	Page:	260
57340206015	Page:	266
7912533041	Page:	340
7912533330	Page:	46
7912533711	Page:	260
7914996001	Page:	46
7917401042	Page:	44
7917401102	Page:	234
7917401104	Page:	234
7917415447	Page:	12
7917415862	Page:	14
8002073	Page:	454
8002634	Page:	14
8003277	Page:	170
8004733	Page:	312, 340
8004977	Page:	456
8006005	Page:	162
8006261	Page:	426
8017709	Page:	362
8406206	Page:	256, 260
8406249	Page:	256, 260
8410677	Page:	516
8412197	Page:	44, 238
8416867	Page:	454
8417008	Page:	454
8418482	Page:	162
8418506	Page:	516
8418530	Page:	328
8418878	Page:	350, 404
8422623	Page:	458, 518
8422625	Page:	458, 518
8428803	Page:	454
8434601	Page:	118
8665691	Page:	422,

8666791	Page:	426
9027068193	Page:	14
9027316135	Page:	44
9031316180	Page:	12
9045311219	Page:	14
9045323138	Page:	454
9045394310	Page:	20, 22
9078610125	Page:	308
9078610180	Page:	14
9090353180	Page:	404, 406
9091351132	Page:	66
9102604236	Page:	340
9186385137	Page:	422
9308526014	Page:	28
9321620014	Page:	454
9390003415	Page:	60
9721016018	Page:	348