






ADF p-values: Random vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Random
Win%
Time
S1
S2
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Random vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Random vs Random
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Random vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Constant
S1
S2
Win%
40
35
30
25
20
0
20
40
60
80
100
Time



ADF p-values: Random vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Constant
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
Win%
40
35
30
25
20
0
20
40
60
80
100
Time

ADF p-values: Random vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2
Exponential Decay: Random vs Sequential
Win%
42.5
40.0
37.5
35.0
32.5
30.0
27.5
25.0
22.5
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Random vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Sequential
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
42.5
40.0
37.5
35.0
32.5
30.0
27.5
25.0
22.5
0
20
40
60
80
100



ADF p-values: Random vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Mirror
Win%
Time
S1
S2
60
55
50
45
40
35
30
25
20
0
20
40
60
80
100


ADF p-values: Random vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Mirror
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
60
55
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Random vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Exclusion
Win%
Time
S1
S2
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Random vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Exclusion
Win%
Time
50
45
40
35
30
25
20
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Random vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Reaction
S1
S2
Win%
40
35
30
25
20
0
20
40
60
80
100
Time



ADF p-values: Random vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs Reaction
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Random vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs ReverseMirror
Win%
Time
S1
S2
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Random vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs ReverseMirror
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
Win%
45
40
35
30
25
20
0
20
40
60
80
100
Time



ADF p-values: Random vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Random vs ProbWeighted
Win%
Time
S1
S2
50
45
40
35
30
25
20
15
10
0
20
40
60
80
100



ADF p-values: Random vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Random vs ProbWeighted
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
45
40
35
30
25
20
15
10
0
20
40
60
80
100



ADF p-values: Random vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Random vs MultiRoundObs
Win%
Time
S1
S2
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Random vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Random vs MultiRoundObs
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
45
40
35
30
25
20
0
20
40
60
80
100


ADF p-values: Constant vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Constant vs Random
Win%
Time
S1
S2
50
45
40
35
30
25
20
0
20
40
60
80
100


ADF p-values: Constant vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs Random
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
45
40
35
30
25
20
0
20
40
60
80
100


ADF p-values: Constant vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1



Exponential Decay: Constant vs Constant
S1
S2
Win%
0.04
0.02
0.00
−0.02
−0.04
0
20
40
60
80
100
Time



ADF p-values: Constant vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1


Exponential Decay: Constant vs Constant
1e−10
Win%
Time
S1
S1 Fit: k=0.10
S2
S2 Fit: k=0.10
1.0
0.8
0.6
0.4
0.2
0.0
0
20
40
60
80
100



ADF p-values: Constant vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs Sequential
Win%
35
34
33
32
31
30
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Constant vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs Sequential
Win%
35
34
33
32
31
30
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00


ADF p-values: Constant vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs Mirror
Win%
Time
S1
S2
5
4
3
2
1
0
0
20
40
60
80
100


ADF p-values: Constant vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Constant vs Mirror
Win%
Time
S1
S1 Fit: k=0.08
S2
S2 Fit: k=0.15
0
1
2
3
4
5
0
20
40
60
80
100



ADF p-values: Constant vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs Exclusion
Win%
70
65
60
55
50
45
40
35
30
0
20
40
60
80
100
Time
S1
S2


ADF p-values: Constant vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Constant vs Exclusion
Win%
70
65
60
55
50
45
40
35
30
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00


ADF p-values: Constant vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs Reaction
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Constant vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Constant vs Reaction
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.51
S2
S2 Fit: k=0.00



ADF p-values: Constant vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs ReverseMirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Constant vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs ReverseMirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.10



ADF p-values: Constant vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs ProbWeighted
Win%
Time
S1
S2
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: Constant vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Constant vs ProbWeighted
Win%
Time
S1
S1 Fit: k=9.69
S2
S2 Fit: k=0.04
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: Constant vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Constant vs MultiRoundObs
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Constant vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Constant vs MultiRoundObs
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.07
S2
S2 Fit: k=0.00


ADF p-values: Sequential vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs Random
Win%
Time
S1
S2
60
50
40
30
20
10
0
0
20
40
60
80
100


ADF p-values: Sequential vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Sequential vs Random
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
60
50
40
30
20
10
0
0
20
40
60
80
100



ADF p-values: Sequential vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Sequential vs Constant
Win%
35
34
33
32
31
30
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Sequential vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs Constant
Win%
35
34
33
32
31
30
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00


ADF p-values: Sequential vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1



Exponential Decay: Sequential vs Sequential
S1
S2
Win%
0.04
0.02
0.00
−0.02
−0.04
0
20
40
60
80
100
Time


ADF p-values: Sequential vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1



Exponential Decay: Sequential vs Sequential
1e−10
Win%
Time
S1
S1 Fit: k=0.10
S2
S2 Fit: k=0.10
1.0
0.8
0.6
0.4
0.2
0.0
0
20
40
60
80
100



ADF p-values: Sequential vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs Mirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Sequential vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs Mirror
Win%
Time
100
80
60
40
20
0
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.15



ADF p-values: Sequential vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs Exclusion
Win%
Time
S1
S2
60
50
40
30
20
10
0
0
20
40
60
80
100



ADF p-values: Sequential vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs Exclusion
Win%
Time
60
50
40
30
20
10
0
0
20
40
60
80
100
S1
S1 Fit: k=0.18
S2
S2 Fit: k=0.00



ADF p-values: Sequential vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs Reaction
Win%
Time
S1
S2
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: Sequential vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs Reaction
Win%
Time
S1
S1 Fit: k=0.09
S2
S2 Fit: k=12.25
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: Sequential vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs ReverseMirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Sequential vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs ReverseMirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.08
S2
S2 Fit: k=0.00



ADF p-values: Sequential vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs ProbWeighted
S1
S2
Win%
45
40
35
30
25
0
20
40
60
80
100
Time



ADF p-values: Sequential vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs ProbWeighted
Win%
Time
45
40
35
30
25
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Sequential vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs MultiRoundObs
Win%
70
60
50
40
30
20
10
0
0
20
40
60
80
100
Time
S1
S2


ADF p-values: Sequential vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Sequential vs MultiRoundObs
Win%
Time
70
60
50
40
30
20
10
0
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=1.39



ADF p-values: Mirror vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Random
Win%
Time
S1
S2
42.5
40.0
37.5
35.0
32.5
30.0
27.5
25.0
22.5
0
20
40
60
80
100



ADF p-values: Mirror vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Mirror vs Random
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
42.5
40.0
37.5
35.0
32.5
30.0
27.5
25.0
22.5
0
20
40
60
80
100



ADF p-values: Mirror vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Constant
Win%
Time
S1
S2
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: Mirror vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Constant
Win%
Time
S1
S1 Fit: k=0.09
S2
S2 Fit: k=11.74
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: Mirror vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Sequential
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Mirror vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Sequential
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.02
S2
S2 Fit: k=0.00



ADF p-values: Mirror vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Mirror
Win%
50
40
30
20
10
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Mirror vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Mirror
Win%
50
40
30
20
10
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Mirror vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Exclusion
Win%
Time
S1
S2
70
60
50
40
30
20
10
0
20
40
60
80
100



ADF p-values: Mirror vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Exclusion
Win%
Time
70
60
50
40
30
20
10
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Mirror vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Mirror vs Reaction
S1
S2
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time



ADF p-values: Mirror vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs Reaction
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time



ADF p-values: Mirror vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs ReverseMirror
S1
S2
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time



ADF p-values: Mirror vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs ReverseMirror
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
100
80
60
40
20
0
0
20
40
60
80
100



ADF p-values: Mirror vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs ProbWeighted
Win%
Time
S1
S2
50
40
30
20
10
0
0
20
40
60
80
100



ADF p-values: Mirror vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2
Exponential Decay: Mirror vs ProbWeighted
Win%
50
40
30
20
10
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Mirror vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Mirror vs MultiRoundObs
Win%
Time
S1
S2
40
35
30
25
20
15
10
5
0
0
20
40
60
80
100



ADF p-values: Mirror vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Mirror vs MultiRoundObs
Win%
Time
S1
S1 Fit: k=0.49
S2
S2 Fit: k=0.00
40
35
30
25
20
15
10
5
0
0
20
40
60
80
100



ADF p-values: Exclusion vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Random
S1
S2
Win%
40
35
30
25
20
0
20
40
60
80
100
Time


ADF p-values: Exclusion vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2
Exponential Decay: Exclusion vs Random
Win%
40
35
30
25
20
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
0
20
40
60
80
100
Time



ADF p-values: Exclusion vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Constant
S1
S2
Win%
57.5
55.0
52.5
50.0
47.5
45.0
42.5
40.0
0
20
40
60
80
100
Time



ADF p-values: Exclusion vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Constant
Win%
57.5
55.0
52.5
50.0
47.5
45.0
42.5
40.0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Exclusion vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Sequential
Win%
Time
S1
S2
60
50
40
30
20
10
0
0
20
40
60
80
100



ADF p-values: Exclusion vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Sequential
Win%
60
50
40
30
20
10
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.14



ADF p-values: Exclusion vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Exclusion vs Mirror
S1
S2
Win%
50
40
30
20
0
20
40
60
80
100
Time



ADF p-values: Exclusion vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Mirror
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
Win%
50
40
30
20
0
20
40
60
80
100
Time



ADF p-values: Exclusion vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Exclusion
Win%
Time
S1
S2
55
50
45
40
35
30
25
20
0
20
40
60
80
100


ADF p-values: Exclusion vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2
Exponential Decay: Exclusion vs Exclusion
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
55
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Exclusion vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Reaction
Win%
Time
S1
S2
50
40
30
20
10
0
0
20
40
60
80
100



ADF p-values: Exclusion vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs Reaction
Win%
50
40
30
20
10
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Exclusion vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs ReverseMirror
Win%
Time
S1
S2
60
50
40
30
20
0
20
40
60
80
100



ADF p-values: Exclusion vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs ReverseMirror
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
60
50
40
30
20
0
20
40
60
80
100



ADF p-values: Exclusion vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs ProbWeighted
Win%
Time
S1
S2
70
60
50
40
30
20
0
20
40
60
80
100



ADF p-values: Exclusion vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs ProbWeighted
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
70
60
50
40
30
20
0
20
40
60
80
100



ADF p-values: Exclusion vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs MultiRoundObs
Win%
Time
S1
S2
60
55
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Exclusion vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Exclusion vs MultiRoundObs
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
60
55
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Reaction vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Random
Win%
Time
S1
S2
60
50
40
30
20
10
0
0
20
40
60
80
100



ADF p-values: Reaction vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Random
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
60
50
40
30
20
10
0
0
20
40
60
80
100



ADF p-values: Reaction vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Constant
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Reaction vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Constant
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=11.52



ADF p-values: Reaction vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Sequential
Win%
Time
S1
S2
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: Reaction vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Sequential
Win%
Time
S1
S1 Fit: k=0.23
S2
S2 Fit: k=12.16
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: Reaction vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Mirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Reaction vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Mirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Reaction vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Exclusion
S1
S2
Win%
45
40
35
30
25
20
15
0
20
40
60
80
100
Time



ADF p-values: Reaction vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Reaction vs Exclusion
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
Win%
45
40
35
30
25
20
15
0
20
40
60
80
100
Time



ADF p-values: Reaction vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: Reaction vs Reaction
Win%
50
40
30
20
10
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Reaction vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs Reaction
Win%
Time
50
40
30
20
10
0
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: Reaction vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs ReverseMirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: Reaction vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs ReverseMirror
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time



ADF p-values: Reaction vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs ProbWeighted
Win%
Time
S1
S2
60
55
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Reaction vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs ProbWeighted
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
60
55
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: Reaction vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs MultiRoundObs
Win%
80
70
60
50
40
30
20
10
0
S1
S2
0
20
40
60
80
100
Time



ADF p-values: Reaction vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: Reaction vs MultiRoundObs
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
0
10
20
30
40
50
60
70
80
0
20
40
60
80
100



ADF p-values: ReverseMirror vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Random
Win%
Time
S1
S2
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: ReverseMirror vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Random
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: ReverseMirror vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Constant
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: ReverseMirror vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: ReverseMirror vs Constant
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=11.96
S2
S2 Fit: k=0.00



ADF p-values: ReverseMirror vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Sequential
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: ReverseMirror vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Sequential
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.07



ADF p-values: ReverseMirror vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Mirror
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: ReverseMirror vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: ReverseMirror vs Mirror
Win%
Time
S1
S1 Fit: k=0.01
S2
S2 Fit: k=0.00
100
80
60
40
20
0
0
20
40
60
80
100



ADF p-values: ReverseMirror vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: ReverseMirror vs Exclusion
Win%
60
50
40
30
20
10
0
20
40
60
80
100
Time
S1
S2



ADF p-values: ReverseMirror vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Exclusion
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
60
50
40
30
20
10
0
20
40
60
80
100



ADF p-values: ReverseMirror vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Reaction
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: ReverseMirror vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs Reaction
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
100
80
60
40
20
0
0
20
40
60
80
100



ADF p-values: ReverseMirror vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs ReverseMirror
Win%
Time
50
40
30
20
10
0
0
20
40
60
80
100
S1
S2


ADF p-values: ReverseMirror vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs ReverseMirror
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
40
30
20
10
0
0
20
40
60
80
100



ADF p-values: ReverseMirror vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs ProbWeighted
S1
S2
Win%
50
40
30
20
0
20
40
60
80
100
Time



ADF p-values: ReverseMirror vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: ReverseMirror vs ProbWeighted
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
Win%
50
40
30
20
0
20
40
60
80
100
Time



ADF p-values: ReverseMirror vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs MultiRoundObs
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: ReverseMirror vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ReverseMirror vs MultiRoundObs
Win%
Time
100
80
60
40
20
0
0
20
40
60
80
100
S1
S1 Fit: k=0.47
S2
S2 Fit: k=0.00



ADF p-values: ProbWeighted vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Random
S1
S2
Win%
45
40
35
30
25
20
0
20
40
60
80
100
Time



ADF p-values: ProbWeighted vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Random
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
Win%
45
40
35
30
25
20
0
20
40
60
80
100
Time



ADF p-values: ProbWeighted vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: ProbWeighted vs Constant
Win%
10
8
6
4
2
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: ProbWeighted vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Constant
Win%
Time
S1
S1 Fit: k=0.20
S2
S2 Fit: k=9.50
10
8
6
4
2
0
0
20
40
60
80
100



ADF p-values: ProbWeighted vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Sequential
Win%
Time
S1
S2
55
50
45
40
35
30
25
20
0
20
40
60
80
100


ADF p-values: ProbWeighted vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Sequential
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
55
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: ProbWeighted vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Mirror
Win%
Time
S1
S2
30
25
20
15
10
5
0
0
20
40
60
80
100



ADF p-values: ProbWeighted vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Mirror
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
30
25
20
15
10
5
0
0
20
40
60
80
100



ADF p-values: ProbWeighted vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Exclusion
Win%
Time
S1
S2
55
50
45
40
35
30
25
20
15
0
20
40
60
80
100



ADF p-values: ProbWeighted vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Exclusion
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
55
50
45
40
35
30
25
20
15
0
20
40
60
80
100



ADF p-values: ProbWeighted vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs Reaction
Win%
Time
S1
S2
70
60
50
40
30
20
10
0
20
40
60
80
100


ADF p-values: ProbWeighted vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2
Exponential Decay: ProbWeighted vs Reaction
Win%
70
60
50
40
30
20
10
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00



ADF p-values: ProbWeighted vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs ReverseMirror
Win%
Time
S1
S2
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: ProbWeighted vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs ReverseMirror
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
45
40
35
30
25
20
0
20
40
60
80
100


ADF p-values: ProbWeighted vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs ProbWeighted
Win%
Time
S1
S2
35
30
25
20
15
10
5
0
0
20
40
60
80
100



ADF p-values: ProbWeighted vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs ProbWeighted
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
35
30
25
20
15
10
5
0
0
20
40
60
80
100



ADF p-values: ProbWeighted vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs MultiRoundObs
S1
S2
Win%
50
45
40
35
30
25
20
15
10
0
20
40
60
80
100
Time



ADF p-values: ProbWeighted vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: ProbWeighted vs MultiRoundObs
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
45
40
35
30
25
20
15
10
0
20
40
60
80
100



ADF p-values: MultiRoundObs vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs Random
Win%
Time
S1
S2
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: MultiRoundObs vs Random
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: MultiRoundObs vs Random
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
45
40
35
30
25
20
0
20
40
60
80
100



ADF p-values: MultiRoundObs vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs Constant
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: MultiRoundObs vs Constant
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs Constant
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.17



ADF p-values: MultiRoundObs vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs Sequential
Win%
70
60
50
40
30
20
10
0
0
20
40
60
80
100
Time
S1
S2



ADF p-values: MultiRoundObs vs Sequential
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs Sequential
Win%
Time
70
60
50
40
30
20
10
0
0
20
40
60
80
100
S1
S1 Fit: k=0.06
S2
S2 Fit: k=0.00



ADF p-values: MultiRoundObs vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs Mirror
Win%
Time
S1
S2
30
25
20
15
10
5
0
0
20
40
60
80
100



ADF p-values: MultiRoundObs vs Mirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: MultiRoundObs vs Mirror
Win%
Time
30
25
20
15
10
5
0
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.49



ADF p-values: MultiRoundObs vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: MultiRoundObs vs Exclusion
S1
S2
Win%
55
50
45
40
35
30
0
20
40
60
80
100
Time



ADF p-values: MultiRoundObs vs Exclusion
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs Exclusion
Win%
55
50
45
40
35
30
0
20
40
60
80
100
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00


ADF p-values: MultiRoundObs vs Reaction




Exponential Decay: MultiRoundObs vs Reaction





ADF p-values: MultiRoundObs vs Reaction
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: MultiRoundObs vs Reaction
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
0
10
20
30
40
50
60
70
0
20
40
60
80
100


ADF p-values: MultiRoundObs vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs ReverseMirror
S1
S2
Win%
100
80
60
40
20
0
0
20
40
60
80
100
Time



ADF p-values: MultiRoundObs vs ReverseMirror
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs ReverseMirror
Win%
Time
100
80
60
40
20
0
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.02



ADF p-values: MultiRoundObs vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2



Exponential Decay: MultiRoundObs vs ProbWeighted
S1
S2
Win%
50
40
30
20
0
20
40
60
80
100
Time



ADF p-values: MultiRoundObs vs ProbWeighted
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: MultiRoundObs vs ProbWeighted
Win%
Time
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00
50
40
30
20
0
20
40
60
80
100


ADF p-values: MultiRoundObs vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: MultiRoundObs vs MultiRoundObs
Win%
Time
S1
S2
60
50
40
30
20
10
0
0
20
40
60
80
100


ADF p-values: MultiRoundObs vs MultiRoundObs
p-value
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2


Exponential Decay: MultiRoundObs vs MultiRoundObs
Win%
Time
60
50
40
30
20
10
0
0
20
40
60
80
100
S1
S1 Fit: k=0.00
S2
S2 Fit: k=0.00