



Technical Handoff for Codex

Repository, Infrastructure, and Engineering Context

Version 1.0 · July 2026

01 — ENGINEERING OBJECTIVE

The LifeBook application guides participants through a structured life-story conversation and preserves meaningful memories with their approval. The engineering objective for the current phase is:

Threshold → Conversation → Meaningful memory identified → Participant review → Correction/approval → Memory kept

Each step must be deliberately implemented and tested before moving to the next. No step should be skipped or approximated. The memory that is kept must reflect exactly what the participant approved.

02 — REPOSITORY

Field	Value
GitHub URL	https://github.com/tracydeslaurier-cool/lifebookhq
Primary branch	main
Local project path	[Set by developer — typically ~/Projects/lifebookhq or equivalent]
Language	TypeScript (83%) · JavaScript (8%) · PLpgSQL (7%) · CSS (2%)
Framework	Next.js (App Router)

The repo contains CLAUDE.md (Codex instructions), AGENTS.md (agent context), IMPLEMENTATION_PLAN.md, STAGING_PLAN.md, and TECHNICAL_REVIEW.md. Read these before starting work on the codebase.

03 — REPOSITORY STRUCTURE

Field	Value
app/	Next.js App Router — pages, layouts, API routes
audition/	Threshold experience — the entry point before conversation begins

Field	Value
components/	Shared React components
db/migrations/	Supabase SQL migrations (PLpgSQL). Source of truth for database schema.
foundation/	Foundational prompts, identity context, and system instructions for Claude
lib/	Utility functions, Supabase client setup, shared logic
public/	Static assets
scripts/	Development and maintenance scripts
types/	TypeScript type definitions
middleware.ts	Next.js middleware — handles auth routing and session management

04 — DEPLOYMENT — VERCEL

Field	Value
Production URL	https://lifebookhq.vercel.app
Platform	Vercel (Next.js native deployment)
Threshold URL	https://lifebookhq.vercel.app/audition [confirm route in app/]
Deploy trigger	Push to main branch auto-deploys to production
Preview deploys	Every pull request generates a unique preview URL

Threshold A/B/C variants — if staged variants exist, confirm their routes in the audition/ folder. The Discovery Partner should document these URLs once confirmed in the running application.

05 — SUPABASE — RUNTIME BACKEND

Field	Value
Project name	LifeBookHQ
Project ref	qrdoebsoviksdaxnnyak
Project URL	https://qrdoebsoviksdaxnnyak.supabase.co
Supabase dashboard	https://supabase.com/dashboard/project/qrdoebsoviksdaxnnyak
Region	ca-central-1 (Canada Central)

Field	Value
Status	ACTIVE_HEALTHY
PostgreSQL	17.6
Tables	None yet — schema not yet migrated. Run migrations in db/migrations/ to initialize.
Edge Functions	None deployed yet.

The database schema has not been migrated. The Supabase project is live but empty. Before any application feature can function, the migrations in db/migrations/ must be applied. Do not write application code that depends on tables that do not yet exist.

06 — CONVERSATION PROMPTS AND CHAT IMPLEMENTATION

Based on the repository structure, the following locations are the expected homes for conversation-related code. Confirm each path before instructing Codex to edit these files.

Field	Value
Conversation prompts	foundation/ — system prompts and identity context for the Claude conversation
Chat implementation	app/ or components/ — the UI and API route handling the conversation loop
Memory identification logic	lib/ or app/api/ — the code that identifies meaningful memories from conversation
Memory review/save flow	app/ — the participant review screen and approval/correction flow
Supabase client	lib/ — Supabase browser and server client initialization
Auth/session middleware	middleware.ts — controls access to protected routes

Codex should read CLAUDE.md and AGENTS.md in the repo root before making any changes. These files contain the authoritative instructions for how Claude Code should interact with this codebase.

07 — ENVIRONMENT VARIABLES

Values are stored in Vercel project settings and in a local `.env.local` file (never committed — see `.gitignore`). The names below are what Codex needs to reference; retrieve actual values from Vercel dashboard or from Tracy/Discovery Partner.

Variable Name	Purpose
NEXT_PUBLIC_SUPABASE_URL	Supabase project URL — safe to expose to browser
NEXT_PUBLIC_SUPABASE_ANON_KEY	Supabase anonymous (public) key — safe to expose to browser
SUPABASE_SERVICE_ROLE_KEY	Supabase service role key — server-side only, never expose to browser
SUPABASE_JWT_SECRET	JWT secret for verifying Supabase auth tokens server-side
ANTHROPIC_API_KEY	Anthropic API key for Claude conversation — server-side only

SUPABASE_SERVICE_ROLE_KEY and ANTHROPIC_API_KEY must never appear in client-side code, be logged, or be committed to the repository. Verify with Codex that all API calls using these keys are made from server-side routes only.

08 — KNOWN STATE AND PROBLEMS

The following is the current known state of the application as of the date of this handoff. Codex should treat this as the starting point, not the finished state.

Field	Value
Database schema	Not yet migrated. Supabase project is live but all tables are absent. First task: apply db/migrations/.
Edge functions	None deployed. Any server-side logic requiring Supabase edge functions must be created and deployed.
Threshold experience	Located in audition/ — confirm whether the Threshold → Conversation flow is functional end-to-end or still being built.
Memory pipeline	It is not confirmed whether the memory identification → participant review → approval → save pipeline is implemented. This is the engineering objective.
Auth	middleware.ts is present, suggesting auth routing exists. Confirm whether participant auth is fully functional or scaffolded only.
Vercel A/B/C URLs	Threshold variant URLs (A/B/C) mentioned by Discovery Partner are not confirmed in the current repo structure. Codex should locate or create these routes.

09 — LOCAL DEVELOPMENT SETUP

To run the application locally after cloning:

```
git clone https://github.com/tracydeslaurier-cool/lifebookhq
cd lifebookhq
npm install
cp .env.example .env.local # then fill in values from Vercel dashboard
npm run dev
```

Open <http://localhost:3000>. To apply database migrations against the Supabase project, use the Supabase CLI:

```
npx supabase login
npx supabase link --project-ref qrdoebsoviksdaxnnyak
npx supabase db push
```

10 — DOCUMENTATION LOCATION

All LifeBook governance, identity, and operational documents are maintained in Google Drive under tdeslaurier@gmail.com. The canonical folder hierarchy is:

Field	Value
Google Drive root	LifeBook/ (tdeslaurier@gmail.com)
Governance documents	LifeBook → 01 Governance and Covenants
Identity and brand assets	LifeBook → 02 Identity and Brand
Customer Discovery docs	LifeBook → 03 Customer Discovery
Technology documentation	LifeBook → 05 Technology and Architecture
This document	LifeBook → 05 Technology and Architecture
Supabase dashboard	https://supabase.com/dashboard/project/qrdoebsoviksdaxnnyak
Vercel dashboard	https://vercel.com/dashboard (search: lifebookhq)

GitHub (<https://github.com/tracydeslaurier-cool/lifebookhq>) is the canonical source for all application code. Google Drive is the canonical source for all governance and brand documentation. These two repositories serve different purposes and should not be conflated.

