



Physiotherapy & Rehabilitation Governance Platform

Medical Report: SMR Test

Patient Information

Name: ahmet kalumian

Birth Date: 2025-10-28

Case ID: #23

Clinical Details

Doctor: Dr. PSP

Date: 2026-04-28

Description: Ai it's test no worries

Physical Measurements

Height: 175 cm

Weight: 70 kg

Blood Group: BNegative

Health History

Smoker: Yes

Chronic Diseases: Yes

Activity Level: Moderate

Additional Patient Info

InjuryHistory: test.com

Medications: test.com

FunctionalAbility: test.com

PersonalGoals: test.com

Smart Clinical Analysis

Clinical Explanation:

The patient presents with a moderate activity level and a history of chronic diseases, which necessitates a cautious approach to rehabilitation. Given the patient's smoking status and potential impact on overall health, a comprehensive assessment of cardiovascular and musculoskeletal function is essential. The rehabilitation strategy should focus on improving functional ability while considering the limitations imposed by chronic conditions. A tailored exercise program that emphasizes gradual progression and incorporates flexibility, strength, and endurance training is recommended.

Immediate Physiotherapy Recommendations:

The immediate focus should be on low-impact exercises to enhance mobility and strength without exacerbating any chronic conditions. Incorporating breathing exercises may also be beneficial, especially considering the patient's smoking history. Regular monitoring of the patient's response to exercises is crucial to ensure safety and effectiveness.

Precautions:

- Avoid high-intensity exercises that may strain the cardiovascular system.
- Monitor for any signs of discomfort or exacerbation of chronic conditions during activities.
- Ensure proper warm-up and cool-down periods to prevent injury.

Estimated Recovery Timeline:

The estimated recovery timeline may vary significantly based on the patient's adherence to the rehabilitation program and response to treatment. A preliminary estimate for noticeable improvement could be within 6 to 12 weeks, contingent upon consistent participation and monitoring.

Risk Assessment:

Potential risks include exacerbation of chronic diseases, cardiovascular complications due to smoking, and musculoskeletal injuries from inappropriate exercise intensity. Continuous evaluation of the patient's health status is essential to mitigate these risks.

Red Flags:

- Sudden shortness of breath or chest pain during activity.
- Unexplained dizziness or fainting.
- Significant swelling in the extremities.
- Any new or worsening symptoms related to chronic diseases.

Test Group: Performance Tests

Test: 1

HIGHEST 110.0	LOWEST 110.0	AVERAGE 110.0
------------------	-----------------	------------------

LatestResult 110 2026-04-29
