

TradeAutopsy Station — Completion Roadmap

Bishnu

17 September 2026

CONTENTS

Station completion roadmap	
How to use this plan	
Where we actually are	
What is left on the data spine	
What is left on the overlay (today called Notch)	
Durable law	
Systems	
Books	
Auth	
Common language	
Overlay name — founder lock	
Screen names	
Session object	
Wave 0 — S7 vendors, Health, quotas, vendor UI	
0.1 pick_route on the HTTP seam	
0.2 Quotas and Health rows	
0.3 Vendor UI	
Wave 0b — Scoped S8 (glance + last)	
Wave 1 — Make the desk tell the truth	
1.1 Unfreeze LiveBook (this is N1)	
1.2 Session clock per book	

1.3 Honest money on the pill

1.4 Cull demo and dead chrome

1.5 Kill overlay: retest, then redesign chrome

Wave 2 — The session: Plan, Working, Debrief

2.1 Plan (pre-trade)

How we are feeling (required, 10 seconds)

Setup and invalidation (required)

Planning inputs by book

Multi-conditional (personal)

2.2 Working (live) — actual vs declared

Tech behind Working

What the trader sees

2.3 Debrief (post-trade) — three moments

2.4 Tags from Console

2.5 Open (morning brief)

Wave 3 — Risk engine, size, R:R mode

3.1 Position size

3.2 R:R mode (keep R positive)

3.3 What still does not fire Kill

Wave 4 — Setups, Process, Book, insight

Setups (was Patterns)

Process (was Fidelity)

Book (was Triage)

Insight path (journal → one rule)

Wave 5 — Frictionless Station, then later teeth

UI: learn from the brokers, keep Station taste

From input to insight

Hardcoded inventory — keep, fix, or delete

Do not

Order of work

Founder locks still open

Sources this realignment used

Station completion roadmap

A realigned build order for TradeAutopsy Station. Dated 17 September 2026. This file is the sequencing authority for the remaining work named in this session. It does not reopen Data R0–S6, A8, or the cash/spot money owners.

One job. Make the desk honest, then make the session useful, then make risk a system. Do not restore fog. Do not paint demo as live.

How to use this plan

Work waves in order. Each wave is a thin vertical slice you can dogfood on this Mac. One agent session equals one slice, not the whole PDF.

Current gate (do this first): S7 vendor runtime + Health + quotas + vendor UI. Then a *scoped* S8: Notch obtain glance and C1 last units on crypto Options. Console S8 and Notch *account chrome* stay out.

Then: unfreeze LiveBook, rename the overlay into trading language, ship Pre / Live / Post as one journal object, then size and R:R, then patterns / fidelity / triage as *derived* facts.

If a later idea fights a lock in this document, the lock wins.

Where we actually are

```
DATA      R0 ● S0–S2 ✓ S3 ● leftover S4 ✓ S5 ✓ S6 ● leftover S7 ○
S8 ● scoped
BUILD     T0–T3 ✓ T4 partial T5 ● PLAN Kill T6' pending T7–T11 later
NOTCH     PLAN host ✓ declare POST ✓ LiveBook freeze x journal lander
OPEN
CONSOLE   C1–C3 cull landed /api/bar/v1 still hosted S8 unproven
```

What is left on the data spine

Stage	Status	What is still owed
S6 leftover	Founder, not code	Kotak TOTP remint, then live cash holdings / positions / obtain(funds) / orders
S3 leftover	Weekday dogfood	NFO + options depth together in session; one COM gap → Unusable; cash ladder; glance 20 rows
S7	Current build	pick_route on obtain, per-vendor quota, Health rows, vendor UI, one live India history obtain, one labs type
S8 scoped	After S7	Notch obtain glance + C1 last on crypto Options chrome. Not account pulse/ledger. Not Console waterfalls
S8 account chrome	Out	Settings → Broker pulse + ledger (<code>plans/s8-account-chrome.md</code>) stays parked
Console S8	Out	Pointing Console at extracts is unproven. Do not start it to close this gate

What is left on the overlay (today called Notch)

The overlay can POST a declaration. Confirm often vanishes. Live PLAN is a boot snapshot. Collapsed P&L is the USD hero painted as desk currency. Exposure is qty × 1000. Patterns, fidelity, and the morning P&L chart are demo HTML. Kill overlay works as T5 fire, then invents a 90s countdown locally. Gate copy still points at the dead web Bar.

N1, N2, and N3 are **open**. Do not call them done.

Pack	Claimed	Code actual
N1 Station owns live-state reads	OPEN	LiveBook hydrates once. EventBus never mutates it. 2s poll is a no-op after hydrate
N2 Pre / live / post → current-date journal	OPEN	Capture tray exists. Day-sheet lander for one object does not
N3 Mistakes + upvote + psychology template	OPEN	No overlay surface

Durable law

These decisions do not change while this roadmap is in force.

Systems

System	Owns
Station	Desk compute, Today closed P&L, obtain routing, Health, vendor keys, overlay chrome
Enforcer	Teeth only. Hosts, Keychain, Wasm, DNS block. No numeric day-limit invent
Console	Deep history, declaration store until Phase Z, tags catalog, week list. Not live desk last
DB	Shared facts Station shares up. Not a second TickBook

Books

Shipping paint is `kotak_neo` cash (CNC+MIS) and `binance_com` spot. NFO and crypto Options are **desk display** for last / chain / OI / fills-as-shown. They are not a realized-P&L owner.

- DualNoBlend. Never one number across USD and INR.
- Connected broker last never yields to a vendor.

- Vendor series keeps vendor `book_id` and a provenance strip.
- Labs extracts may never drive Kill, Today P&L, or canonical history.
- No `route0rder`. Overlay does not place, modify, or flatten. Kill is DNS teeth, not flatten (M3 stays later).
- Notch is not the realized-P&L owner. Station Today is. Overlay *consumes*.

Auth

A8 stays locked. Loopback HMAC is machine integrity. Caller JWT is who-am-I. The loopback UUID is a wire hint, not a Console user.

Common language

”Notch” is a macOS chrome word. Traders do not put on a notch. They put on a **kit** before they sit the session.

Overlay name — founder lock

Pick one. Until you pick, this plan uses **Harness**.

Candidate	Why it fits	Risk
Harness (recommended)	Aviation / risk language. You strap in. Size, stop, and Kill are the straps	Slightly abstract
Plate	Armor. One syllable. Matches “suit”	Easy to confuse with a UI panel
Kit	What a trader actually packs	Generic

Do not keep “Bar” in copy. Web `/dashboard/bar` is culled. Replace every “check web Bar” string in the same rename pass.

Screen names

Today (code / mock)	Shipping name	Trader meaning
Notch / PLAN	Harness	The overlay you expand to work the session
Morning brief	Open	Facts before the first ticket
Pre-trade	Plan	Declaration before size hits the book
Live	Working	Declared vs actual, while the ticket is on
Post-trade	Debrief	Three moments, then the day sheet
Escrow	Match	Plan node vs fill node. No seven fake slots
Patterns	Setups	Named setups you actually take, after enough tickets
Fidelity	Process	Did fill follow the plan. Not a 94% demo line
Triage	Book	Open positions as a list of facts, not a flatten panel
Kill	Kill	Keep. Already the right word. Stop ≠ Kill

Session object

One **ticket** is the unit:

1. **Plan** (declared, before fill)
2. **Working** (declared vs actual)
3. **Debrief** (three moments)
4. **Day sheet** (the current-date journal)

Impulsive means a fill with no `declarationId`. Journal already has this law. Keep it.

Wave 0 — S7 vendors, Health, quotas, vendor UI

Exit: you can obtain non-broker data on this Mac, see each vendor's meter, and a healthy Kotak last still wins.

This is the current gate. S8 account chrome is not this wave.

0.1 pick_route on the HTTP seam

`pick_route` already exists in unit tests. Wire it through `GET /api/station/obtain`.

- Kotak history without a declared vendor → `unsupported`
- Fixture `licensed_history` enabled + Keychain key → success, vendor provenance, vendor `book_id`
- Quote obtain stays Kotak when the vendor is on
- Vendor budget 0 → history dark, quote still live
- A credential that looks like a URL is refused

0.2 Quotas and Health rows

T6' is Health + Box vendor keys. Not Health H4 copy-schema as a product.

One Health row per non-broker binding: up / exhausted / unsupported. Meter is per vendor. Broker quote budget is a different meter. Vendor cannot steal it.

Health panel rows the founder already named: Station · Backend Box · Kill · Harness. Vendor rows hang under Backend Box. Green/red. Drill to the vendor card. Helpline is what / why / error — only after the row is real.

0.3 Vendor UI

Backend Box, not the overlay.

- Allowlist of declared vendors (not a paste-any-URL box)

- Enable with a key, not a host
- Provenance strip on any pane that shows vendor series
- Dark vendor does not darken Kotak last

First live obtains (not fixture-only):

1. India history from one B6 vendor (cash/NFO candles), `product_use=desk` only if the lock says so, else `labs`
2. One specialized India type: FII/DII **or** AMFI **or** RBI policy, `product_use=labs`

Aggregation, warehouse, CONSENSUS, Yahoo, OpenBB, nseindia.com scrape: out.

Yahoo/OpenBB stay catalog-only until a named B6 sheet. The existing `s7-openbb-vendor-catalog.md` is research, not product.

S7 is done when (1) + (2) obtain live and Health shows the vendor. Not when Labs UI exists.

Wave 0b — Scoped S8 (glance + last)

In: Notch obtain glance. C1 last units on crypto Options chrome (`BarCryptoOptionsDeclareView`). Last binds from eapi ticker. Chip stays **unknown** (no exchange timestamp). Empty TickBook stays unavailable, never last = 0.

Out: `feat/s8-notch-account-chrome`. Pulse + ledger on Settings → Broker. Console LTP waterfalls. Pointing Console at extracts.

C1 standing facts stay closed: unknown ≠ hole; shape routes the dated contract; no `if crypto` inside NFO chrome; do not persist `unit` as lot.

S5 founder glance of `/api/station/greeks` may ride along if you are already in Xcode. Do not block S7 on it.

Wave 1 — Make the desk tell the truth

Until LiveBook mutates, every later Plan / Working / Debrief screen is theater.

1.1 Unfreeze LiveBook (this is N1)

Today: hydrate at boot or first Console GET. Every later poll returns the same JSON. Declare can 200 on Console and vanish on the overlay after 45s of optimistic armed.

Target:

- Declare / cancel / protective / fill events write the local book
- Overlay reads Station. Console is write-behind, not live-read authority
- Stop the 2s timer after hydrate (Fact Plane already said this)
- Optimistic armed reconciles against a book that can change, or it goes away

Dogfood: declare from Harness → Working shows **armed** from the book, not from a 45s hope. Cancel clears it. Restart Station, book still matches the last event.

1.2 Session clock per book

`isIstMarketSession()` (09:15–15:30 IST, weekdays) must not gate COM. Pulse / positions / recent-trades poll when *that book* is in session. Cash/NFO use NSE. Spot/Options use 24/7. Missing session → labeled stale, not silent freeze.

1.3 Honest money on the pill

Lie	Replacement
<code>pnlTodayUsd</code> painted as ₹ / USDT	Consume Station Today closed hero in the shipping book's currency. DualNoBlend dashes if mixed
<code>sessionPnLChangeHint = 0</code>	Omit, or derive from Today. Do not hardcode 0 as a change
Exposure = qty × 1000	Dark until LTP × qty (cash) or venue notional exists. Never invent ₹1k
Binance → USD in desk format	USDT on the spot book (tests already expect this)
INR fallback when desk unknown	Dash. Missing quote is not INR

Notch still does not own realized P&L. It reads Today.

1.4 Cull demo and dead chrome

Delete or hide until a real series exists:

- `BarTACartDemo` setup mix, fidelity 88–96%, morning –₹2,100
- Morning Open left-rail demo chart when a real brief exists
- M10 “50 trades” stub: keep the honest empty (“not enough tickets”), drop fake scores
- Escrow pad of 7 amber slots. Real match nodes or empty
- “Bar features need setup on the web app”
- Signal weights 0.35 / 0.20... and score multipliers F&O 1.5x, Wednesday 1.35x, Intraday 1.4x as if they were an engine
- Positional tab that sets archetype to nil
- Notification toggles that only write UserDefaults
- Unreachable TAI / Pulse / Workflows / Positions tabs in the Station host (polls included)
- C ABI `tradeautopsy_notch_launch` full-tab host
- `openPlanExitInBrowser` no-op CTA
- `webBaseURL` = `https://localhost:3000`

Keep prototypes in `station/prototypes/` as visual SoT. They are not runtime.

1.5 Kill overlay: retest, then redesign chrome

Teeth stay T5: one Kill, confirm card, escalate-only, Stop ≠ Kill, no Set SL.

Redesign the *display*:

- Countdown comes from policy / latch `expires_at_ms`, not a local 90 invented on fire-success
- DNS list is the connected broker’s hosts. Kotak CIS/Neo/MIS when Kotak is armed. Binance hosts when Binance is armed. Empty host set still refuses (R8)
- Copy is Kill, never max-loss, never flatten

- After fire: overlay owns the screen. Ack after 0. “I’m Calm” is the only unlock

Lifetime latch (survives quit) is the existing `kill-switch-lifetime-spec.md`. It is **Wave 5**, not this wave. This wave is “the overlay you see is true.”

Wave 2 — The session: Plan, Working, Debrief

N2 closes here. Psychology P* HOLD lifts onto these templates because Station + Console sequencing is now named.

Inspiration, not a clone: [TradesViz — capture state before the trade](#), [unlinked plans](#), [custom plan fields](#). OpenAlgo Ch. 05: setup, reason, planned risk, emotion in, emotion out, mistake, result + screenshot. Weekly review beats daily self-judgment.

2.1 Plan (pre-trade)

Declare stays the writer. Journal stays consume-only.

HOW WE ARE FEELING (REQUIRED, 10 SECONDS)

Sliders, 1–5, same scale TradesViz names:

Slider	What it catches
Calm	Tilt, revenge, rushed
Confidence	Overconfidence after a win
Frustration	Need-to-get-it-back
Excitement	Dopamine / chase

Plus one categorical: **planned** or **reactive**. If reactive, Plan still accepts, and Journal tags it impulsive-adjacent. The seven-box OpenAlgo gate (capital, 1% risk, max loss, hedge, emotion, exit, review) is a *gate strip*, not an essay. One empty box → size proposal is zero. Not “trade smaller.”

SETUP AND INVALIDATION (REQUIRED)

- **Setup** — named, few words. Custom tags from Console (see 2.4)
- **Invalidation** — the price or condition that makes this *not* the trade. Written before entry
- **Target** — at least one. R:R computed in Wave 3; until then show the two prices honestly
- **Intent** — one sentence. If they cannot write it, that is the red flag TradesViz names

PLANNING INPUTS BY BOOK

Numbers the book actually has. Dark if the book does not.

Book	Plan fields
Kotak cash	Symbol, product CNC/MIS, side, qty (shares), entry, invalidation, target, planned rupee risk
Kotak NFO	<code>nse_fo token</code> , CE/PE/FUT as instrument_type, lots as venue lots (never invent), LTP if bound, invalidation, target. Strike grid stays dark
Binance spot	Symbol, qty in base, quote USDT, entry, invalidation, target, planned USDT risk
Binance Options	Dated eapi id, right, qty, premium last (unknown chip), invalidation, target. No Sensibull 57500 grid. No unit-as-lot

Placeholders (BANKNIFTY 57500, BTC 90000) stay in the text field hint only. The grid must not paint them.

MULTI-CONDITIONAL (PERSONAL)

User-authored rules on the Plan, stored on the declaration snapshot:

```
IF [price | time | structure | emotion | book fact]
THEN [do not enter | cut | hold thesis | size = 0]
```

Examples: “IF calm < 3 THEN size = 0.” “IF last trades through invalidation THEN working state = invalidated.” “IF Fill sold cash 3 days (labs obtain) THEN skip long CNC” — labeled labs, never a Kill input.

Conditions are **prompts and journal facts**. They do not call `routeOrder`.

Console holds the user’s condition library (reusable). Harness attaches selected conditions to this ticket. Custom tags for setup / psychology / risk come from the same Console catalog (N3 kinship).

2.2 Working (live) — actual vs declared

This is the broken screen. After 1.1, it can be true.

TECH BEHIND WORKING

```
Harness → POST declare / cancel
          → Enforcer EventBus
          → LiveBook (local, mutating)
          → GET live-state is a snapshot of that book
Fills    → Station inventory (declarationId join)
Today    → closed P&L only (not this strip)
Obtain   → last / depth / OI for the bound book
```

Not: 2s Console poll. Not: optimistic armed as source of truth. Not: web Bar.

WHAT THE TRADER SEES

Two columns, broker-dense (see Wave 2 UI):

Declared	Actual
Symbol / contract	Fill symbol (must match or flagged)
Side · qty / lots	Filled qty
Entry	Average fill
Invalidation	Live last vs invalidation (obtain last, labeled)
Target	Live last vs target
Conditions	Each rule: waiting / true / broken
Emotion in	Emotion now (optional one-tap)

Condition tracking is the live-exit helper. When invalidation is true, Working says so and offers Debrief / Kill — not flatten. When a user condition fires (“time stop 14:50 IST”), it prompts. History of which rules fired lands on the journal object.

Detect (already on Today): planned SL vs live SL; no SL → do not invent a max; no `declarationId` → impulsive, same as Journal.

2.3 Debrief (post-trade) — three moments

Not a form dump. Three beats, in order. Then the day sheet.

Moment	Name	What they write	What the machine already has
A · Outcome	What the market did	One line optional	Fill, net from Station trip, MAE/MFE later if a lock owns it
B · Process	Did I follow the plan	Checklist vs snapshot: entry, stop, target, size, conditions	Process chips (today’s “fidelity”)
C · Sentence	The lesson	Exactly one sentence	Stored as the debrief body. Empty → Journal Due

Emotion out is a 1–5 tap on Moment B, not an essay.

Screenshot from T4 capture attaches here if present. N2 is closed when Plan + Working + Debrief are **one object** on the current-date journal, not three tabs that forget each other.

2.4 Tags from Console

Console is the catalog. Harness applies. Journal searches.

Groups (TradesViz pattern, our names):

- Setups
- Psychology (FOMO, revenge, hesitation, planned)
- Risk (oversize, skipped stop)
- Mistakes (N3 box + upvote lives here, not a separate fog page)

Do not ship a second tag store on Station.

2.5 Open (morning brief)

Prototype variants already exist. Shipping A is the demo chart. Proposed lock: **header from B, gate from D**.

Open shows only desk facts:

- Active book + currency
- Session clock for that book
- Overnight / undeclared from inventory
- Yesterday closed from Today
- Floor remaining (T8 preview label — desk rules still do not fire Kill)
- One non-negotiable for the day
- Calm + confidence before Start, if you take the D lock

Drop Nifty chips on a COM book. Drop M10 scores. Drop the ₹2,100 story.

Wave 3 — Risk engine, size, R:R mode

R4.1 is already LOCKED: Station computes, Enforcer teeth, Console deep. This wave is R5 thin plus a sizer. It is **not** M3 flatten and **not** toy RMS as broker RMS.

3.1 Position size

Before declare, Harness proposes qty from:

```
size = planned_risk / distance_to_invalidatation
```

Cash: shares. NFO: lots from venue lot, never a guessed `fo_mktlots.csv`. Spot: base qty. Options: contracts from premium risk, using bound last, not a model.

Planned risk comes from Settings desk rules (daily floor is already there) or a per-ticket rupee/USDT box. Default teaching value is ~1% of capital **at the stop**, from the OpenAlgo gate. Capital read must be a Station-trusted obtain(funds) on the shipping book — not a client-typed accountValue, not Console `capital_accounts`.

If invalidation is missing, size is zero. If funds obtain is dark, size is dashed, not invented.

3.2 R:R mode (keep R positive)

A mode, not a hidden multiplier.

- R = distance to invalidation
- Reward = distance to first target
- **Refuse Plan** when reward < 1R, unless the trader tags an explicit override (`skew`, `event`, `scratch`). Override is a journal fact
- Show R:R as a number on Plan and Working. Do not convert it into Wednesday 1.35x theater

Intelligent help = the gate plus the condition library ("IF R:R < 1 THEN size = 0"). It is not an optimizer.

3.3 What still does not fire Kill

Daily floor, mean loss, max round trips: display + Plan gate. They do not POST loss-limits and they do not arm DNS. Kill remains the manual / fog_of_war door. Wiring floor → Kill is a later named tranche, not this wave.

Wave 4 — Setups, Process, Book, insight

These screens are **derived**. They must not ship on demo series.

Setups (was Patterns)

Honest empty until a threshold of **real** tickets with named setups (keep 50 as a product default, labeled). Then: frequency of *your* setup tags vs Station trip P&L. No Breakout 42%. Offline Engine tags (E7) may join later; they do not invent live PatternEngine scores.

Process (was Fidelity)

One live overlay is allowed: process vs snapshot (entry / stop / target / size / invalidation). That already exists as chips in the Journal plan. A 14-day 94% line from HTML is deleted in Wave 1. Impulsive tickets have no Process score.

Book (was Triage)

Open positions from `/api/daemon/positions` (fill inventory, not S8 obtain chrome). Symbol, qty, book, overnight tag, declared-or-impulsive. CTA: expand Working for that symbol, or Kill. **No flatten. No max-loss trip from this list.** Those are M3.

Insight path (journal → one rule)

Do not build a second brain on Console `detection/*` (E5.1 cut). Conversion is mechanical:

```
Log every ticket (Plan + Working + Debrief)
  → weekly read of the week rail (already Journal law)
  → count: emotion, setup, broken condition, Moment C sentences
  → one proposed rule for next week
```

Examples: “Four revenge tickets after a win → 30-minute pause condition.” “Process broken on stop three times → size = 0 unless invalidation is in the snapshot.”

Weekly AI layer (PR5) may *explain* that count later. It does not replace the count. Psychology remains words around Engine tags, not a live emotion scorer.

N3 mistakes box + upvote: the weekly rail is where upvote ranks which mistake to keep in the template. Not a social feed.

Wave 5 — Frictionless Station, then later teeth

Frictionless means: Start, obtain, Plan, Kill, quit — no second app, no web Bar, no 45s lie.

Slice	What
Health panel	H2 rows live off Enforcer health + vendor meters. Console <code>checkKillSwitch</code> config#live stays a known lie until Console track
Kill lifetime	<code>plans/kill-switch-lifetime-spec.md</code> — latch survives quit. Phase 2 LaunchDaemon still later
K2 AlertBus	One notifier. UserDefaults toggles today are not it
T7 Kill policy	L2/L3 duration user-set (K4). Until then 90s is policy default, sourced from latch, not Notch local apply
S8 account chrome	Only after S7 + scoped S8. Prototype C pulse + ledger
Console S8	Delete waterfalls / OpenBB / Console LTP after Station extracts are the only last
T9 / Phase Z	Cut <code>/api/bar/v1</code> only after LiveBook + journal lander are Station-local
M3 flatten	Named later. Book list never pretends

UI: learn from the brokers, keep Station taste

Do not clone Sensibull, TradingView, or Binance web. Steal **density and nouns** from the venue the book actually uses.


Book	Visual density	Nouns on Plan / Working
Kotak cash	Neo / NSE: LTP, bid, ask, qty, product CNC/MIS, token	Shares, INR, MIS square-off clock
Kotak NFO	Chain catalog + LTP. No fake IV grid	Lots, CE/PE/FUT, <code>nse_fo token</code>
Binance spot	Ticker, last, book, USDT	Base qty, notional from last
Binance Options	Dated contract row, last unknown chip, OI strings	eapi id, premium, no unit-as- lot

Harness chrome: collapsed pill (agent + honest P&L or Kill), expand to Open / Plan / Working / Debrief / Match / Book / Settings. Kill always visible when the agent is up.

Rename pass is Wave 1 + Wave 2 together: strings, sidebar, PLAN shell title. Bundle id stays `in.tradeautopsy.station`.

From input to insight

How each stage becomes something the trader can act on next week.



Stage	Inputs stored	Insight they enable
Open	Book, session, overnight, yesterday, daily non-negotiable	"I started COM outside NSE hours" is visible
Plan	4 sliders, planned/reactive, setup tag, invalidation, target, conditions, proposed size, intent sentence	Correlate calm=1 with trip P&L. Empty intent → skip
Working	Declared vs fill, which conditions fired, last vs invalidation	Exit quality. "I saw invalidation and stayed" is a countable event
Debrief A	Station net (cited trip)	Outcome without rewriting memory
Debrief B	Process chips + emotion out	Process ≠ P&L. A green impulsive ticket still fails B
Debrief C	One sentence	The only line you reread on Sunday
Week	All of the above	One new condition or a size = 0 rule. Not ten

Broker numbers (price, time, P&L) are already on the fill. The journal's job is everything the broker cannot see.

Hardcoded inventory — keep, fix, or

delete

Item	Verdict
Loopback x-user-id UUID	Keep — A8 machine hint, tested
Agent port 9137	Keep
Empty Connect slug → kotak_neo	Fix — refuse empty; do not force a book
webBaseURL localhost:3000	Delete from product paths
NSE 09:15–15:30 on all polls	Fix — per-book session
2s live-state poll	Delete after LiveBook mutates
Pulse 10s / trades 30s NSE-gated	Fix — book clock
Brief 300s once per IST day	Keep shape , book-aware Open
Workflow 60s poll	Delete while UI is unreachable
Optimistic armed 45s / 3 polls	Delete once book confirms
Kill 90s local apply	Fix — policy/latch owned
Exposure qty × 1000	Delete (dark until real notional)
Session P&L from pnlTodayUsd	Fix — Today closed, desk ccy
Default format INR	Fix — dash if unknown
Binance → USD map	Fix — USDT on spot
Behavioral ladder 0.15/0.25/0.45	Delete from shipping chrome or label research
Smart expand 0.25/0.30	Fix — expand to Plan, not a fake score
NFO / crypto placeholder strikes	Keep as hint text only
Patterns / fidelity / morning demo series	Delete
M10 threshold 50	Keep , honest empty
Escrow 7 slots	Delete pad

Item	Verdict
Signal weights / multipliers	Delete as engine; Console research later
Plan horizon defaults	Keep as product defaults, labeled
Builtin workflow pad	Delete if daemon empty
VIX color bands	Keep only if VIX obtain is real
Morning expand 08:30 IST	Fix — Open is book-aware
Capture 1920px / 2MiB / JPEG 0.82	Keep if T4 path stays
Kill DNS Kotak-only	Fix — per armed broker
loopback UUID tests	Keep

Do not

- Do not checkout `feat/s8-notch-account-chrome` to close the current gate
- Do not point Console at extracts while Station S7 is unfinished
- Do not mix labs FII/DII into Today or Kill
- Do not invent NFO greeks, ticks, or lot tables
- Do not flip REFERENCE books to SHIPPING
- Do not wrap OpenAlgo / OpenBB as runtime
- Do not restore web Bar, TAI/Pulse tabs, or fog `/dashboard/*`
- Do not let Harness own realized P&L
- Do not flatten from Book / Triage (M3)
- Do not auto-dismiss Kill on quit
- Do not treat a 45s optimistic armed as N1 done
- Do not ship Set SL on Plan (T5)
- Do not call N1/N2/N3 done from this PDF; the waves close them with dogfood

Order of work

Each line is independently dogfoodable.

1. **S7 tracer** — obtain uses pick_route + fixture vendor + Health meter + vendor UI enable/disable
2. **S7 live** — one India history obtain + one labs type (AMFI or FII/DII or RBI)
3. **Scoped S8** — Harness glance + C1 last on a live eapi id
4. **LiveBook mutate** — declare/cancel survive refresh; kill 2s poll
5. **Honest pill + session clock** — Today ccy, COM 24/7, exposure dark
6. **Cull demo + rename strings** — Harness / Open / Plan / Working / Debrief
7. **Kill overlay chrome** — latch countdown, per-broker DNS list, no web copy
8. **Plan fields** — sliders, setup, invalidation, conditions, tags, book-correct inputs
9. **Working actual vs declared** — condition fire log
10. **Debrief A/B/C** — land on current-date journal (N2)
11. **Open** — B header + D gate, Today facts, no demo chart
12. **Sizer + R:R mode** — refuse Plan when $R < 1$ unless tagged override
13. **Setups / Process / Book** — derived only
14. **Week** → **one rule** — insight loop
15. **Later** — Kill latch lifetime, Health H2 panel, S8 account chrome, Console S8, T9 cut of `/api/bar/v1`

Founder leftovers that are *not* code: Kotak TOTP remind (S6), weekday S3 depth sighting, S5 greeks glance.

Founder locks still open

Answer these in product, not in code comments.

1. Overlay name: Harness / Plate / Kit
2. Open (morning): B+D vs keep shipping A until Open facts exist
3. Default planned risk: 1% of obtain(funds) vs a typed rupee box only
4. R:R refuse: hard gate vs warn + tag

5. Multi-conditional on live: prompt only (this plan) vs later auto (refused until a lock names `routeOrder`)
6. Confirm reboot-bypass on Kill still acceptable until LaunchDaemon

Until (1) is answered, shipping copy uses **Harness**.

Sources this realignment used

- Station Data spine: `issues/CONSOLIDATED-STATION-FIRST-PLAN.md` (S7 pending, S8 scoped, account chrome out)
- S7: `plans/s7-source-route.md`, `plans/s7-labs-data-roadmap.md`, ADR 0003
- S8 chrome (parked): `plans/s8-account-chrome.md`
- Journal consume-only: `plans/station-journal-settings-today.md`
- Notch N1–N3: `issues/notch/NOTCH.md`
- Kill: T5 PLAN Kill PRD + `plans/kill-switch-lifetime-spec.md`
- Risk roles: R4.1 LOCKED
- Psychology: P4 unlocks onto Wave 2 templates; Engine emotion scorer stays cut
- Morning variants: `station/prototypes/PROTOTYPE-morning-brief.NOTES.md`
- TradesViz: pre-trade 1–5 emotion baseline, unlinked plans, custom numeric/categorical fields, tags as the analysis spine
- OpenAlgo Ch. 05 / Ch. 25: journal columns + seven-box pre-trade gate
- Live overlay audit: LiveBook snapshot-once, NSE clock on COM, qty×1000, demo charts, dead web Bar copy (this session)