ASTROVEDAM CTO DIRECTIVE — PHASE 4F.2 REPORT

Venus & Mercury Precision Upgrade — Controlled Implementation

Document ID: `AV-UPGRADE-4F2-001` **Date:** October 23, 2026 **Role:** Senior Astronomical Software Architect and QA Lead **Target Module:** Ephemeris Engine (`src/engines/astrology/ephemeris.js`) **Scope:** Venus & Mercury Geocentric Apparent Longitude Precision **Status:** COMPLETE — 100% BENCHMARK PASS FOR MERCURY & VENUS (130/135 Overall Benchmark Pass Rate)

Executive Summary

In accordance with CTO Directive Phase 4F.2, the geocentric apparent longitude calculation models for **Venus and Mercury** were upgraded from truncated polynomial approximations to the Jean Meeus (*Astronomical Algorithms*, 2nd Edition, 1998, Chapter 31) analytical theory referred to the mean equinox and ecliptic of date, incorporating exact iterative solution of Kepler's equation, light-time retardation, and IAU 1980 principal nutation in longitude.

Key Upgrade Highlights

Metric	Phase 4F.1 Baseline	Phase 4F.2 Upgraded	Net Change	Status
Astronomical Benchmark	119 / 135 (88.15%)	**130 / 135 (96.30%)**	**+11 Passed (+8.15%)**	🌟 Highest in Engine History
Mercury Longitude (tol: 2.0')	2 / 9 (22.2%)	**9 / 9 (100.0%)**	**+7 Passed (+77.8%)**	Max error: **0.86'** (was 5.25')
Venus Longitude (tol: 2.0')	5 / 9 (55.6%)	**9 / 9 (100.0%)**	**+4 Passed (+44.4%)**	Max error: **0.42'** (was 19.92')
Master Regression Suite	1,146 / 1,146 (100%)	**1,218 / 1,218 (100%)**	**+72 New Assertions**	Zero regressions across 11 suites
Production Vite Build	Clean (5.07s)	Clean (5.16s)	Preserved	424 modules transformed

Metric	Phase 4F.1 Baseline	Phase 4F.2 Upgraded	Net Change	Status
Independent JPL API Validation	10 Hist / 12 Audit	**18 Live Checked & Verified**	+18 Raw JSONs Archived	100% pass across 1920–2080

1. Baseline Reproduction

Prior to introducing any production source code modifications, the existing repository state was independently reproduced and archived in `scratch/phase4f2/`.

1.1 Pre-Upgrade Baseline Results

- **Astronomical Benchmark:** `node scratch/run_astronomical_benchmark.js` - Total Checks: 135 | Passed: 119 (88.15%) | Failed: 16 (11.85%) - Log archived: `scratch/phase4f2/baseline_benchmark_output.txt` - **Master Regression Suite:** `npm test` (`node tests/run_all_tests.js`) - Total Assertions: 1,146 | Passed: 1,146 (100.0%) | Failed: 0 - Log archived: `scratch/phase4f2/baseline_npm_test_output.txt` - **Production Vite Build:** `npm run build` (`vite build`) - Result: 424 modules transformed cleanly in 5.07s - Log archived: `scratch/phase4f2/baseline_build_output.txt`

1.2 Baseline Failures in Scope for Phase 4F.2

Of the 16 baseline benchmark failures, exactly **11 failures** resided in Mercury and Venus: - **Mercury (7 failures):** REF-01 ($+5.24'$), REF-02 ($+2.15'$), REF-03 ($+5.25'$), REF-04 ($-4.04'$), REF-06 ($-4.38'$), REF-07 ($-5.17'$), REF-08 ($-2.45'$). - **Venus (4 failures):** REF-05 ($-3.89'$), REF-06 ($+5.28'$), REF-07 ($-7.16'$), REF-08 ($+19.92'$).

2. Source Files Changed & Implementation Summary

2.1 Production Source File: `src/engines/astrology/ephemeris.js`

1. **Mercury Ephemeris Upgrade:** - **Root Cause of Defect:** The legacy `mercuryLongitude` used a truncated 3-term series for the equation of center: $$C = \left(2e - \frac{e^3}{4}\right)\sin M + \frac{5}{4}e^2 \sin 2M + \frac{13}{12}e^3 \sin 3M$$ Because Mercury has high eccentricity ($e \approx 0.20563$), truncating

higher powers of e caused truncation errors up to $\pm 7.5'$. Furthermore, the secular rate of mean longitude L omitted general precession in longitude ($1.3969^\circ / \text{century}$), and light-time retardation and nutation were missing. - **New Implementation (`getMercuryHelio` and `mercuryLongitude`):** - Adopted Jean Meeus Table 31.A equinox-of-date orbital elements: $$\begin{aligned} a &= 0.38709831 \text{ AU} \\ e &= 0.20563175 + 0.000020407 T - 0.0000000283 T^2 \\ I &= (7.004986^\circ + 0.0018215^\circ T - 0.0000181^\circ T^2) \\ L &= 252.250906^\circ + 149474.0722491^\circ T + 0.0003035^\circ T^2 \\ \varpi &= 77.456119^\circ + 1.5564776^\circ T + 0.00029544^\circ T^2 \\ \Omega &= (48.330893^\circ + 1.1861883^\circ T + 0.00017542^\circ T^2) \end{aligned}$$ - Replaced series expansion with the exact Newton-Raphson Kepler solver `solveKepler(M, e)`. - Calculated true anomaly $v = 2 \arctan\left(\sqrt{\frac{1+e}{1-e}}\tan(E/2)\right)$ and heliocentric radius $r = a(1 - e\cos E)$. - Implemented single-iteration light-time retardation: $$d_0 = \|\vec{r}_{\text{merc}} - \vec{r}_{\text{earth}}\|, \quad \tau = 0.0057755183 \times d_0 \text{ days}$$ re-evaluating heliocentric vector at retarded time $T_{\tau} = \text{julianCenturies}(jd - \tau)$. - Added IAU 1980 principal nutation in longitude `nutationInLongitude(T)`. 2. **Venus Ephemeris Upgrade:** - **Root Cause of Defect:** Legacy `venusLongitude` used mean longitude and node rates referred to the fixed equinox of J2000.0 rather than the equinox of date, causing a precession discrepancy of $\sim 1.397^\circ \times T$. At inferior conjunction (REF-08, 2010), when Venus was only 0.28 AU from Earth, this rate mismatch amplified to $+19.92'$. - **New Implementation (`getVenusHelio` and `venusLongitude`):** - Adopted Jean Meeus Table 31.A equinox-of-date orbital elements: $$\begin{aligned} a &= 0.72332982 \text{ AU} \\ e &= 0.00677192 - 0.000047765 T + 0.0000000981 T^2 \\ I &= (3.394662^\circ + 0.0010037^\circ T - 0.00000088^\circ T^2) \\ L &= 181.979801^\circ + 58519.2130302^\circ T + 0.00031014^\circ T^2 \\ \varpi &= 131.563703^\circ + 1.4022288^\circ T - 0.00107618^\circ T^2 \\ \Omega &= (76.67992^\circ + 0.9011206^\circ T + 0.00040618^\circ T^2) \end{aligned}$$ - Solved Kepler's equation iteratively with `solveKepler`. - Added light-time retardation $\tau = 0.0057755183 \times d_0$ and nutation in longitude.

2.2 Test Suite Updates

1. `tests/regression/retrograde_verification.test.js` : - Updated line 236 regression guard baseline from Phase 4B.2 value (352.2216°) to Phase 4F.2 upgraded precision value (352.1472°), maintaining the strict tolerance of $< 0.01^\circ$ ($0.6'$). 2. `tests/regression/phase4f2_precision.test.js` : - Created new comprehensive 72-assertion test suite validating Mercury and Venus across canonical cases,

historical JPL Horizons data, motion invariance, coordinate continuity, and non-finite input guards. 3. **`tests/run_all_tests.js`:** - Registered `runPhase4F2PrecisionTests()` into the master test harness.

---

3. Reference Provenance and Cryptographic Checksums

In accordance with Section 2 of the CTO Directive, raw reference responses from the official NASA JPL Horizons API were queried, verified, and archived with SHA-256 checksums in `scratch/phase4f2/raw_horizons_responses/`.

3.1 Independent Validation Manifest (`scratch/phase4f2/validation_manifest.json`)

All queries were executed with the following parameters:

- **API Endpoint:** `https://ssd.jpl.nasa.gov/api/horizons.api` - **EPHEM_TYPE:** `'OBSERVER'` - **CENTER:** `'500@399'` (Geocentric observer at Earth center) - **QUANTITIES:** `'31'` (Apparent geocentric ecliptic longitude and latitude) - **Reference Plane / Equinox:** IAU 1976/1980 ecliptic and equinox of date - **Time Scale:** UTC (post-1962), UT1 (pre-1962)

Case ID	Scenario / Date	Target	Target Code	JPL ObsEcLon	Raw Response File
HIST-01	Early 20th Century (1920-05-15)	**Mercury**	199	41.1934°	`HIST-01_Mercury_horizons_raw.json`
HIST-01	Early 20th Century (1920-05-15)	**Venus**	299	40.3771°	`HIST-01_Venus_horizons_raw.json`
HIST-02	Mid 20th Century (1950-01-01)	**Mercury**	199	299.4473°	`HIST-02_Mercury_horizons_raw.json`
HIST-02	Mid 20th Century (1950-01-01)	**Venus**	299	316.9795°	`HIST-02_Venus_horizons_raw.json`

Case ID	Scenario / Date	Target	Target Code	JPL ObsEcLon	Raw Response File
HIST-03	Late 20th Century (1975-07-01)	**Mercury**	199	77.7650°	`HIST-03_Mercury_horizons_raw.json`
HIST-03	Late 20th Century (1975-07-01)	**Venus**	299	143.3101°	`HIST-03_Venus_horizons_raw.json`
HIST-04	Mid 21st Century (2050-01-01)	**Mercury**	199	270.0595°	`HIST-04_Mercury_horizons_raw.json`
HIST-04	Mid 21st Century (2050-01-01)	**Venus**	299	281.2480°	`HIST-04_Venus_horizons_raw.json`
HIST-05	Late 21st Century (2080-10-15)	**Mercury**	199	197.6262°	`HIST-05_Mercury_horizons_raw.json`
HIST-05	Late 21st Century (2080-10-15)	**Venus**	299	240.5515°	`HIST-05_Venus_horizons_raw.json`
MERC-STAT	Mercury Station (2023-04-21)	**Mercury**	199	45.6203°	`MERC-STAT_Mercury_horizons_raw.json`
MERC-STAT	Mercury Station (2023-04-21)	**Venus**	299	71.9088°	`MERC-STAT_Venus_horizons_raw.json`
VEN-STAT	Venus Station (2023-07-22)	**Mercury**	199	140.3032°	`VEN-STAT_Mercury_horizons_raw.json`

Case ID	Scenario / Date	Target	Target Code	JPL ObsEcLon	Raw Response File
VEN-STAT	Venus Station (2023-07-22)	**Venus**	299	148.5971°	`VEN-STAT_Venus_horizons_raw.json`
MERC-WRAP	Mercury Ingress (2023-03-31)	**Mercury**	199	24.3784°	`MERC-WRAP_Mercury_horizons_raw.json`
MERC-WRAP	Mercury Ingress (2023-03-31)	**Venus**	299	47.4161°	`MERC-WRAP_Venus_horizons_raw.json`
VEN-INGRESS	Venus Ingress (2023-04-06)	**Mercury**	199	34.4266°	`VEN-INGRESS_Mercury_horizons_raw.json`
VEN-INGRESS	Venus Ingress (2023-04-06)	**Venus**	299	54.4980°	`VEN-INGRESS_Venus_horizons_raw.json`

4. Before / After Per-Planet Error Tables

4.1 Mercury Longitude Comparison (Benchmark Fixture Cases, Tolerance = 2.0')

Case ID	Scenario / Date	JPL Ref Trop	JPL Ref Sid	Baseline Delta	Baseline Status	Upgraded Delta	Upgrade Status
REF-01	Indian Birth (1999)	352.1342°	328.2919°	$+5.24'$	❌ FAIL	**$+0.78'$**	✅ **PASS**
REF-02	Sign Boundary (2000)	0.7254°	336.8685°	$+2.15'$	❌ FAIL	**$+0.33'$**	✅ **PASS**
REF-03	Nakshatra Boundary (1999)	352.1514°	328.3091°	$+5.25'$	❌ FAIL	**$+0.77'$**	✅ **PASS**

Case ID	Scenario / Date	JPL Ref Trop	JPL Ref Sid	Baseline Delta	Baseline Status	Upgraded Delta	Upgrade Status
REF-04	Leap Day (2000)	342.5065°	318.6512°	$-4.04'$	❌ FAIL	**$+0.86'$**	✅ **PASS**
REF-05	Fall Equinox (2020)	203.3207°	179.1785°	$-1.81'$	✅ PASS	**$+0.34'$**	✅ **PASS**
REF-06	Solstice DST (2023)	78.7140°	54.5335°	$-4.38'$	❌ FAIL	**$+0.09'$**	✅ **PASS**
REF-07	High Latitude (2022)	211.9947°	187.8231°	$-5.17'$	❌ FAIL	**$+0.28'$**	✅ **PASS**
REF-08	Southern Hem. (2010)	241.9024°	217.8979°	$-2.45'$	❌ FAIL	**$+0.29'$**	✅ **PASS**
REF-09	Y2K Midnight (2000)	271.2240°	247.3710°	$+0.47'$	✅ PASS	**$+0.47'$**	✅ **PASS**
Summary	**9 Cases**	—	—	**2/9 pass (22%)**	—	**9/9 pass (100%)**	—

4.2 Venus Longitude Comparison (Benchmark Fixture Cases, Tolerance = 2.0')

Case ID	Scenario / Date	JPL Ref Trop	JPL Ref Sid	Baseline Delta	Baseline Status	Upgraded Delta	Upgrade Status
REF-01	Indian Birth (1999)	41.8381°	17.9958°	$+0.45'$	✅ PASS	**$+0.23'$**	✅ **PASS**
REF-02	Sign Boundary (2000)	8.2819°	344.4250°	$+0.13'$	✅ PASS	**$+0.23'$**	✅ **PASS**
REF-03	Nakshatra Boundary (1999)	41.7965°	17.9542°	$+0.45'$	✅ PASS	**$+0.23'$**	✅ **PASS**
REF-04	Leap Day (2000)	313.9566°	290.1013°	$+0.29'$	✅ PASS	**$+0.34'$**	✅ **PASS**

Case ID	Scenario / Date	JPL Ref Trop	JPL Ref Sid	Baseline Delta	Baseline Status	Upgraded Delta	Upgrad Status
REF-05	Fall Equinox (2020)	137.2908°	113.1486°	$-3.89'$	❌ FAIL	**$+0.29'$**	✅ **PAS**
REF-06	Solstice DST (2023)	134.0986°	109.9181°	$+5.28'$	❌ FAIL	**$-0.01'$**	✅ **PAS**
REF-07	High Latitude (2022)	219.6147°	195.4431°	$-7.16'$	❌ FAIL	**$+0.29'$**	✅ **PAS**
REF-08	Southern Hem. (2010)	209.1762°	185.1717°	$+19.92'$	❌ FAIL	**$+0.03'$**	✅ **PAS**
REF-09	Y2K Midnight (2000)	241.0487°	217.1957°	$+0.42'$	✅ PASS	**$+0.42'$**	✅ **PAS**
Summary	**9 Cases**	—	—	**5/9 pass (56%)**	—	**9/9 pass (100%)**	—

5. Full Astronomical Benchmark Results & Remaining Failures

5.1 Factor Breakdown across 135 Benchmark Comparisons

Factor / Body	Total Checks	Passed	Failed	Tolerance	Max Measured \	Error\		Pas Rat
Ascendant (Lagna)	9	9	0	2.0' (0.0333°)	**0.0027'**	**100.0%**	Perfect	
Sun Longitude	9	9	0	1.0' (0.0167°)	**0.2440'**	**100.0%**	Perfect	
Sun Retrograde	9	9	0	Boolean	N/A	**100.0%**	Perfect	
Moon Longitude	9	8	1	2.0' (0.0333°)	**2.5696'**	**88.9%**	Deferred to Moon Phase	

Factor / Body	Total Checks	Passed	Failed	Tolerance	Max Measured \	Error\		Pas Rat
Moon Retrograde	9	9	0	Boolean	N/A	**100.0%**	Perfect	
Mercury Longitude	9	9	0	2.0' (0.0333°)	**0.8600'**	**100.0%**	🌟 Upgraded in 4F.2	
Mercury Retrograde	9	9	0	Boolean	N/A	**100.0%**	Perfect	
Venus Longitude	9	9	0	2.0' (0.0333°)	**0.4200'**	**100.0%**	🌟 Upgraded in 4F.2	
Venus Retrograde	9	9	0	Boolean	N/A	**100.0%**	Perfect	
Mars Longitude	9	6	3	1.0' (0.0167°)	**2.9701'**	**66.7%**	Deferred to Mars Phase	
Mars Retrograde	9	9	0	Boolean	N/A	**100.0%**	Perfect	
Jupiter Longitude	9	9	0	1.0' (0.0167°)	**0.8345'**	**100.0%**	Upgraded in 4F.1	
Jupiter Retrograde	9	9	0	Boolean	N/A	**100.0%**	Perfect	
Saturn Longitude	9	8	1	1.0' (0.0167°)	**1.2579'**	**88.9%**	Upgraded in 4F.1	
Saturn Retrograde	9	9	0	Boolean	N/A	**100.0%**	Perfect	
TOTALS	**135**	**130**	**5**	—	—	**96.30%**	**Highest in Engine History**	

5.2 Complete Catalog of All 5 Remaining Benchmark Failures

Case ID	Scenario / Date	Factor	Ref Sidereal	AV Sidereal	Delta (AV - Ref)	Tolerance	Excess Error	Target Remed Phase
REF-01	Normal Indian Birth (1999)	**Mars**	197.7747°	197.7312°	**-2.61'**	1.0'	+1.61'	Phase 4 (Mars Upgrad
REF-02	Mesha Ingress (2000)	**Moon**	114.9433°	114.9005°	**-2.57'**	2.0'	+0.57'	Phase 4 (Moon I 2000 Upgrad
REF-03	Retrograde Mars (1999)	**Mars**	197.7789°	197.7354°	**-2.61'**	1.0'	+1.61'	Phase 4 (Mars Upgrad
REF-05	Fall Equinox (2020)	**Mars**	2.9622°	2.9127°	**-2.97'**	1.0'	+1.97'	Phase 4 (Mars Upgrad
REF-06	Summer Solstice DST (2023)	**Saturn**	313.0174°	312.9964°	**-1.26'**	1.0'	+0.26'	Docum 5-term truncat limit

6. Regression and Build Output Summaries

6.1 Master Regression Test Execution (`npm test`)

```
============================================================ 🪶 ASTROVEDAM MASTER QA REGRESSION TEST SUITE ============================================================ ✅ PASS | Janampatrika 9-Page Report & Multilingual Integration | 98/98 passed ✅ PASS | North & South Indian Chart SVG Rendering | 29/29 passed ✅ PASS | Astrology Baseline Contracts & Sade Sati Reference | 27/27 passed ✅ PASS | AstroGuru Conversational AI & Chart Awareness | 45/45 passed ✅ PASS | Ascendant (Lagna) Astronomical Verification | 42/42 passed ✅ PASS | Geocentric Planetary Longitude Verification (Phase 4B.2) | 112/112 passed ✅ PASS | Planetary Retrograde & Velocity Verification (Phase 4B.3) | 119/119 passed ✅ PASS | Sade Sati & Saturn Transit Dynamic Assessment (Phase 4C.2) | 477/477 passed ✅ PASS | Phase 4D Targeted Saturn Transit Presentation & Input Safety | 121/121 passed ✅ PASS | Targeted Jupiter & Saturn Precision Upgrade (Phase 4F.1) | 76/76 passed
```

```
✅ PASS | Targeted Venus & Mercury Precision Upgrade (Phase 4F.2) | 72/72 passed --------
------------------------------------------------------ TOTAL ASSERTIONS: 1218 | PASSED: 1218
| FAILED: 0 | DURATION: 0.28s ============================================================
🌟 ALL REGRESSION TESTS PASSED CLEANLY (100% SUCCESS) 🌟
```

6.2 Production Vite Build Execution (`npm run build`)

```
vite v5.4.21 building for production... ✓ 424 modules transformed. rendering
chunks... computing gzip size... dist/index.html 7.97 kB | gzip: 1.92 kB
dist/assets/index-CFPN4POS.css 36.17 kB | gzip: 7.89 kB dist/assets/purify.es-CAi2OJFm.js
30.47 kB | gzip: 11.73 kB dist/assets/index.es-BtfYe5rT.js 151.03 kB | gzip: 51.65 kB
dist/assets/index-4gra937f.js 1,173.50 kB | gzip: 373.72 kB ✓ built in 5.16s
```

---

7. Known Limitations & Unverified Provenance

1. Benchmark Baseline Fixtures (REF-01 to REF-09): - The numerical values in scratch/reference_cases.json` were validated against live JPL Horizons queries, and our calculations match them to $< 0.86'$. - However, the raw HTTP response payloads for the 9 original baseline cases were not archived to disk prior to Phase 4E. In accordance with the directive, their provenance is marked **UNVERIFIED**. 2. **Analytical Theory Truncation Bounds:** - The Meeus Table 31.A equinox-of-date model uses low-to-medium degree secular variations. For Mercury and Venus, it achieves accuracy within $0.86'$ across 1900–2100. Over multi-millennium timescales (> 500 years from J2000), higher-order planetary perturbations (e.g. from Jupiter and Earth) would introduce residuals of $2'$ to $5'$. For AstroVedam's target historical window (1900–2100), the model is strictly within tolerance. 3. **Remaining Mars Errors:** - Mars currently accounts for 3 of the 5 remaining benchmark failures (REF-01, REF-03, REF-05 with $\sim 2.6'$ to $3.0'$ errors against a $1.0'$ tolerance). Mars will be remediated in Phase 4F.3.

---

8. Final Recommendation

1. **Phase 4F.2 Milestone Complete:** Both Mercury and Venus geocentric apparent calculations now achieve 100% pass rates across all benchmark scenarios, station turning points, and historical epochs. 2. **Authorization to Proceed: APPROVE PROCEEDING TO PHASE 4F.3 (Mars Precision Upgrade)** to address the 3

remaining Mars longitude failures using the same validated equinox-of-date formulation.