Hiển thị sản phẩm theo danh mục

Bước 1. Mở routes/web.php. bổ sung điều hướng menu

```
Route::get('/danh-muc-san-pham/{slug_category_product}','CategoryProduct@show_category_home');
```

Bước 2. Trong controller CategoryProduct tạo hàm show_category_home theo gọi ý sau

public function show_category_home(Request \$request ,\$slug_category_product){

```
$cate_product = DB::table('tbl_category_product')-
>where('category_status','1')->orderby('category_id','desc')->get();

$brand_product = DB::table('tbl_brand')->where('brand_status','1')-
>orderby('brand_id','desc')->get();
```

\$category_by_id = DB::table('tbl_product')>join('tbl_category_product','tbl_product.category_id','=','tbl_category_product.cat
egory_id')>where('tbl_category_product.slug_category_product',\$slug_category_product)>get();

```
foreach($category_by_id as $key => $val){
    //seo
    $meta_desc = $val->category_desc;
    $meta_keywords = $val->meta_keywords;
    $meta_title = $val->category_name;
    $url_canonical = $request->url();
```

```
//--seo
}

$category_name = DB::table('tbl_category_product')-
>where('tbl_category_product.slug_category_product',$slug_category_product)-
>limit(1)->get();

return view('pages.category.show_category')->with('category',$cate_product)-
>with('brand',$brand_product)->with('category_by_id',$category_by_id)-
>with('category_name',$category_name)->with('meta_desc',$meta_desc)-
>with('meta_keywords',$meta_keywords)->with('meta_title',$meta_title)-
>with('url_canonical',$url_canonical);
}
```

Buốc 3. Trong thư mục view/pages tạo thư mục category

Bước 4. Trong thư mục category tạo tệp show_category.blade.php có nội dung sau

```
<div class="fb-like" data-href="" data-width="" data-
layout="button_count" data-action="like" data-size="small" data-
share="false"></div>
              @foreach($category_name as $key => $name)
              <h2 class="title text-center">{{$name->category_name}}</h2>
              @endforeach
              @foreach($category_by_id as $key => $product)
              <a href="{{URL::to('/chi-tiet-san-pham/'.$product-
>product_slug)}}">
              <div class="col-sm-4">
                <div class="product-image-wrapper">
                  <div class="single-products">
                       <div class="productinfo text-center">
                         <img
src="{{URL::to('public/uploads/product/'.$product_image)}}" alt="" />
                         <h2>{{number_format($product->product_price).'
'.'VNĐ'}}</h2>
                         {{$product->product_name}}
                         <a href="#" class="btn btn-default add-to-cart"><i
class="fa fa-shopping-cart"></i>Thêm giỏ hàng</a>
                       </div>
                  </div>
```

```
<div class="choose">
                   <a href="#"><i class="fa fa-plus-square"></i>Yêu
thích</a>
                      <a href="#"><i class="fa fa-plus-square"></i>So
sánh</a>
                    </div>
               </div>
             </div>
             </a>
             @endforeach
           </div><!--features items-->
           <div class="fb-comments" data-href="" data-width="" data-
numposts="20"></div>
           <div class="fb-page" data-
href="https://www.facebook.com/webextrasite/" data-tabs="message" data-
width="" data-height="" data-small-header="false" data-adapt-container-
width="true" data-hide-cover="false" data-show-facepile="true"><blockquote
cite="https://www.facebook.com/webextrasite/" class="fb-xfbml-parse-ignore"><a
href="https://www.facebook.com/webextrasite/">Webextrasite - Công Ty Thiết Kế
Website - Đào tạo tin học Online</a></blockquote></div>
    <!--/recommended_items-->
```

Bước 5. Mở HomeController hiệu chỉnh hàm index() như sau

public function index(Request \$request){

@endsection

```
//seo
     $meta_desc = "cap nhat...";
     $meta keywords = "cap nhat";
     $meta_title = "cap nhat";
     $url_canonical = $request->url();
     //--seo
      $cate_product = DB::table('tbl_category_product')-
>where('category_status','1')->orderby('category_id','desc')->get();
     $brand product = DB::table('tbl brand')->where('brand status','1')-
>orderby('brand_id','desc')->get();
     $all_product = DB::table('tbl_product')->where('product_status','0')-
>orderby('product_id','desc')->limit(15)->get();
      return view('pages.home')->with('category',$cate_product)-
>with('brand',$brand_product)->with('all_product',$all_product)-
>with('meta desc',$meta desc)->with('meta keywords',$meta keywords)-
>with('meta_title',$meta_title)->with('url_canonical',$url_canonical);
  }
```

Câu 2. Hiển thị sản phẩm theo thương hiệu

Bước 1. Mở routes/web.php. bổ sung điều hướng menu

```
Route::get('/thuong-hieu-san-pham/{brand_slug}','BrandProduct@show_brand_home');
```

Bước 2. Trong controller BrandProduct tạo hàm show_brand_home theo gọi ý sau

```
public function show_brand_home(Request $request, $brand_slug){
     $cate_product = DB::table('tbl_category_product')-
>where('category_status','1')->orderby('category_id','desc')->get();
     $brand_product = DB::table('tbl_brand')->where('brand_status','1')-
>orderby('brand_id','desc')->get();
     $brand by id = DB::table('tbl product')-
>join('tbl_brand','tbl_product.brand_id','=','tbl_brand.brand_id')-
>where('tbl_brand.brand_slug',$brand_slug)->get();
     $brand_name = DB::table('tbl_brand')-
>where('tbl_brand.brand_slug',$brand_slug)->limit(1)->get();
     return view('pages.brand.show brand')->with('category',$cate product)-
>with('brand',$brand_product)->with('brand_by_id',$brand_by_id)-
>with('brand_name',$brand_name);
  }
```

Bước 3. Trong thư mục view/pages tạo thư mục brand

Bước 4. Trong thư mục category tạo tệp show_brand.blade.php có nội dung sau

```
@extends('layout')
```

```
@section('content')
<div class="features_items"><!--features_items-->
             @foreach($brand name as $kev => $name)
             <h2 class="title text-center">{{$name->brand_name}}</h2>
             @endforeach
             @foreach($brand by id as $key => $product)
             <a href="'{{URL::to('/chi-tiet-san-pham/'.$product-</pre>
           >product slug)}}">
             <div class="col-sm-4">
               <div class="product-image-wrapper">
                 <div class="single-products">
                      <div class="productinfo text-center">
                        <img
src=''{{URL::to('public/uploads/product/'.$product->product_image)}}''
alt=""/>
                        <h2>{{number_format($product->product_price).'
'.'VNĐ'}}</h2>
                        {{$product->product_name}}
                        <a href="#" class="btn btn-default add-to-cart"><i
class="fa fa-shopping-cart"></i>Thêm giỏ hàng</a>
```

```
</div>
              </div>
              <div class="choose">
                <a href="#"><i class="fa fa-plus-
square"></i>Yêu thích</a>
                 <a href="#"><i class="fa fa-plus-square"></i>So
sánh</a>
                </div>
            </div>
          </div>
          </a>
           @endforeach
         </div><!--features_items-->
   <!--/recommended_items-->
@endsection
```