


Bước 1. Tạo migration cho bảng tbl_shipping



```
Administrator: C:\Windows\system32\cmd.exe - php artisan make:migration tbl_shipping --create=tbl_shipping
C:\xampp\htdocs\shoplaravel>php artisan make:migration tbl_shipping --create=tbl_shipping
Created Migration: 2020_11_03_050823_tbl_shipping
```

Tạo cấu trúc bảng như sau

public function up()

{

Schema::create('tbl_shipping', function (Blueprint \$table) {

\$table->increments('shipping_id');

\$table->string('shipping_name');

\$table->string('shipping_address');

\$table->string('shipping_phone');

\$table->string('shipping_email');

\$table->string('shipping_notes');

\$table->integer('shipping_method');

\$table->timestamps();

});

```
}
```

Bước 3. Tạo hàm save_checkout_customer

```
public function save_checkout_customer(Request $request){  
    $data = array();  
  
    $data['shipping_name'] = $request->shipping_name;  
    $data['shipping_phone'] = $request->shipping_phone;  
    $data['shipping_email'] = $request->shipping_email;  
    $data['shipping_notes'] = $request->shipping_notes;  
    $data['shipping_address'] = $request->shipping_address;  
  
    $shipping_id = DB::table('tbl_shipping')->insertGetId($data);  
    $data['shipping_method'] = $request->shipping_method;  
    Session::put('shipping_id',$shipping_id);  
  
    return Redirect::to('/payment');  
}
```

Bước 4. Gửi xác nhận

```
Route::post('/save-checkout-  
customer','CheckoutController@save_checkout_customer');
```

Câu 2. Tạo chức năng xác nhận thay toán(lưu vào đơn hàng)

Bước 1. Tạo route/web.php

```
Route::get('/payment','CheckoutController@payment');
```

Bước 2. Thiết kế giao diện trang payment.blade.php trong thư mục view/checkout

```
@extends('layout')
```

```
@section('content')
```

```
<section id="cart_items">
```

```
    <div class="container">
```

```
        <div class="breadcrumbs">
```

```
            <ol class="breadcrumb">
```

```
                <li><a href="{{URL::to('/') }}">Trang chủ</a></li>
```

```
                <li class="active">Thanh toán giỏ hàng</li>
```

```
            </ol>
```

```
        </div>
```

```
        <div class="review-payment">
```

```
            <h2>Xem lại giỏ hàng</h2>
```

```
        </div>
```

```
        <div class="table-responsive cart_info">
```

```
            <?php
```

```
                $content = Cart::content();
```

```
            ?>
```

```
            <table class="table table-condensed">
```

```

<thead>

    <tr class="cart_menu">

        <td class="image">Hình ảnh</td>
        <td class="description">Tên sp</td>
        <td class="price">Giá</td>
        <td class="quantity">Số lượng</td>
        <td class="total">Tổng</td>
        <td></td>

    </tr>

</thead>

<tbody>

    @foreach($content as $v_content)

    <tr>

        <td class="cart_product">

            <a href=""></a>

        </td>

        <td class="cart_description">

            <h4><a href="">{{ $v_content-
>name }}</a></h4>

            <p>Web ID: 1089772</p>

        </td>

        <td class="cart_price">

```

```

        <p>{{ number_format($v_content->price).'.'.vnd' }}</p>

        </td>

        <td class="cart_quantity">

            <div

class="cart_quantity_button">

                <form

action="{{ URL::to('/update-cart-quantity') }}" method="POST">

                    {{ csrf_field() }}

                    <input

class="cart_quantity_input" type="text" name="cart_quantity"

value="{{ $v_content->qty }}" >

                        <input type="hidden"

value="{{ $v_content->rowId }}" name="rowId_cart" class="form-control">

                            <input type="submit"

value="Cập nhật" name="update_qty" class="btn btn-default btn-sm">

                                </form>

                            </div>

                        </td>

                        <td class="cart_total">

                            <p class="cart_total_price">

                                <?php

                                $subtotal = $v_content-

>price * $v_content->qty;

```

```

                                echo
number_format($subtotal).'

```

```

        <span>
            <label><input name="payment_option"
value="2" type="checkbox"> Nhận tiền mặt</label>
        </span>
        <span>
            <label><input name="payment_option"
value="3" type="checkbox"> Thanh toán thẻ ghi nợ</label>
        </span>
        <input type="submit" value="Đặt hàng"
name="send_order_place" class="btn btn-primary btn-sm">
    </div>
</form>
</div>
</section> <!--/#cart_items-->

```

@endsection

Bước 3. Trong controller checkoutController thực hiện tạo hàm payment như sau

```

public function payment(Request $request){
    //seo
    $meta_desc = "Đăng nhập thanh toán";
    $meta_keywords = "Đăng nhập thanh toán";
    $meta_title = "Đăng nhập thanh toán";
    $url_canonical = $request->url();
    //--seo

```

```
$cate_product = DB::table('tbl_category_product')-  
>where('category_status','1')->orderby('category_id','desc')->get();  
  
$brand_product = DB::table('tbl_brand')->where('brand_status','1')-  
>orderby('brand_id','desc')->get();  
  
return view('pages.checkout.payment')->with('category',$cate_product)-  
>with('brand',$brand_product)->with('meta_desc',$meta_desc)-  
>with('meta_keywords',$meta_keywords)->with('meta_title',$meta_title)-  
>with('url_canonical',$url_canonical);  
  
}
```