

House of Trae Operations Runbook

Incident Severity Levels

P1 Critical

Examples:

- Keycloak unavailable
- DNS outage
- Reverse proxy failure
- Storage failure

Target Response: 15 minutes

P2 Major

Examples:

- Application outage
- Monitoring failure
- Backup failure

Target Response: 1 hour

P3 Minor

Examples:

- Dashboard issue
- Reporting issue
- Cosmetic issue

Target Response: Next maintenance window

Recovery Order

1. Network
2. DNS
3. Identity
4. Storage
5. Databases
6. Applications
7. Monitoring

Disaster Recovery Checklist

Infrastructure Failure

- Verify Proxmox health.
- Verify ZFS pools.
- Verify VLAN connectivity.
- Verify WireGuard/Tailscale connectivity.

Identity Failure

- Restore Keycloak database.
- Validate realm configuration.
- Validate MFA policies.

Service Failure

- Restore latest known-good backup.
- Validate dependencies.
- Re-enable routing.

Backup Validation Procedure

Daily:

- Backup status review.

Weekly:

- Restore verification test.

Monthly:

- Full service recovery drill.

Quarterly:

- Full platform recovery exercise.

Change Management

All changes must include:

- documented objective
- rollback plan
- backup verification
- validation criteria

No production change should occur without a defined rollback path.