

Table 1: Throughput and Jitter of the *ezw* scenario**Low Packet Rate**

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+01	2.56e+01, 2.56e+01, 1.50e-02	4.78e-02, 2.42e-02, 4.50e-02	2.56e+01, 2.56e+01, 1.22e-02	2.27e-01, 2.07e-01, 4.96e-02	2.56e+01, 2.56e+01, 8.21e-02	3.14e-01, 4.88e-02, 4.00e-01
64	5.12e+01	5.12e+01, 5.12e+01, 6.70e-02	4.73e-02, 2.80e-02, 4.36e-02	5.12e+01, 5.12e+01, 6.24e-02	2.23e-01, 2.13e-01, 2.32e-02	5.12e+01, 5.12e+01, 1.56e-01	1.42e-01, 2.68e-02, 2.58e-01
128	1.02e+02	1.02e+02, 1.02e+02, 1.43e-13	3.89e-02, 2.20e-02, 4.15e-02	1.02e+02, 1.02e+02, 3.47e-02	2.22e-01, 2.12e-01, 2.45e-02	1.02e+02, 1.02e+02, 5.41e-01	1.90e-01, 3.16e-02, 3.12e-01
256	2.05e+02	2.05e+02, 2.05e+02, 9.80e-02	3.79e-02, 2.66e-02, 3.00e-02	2.05e+02, 2.05e+02, 1.20e-01	2.20e-01, 2.07e-01, 2.72e-02	2.05e+02, 2.05e+02, 3.53e-01	1.34e-01, 5.54e-02, 1.41e-01
512	4.10e+02	4.10e+02, 4.10e+02, 3.92e-01	4.55e-02, 4.02e-02, 2.75e-02	4.10e+02, 4.10e+02, 1.96e-01	2.27e-01, 2.14e-01, 3.78e-02	4.10e+02, 4.10e+02, 1.96e-01	8.07e-02, 6.22e-02, 6.46e-02
1024	8.19e+02	8.19e+02, 8.19e+02, 1.14e-12	3.91e-02, 3.00e-02, 2.24e-02	8.19e+02, 8.19e+02, 2.77e-01	2.32e-01, 2.14e-01, 3.88e-02	8.19e+02, 8.19e+02, 8.53e-01	5.48e+00, 5.47e+00, 2.50e-02
1460	1.17e+03	1.17e+03, 1.17e+03, 5.59e-01	3.55e-02, 2.38e-02, 2.45e-02	1.17e+03, 1.17e+03, 1.63e+00	6.18e-02, 4.28e-02, 4.34e-02	1.17e+03, 1.17e+03, 1.58e+00	8.48e-02, 5.12e-02, 7.72e-02

Medium Packet Rate

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+02	2.56e+02, 2.56e+02, 1.61e-02	2.16e-02, 1.90e-02, 5.59e-03	2.54e+02, 2.56e+02, 7.20e+01	4.90e-01, 4.04e-01, 4.74e-01	2.56e+02, 2.56e+02, 8.72e-01	8.56e-01, 8.54e-01, 1.45e-02
64	5.12e+02	5.12e+02, 5.12e+02, 3.84e-02	2.38e-02, 2.20e-02, 4.34e-03	5.12e+02, 5.12e+02, 8.50e-01	5.38e-01, 5.41e-01, 2.10e-02	5.12e+02, 5.12e+02, 3.91e-01	9.10e-01, 9.09e-01, 9.07e-03
128	1.02e+03	1.02e+03, 1.02e+03, 1.33e-01	2.59e-02, 2.40e-02, 5.41e-03	1.02e+03, 1.02e+03, 3.19e+00	5.91e-01, 5.91e-01, 1.90e-02	1.02e+03, 1.02e+03, 1.15e+00	1.06e+00, 1.06e+00, 1.47e-02
256	2.05e+03	2.05e+03, 2.05e+03, 3.89e-01	3.03e-02, 2.82e-02, 5.74e-03	2.05e+03, 2.05e+03, 2.81e+01	7.50e-01, 7.52e-01, 5.82e-02	2.05e+03, 2.05e+03, 2.28e+00	1.49e+00, 1.49e+00, 2.30e-03
512	4.10e+03	3.95e+03, 3.95e+03, 9.98e+00	1.28e-01, 1.25e-01, 1.14e-02	3.39e+03, 3.39e+03, 3.19e+01	1.57e+00, 1.57e+00, 3.76e-02	4.10e+03, 4.10e+03, 5.07e+00	1.34e+00, 1.34e+00, 4.36e-03
1024	8.19e+03	5.79e+03, 5.80e+03, 1.74e+01	7.81e-01, 7.78e-01, 1.18e-02	4.14e+03, 4.13e+03, 3.30e+01	2.38e+00, 2.39e+00, 3.12e-02	4.87e+03, 4.87e+03, 4.29e+01	3.19e+00, 3.19e+00, 2.95e-02
1460	1.17e+04	6.72e+03, 6.74e+03, 1.06e+02	1.39e+00, 1.38e+00, 4.32e-02	3.42e+03, 3.42e+03, 3.33e+01	3.65e+00, 3.65e+00, 5.72e-02	4.86e+03, 4.87e+03, 4.90e+01	4.42e+00, 4.42e+00, 4.80e-02

High Packet Rate

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+03	3.70e+02, 3.74e+02, 1.40e+01	1.10e+00, 1.10e+00, 1.65e-02	2.24e+03, 2.52e+03, 8.22e+02	9.45e-01, 2.25e-01, 1.77e-01	2.56e+03, 2.56e+03, 4.56e+00	1.73e-01, 1.73e-01, 5.98e-04
64	5.12e+03	7.14e+02, 7.24e+02, 3.76e+01	1.15e+00, 1.14e+00, 1.62e-02	2.74e+03, 3.23e+03, 1.12e+03	1.89e+00, 3.38e-01, 3.82e+00	4.86e+03, 4.86e+03, 4.70e+01	1.91e-01, 1.91e-01, 2.49e-03
128	1.02e+04	1.34e+03, 1.36e+03, 4.14e+01	1.23e+00, 1.23e+00, 5.57e-03	2.64e+03, 2.63e+03, 6.17e+01	6.91e-01, 6.92e-01, 1.29e-02	4.85e+03, 4.85e+03, 5.02e+01	3.94e-01, 3.94e-01, 5.15e-03

[t] This document contains the Tables used in the paper “Measuring SCTP Throughput and Jitter over Heterogeneous Networks”.

Table 2: Throughput and Jitter of the $w2e$ scenario**Low Packet Rate**

PS	Bi-rate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+01	2.56e+01, 2.56e+01, 1.62e-02	7.38e-02, 5.62e-02, 4.63e-02	2.56e+01, 2.56e+01, 2.60e-02	7.58e-02, 6.44e-02, 5.37e-02	2.56e+01, 2.56e+01, 2.91e-01	5.30e-01, 6.45e-01, 5.14e-01
64	5.12e+01	5.12e+01, 5.12e+01, 2.73e-02	5.49e-02, 4.36e-02, 2.64e-02	5.12e+01, 5.12e+01, 7.16e-14	8.11e-02, 6.34e-02, 4.96e-02	5.12e+01, 5.12e+01, 3.66e-01	1.51e-01, 3.94e-02, 2.40e-01
128	1.02e+02	1.02e+02, 1.02e+02, 6.93e-02	5.11e-02, 4.76e-02, 1.73e-02	1.02e+02, 1.02e+02, 8.83e-02	6.62e-02, 6.22e-02, 3.40e-02	1.02e+02, 1.02e+02, 3.81e-01	1.18e-01, 4.10e-02, 1.83e-01
256	2.05e+02	2.05e+02, 2.05e+02, 1.20e-01	5.27e-02, 4.74e-02, 1.81e-02	2.05e+02, 2.05e+02, 2.08e-01	5.33e-02, 4.80e-02, 1.69e-02	2.05e+02, 2.05e+02, 2.19e-01	7.35e-02, 4.46e-02, 7.55e-02
512	4.10e+02	4.10e+02, 4.10e+02, 5.62e-01	8.87e-02, 8.10e-02, 3.60e-02	4.10e+02, 4.10e+02, 1.96e-01	6.82e-02, 6.04e-02, 2.52e-02	4.10e+02, 4.10e+02, 4.80e-01	9.36e-02, 6.20e-02, 7.51e-02
1024	8.19e+02	8.19e+02, 8.19e+02, 8.75e-01	7.34e-02, 6.50e-02, 2.69e-02	8.19e+02, 8.19e+02, 6.78e-01	7.81e-02, 6.74e-02, 3.11e-02	8.19e+02, 8.19e+02, 9.18e-01	5.20e+00, 5.19e+00, 3.04e-02
1460	1.17e+03	1.17e+03, 1.17e+03, 1.53e+00	7.55e-02, 7.04e-02, 2.28e-02	1.17e+03, 1.17e+03, 1.89e+00	2.17e-01, 2.08e-01, 2.77e-02	1.17e+03, 1.17e+03, 8.83e-01	1.89e-01, 1.73e-01, 5.28e-02

Medium Packet Rate

PS	Bi-rate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+02	2.56e+02, 2.56e+02, 4.44e-02	4.43e-02, 4.18e-02, 5.99e-03	2.56e+02, 2.49e+02, 4.10e+01	3.86e-01, 3.67e-01, 1.13e-01	2.56e+02, 2.56e+02, 8.54e-01	9.54e-01, 9.51e-01, 1.39e-02
64	5.12e+02	5.12e+02, 5.12e+02, 7.30e-02	4.03e-02, 3.78e-02, 7.11e-03	5.15e+02, 5.11e+02, 1.26e+02	4.69e-01, 4.05e-01, 4.79e-01	5.12e+02, 5.12e+02, 2.28e-01	9.67e-01, 9.65e-01, 4.27e-03
128	1.02e+03	1.02e+03, 1.02e+03, 1.38e+00	4.45e-02, 4.30e-02, 5.52e-03	1.03e+03, 9.20e+02, 1.67e+02	5.86e-01, 4.19e-01, 2.70e-01	1.02e+03, 1.02e+03, 6.42e-01	1.04e+00, 1.04e+00, 2.27e-03
256	2.05e+03	2.05e+03, 2.05e+03, 7.39e-01	6.27e-02, 5.94e-02, 8.33e-03	2.05e+03, 2.05e+03, 1.70e+02	7.28e-01, 6.75e-01, 1.62e-01	2.05e+03, 2.05e+03, 1.31e+00	1.20e+00, 1.20e+00, 4.34e-03
512	4.10e+03	3.75e+03, 3.75e+03, 9.53e+00	2.14e+00, 2.13e+00, 1.26e-02	3.63e+03, 3.63e+03, 2.60e+01	1.13e+00, 1.12e+00, 4.71e-02	4.10e+03, 4.10e+03, 3.84e+00	1.12e+00, 1.12e+00, 3.00e-03
1024	8.19e+03	5.61e+03, 5.61e+03, 6.38e+00	2.84e+00, 2.85e+00, 2.85e-02	4.32e+03, 4.32e+03, 2.11e+01	2.17e+00, 2.17e+00, 2.06e-02	5.14e+03, 5.14e+03, 3.50e+01	3.02e+00, 3.02e+00, 2.57e-02
1460	1.17e+04	6.55e+03, 6.55e+03, 7.31e+00	3.46e+00, 3.46e+00, 1.18e-02	3.56e+03, 3.56e+03, 2.09e+01	3.36e+00, 3.36e+00, 3.50e-02	5.14e+03, 5.15e+03, 3.05e+01	4.22e+00, 4.22e+00, 3.14e-02

High Packet Rate

PS	Bi-rate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+03	3.50e+02, 3.50e+02, 8.44e-01	1.44e+00, 1.42e+00, 2.83e-02	2.01e+03, 2.22e+03, 9.81e+02	4.72e-01, 2.69e-01, 6.82e-01	2.56e+03, 2.56e+03, 2.25e+00	1.73e-01, 1.73e-01, 2.80e-04
64	5.12e+03	6.74e+02, 6.75e+02, 1.46e+00	1.49e+00, 1.50e+00, 1.27e-02	2.18e+03, 2.18e+03, 8.30e+01	4.07e-01, 4.07e-01, 1.12e-02	5.12e+03, 5.12e+03, 3.17e+01	1.70e-01, 1.70e-01, 6.03e-04
128	1.02e+04	1.27e+03, 1.27e+03, 2.03e+00	1.58e+00, 1.58e+00, 1.68e-02	3.05e+03, 3.06e+03, 5.65e+01	5.99e-01, 6.07e-01, 2.13e-02	5.14e+03, 5.13e+03, 2.97e+01	3.74e-01, 3.74e-01, 3.13e-03

Table 3: Throughput and Jitter of the *w2w-ap* scenario**Low Packet Rate**

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+01	2.56e+01, 2.56e+01, 2.90e-01	7.95e-02, 7.50e-02, 3.69e-02	2.56e+01, 2.56e+01, 4.19e-02	2.57e-01, 2.42e-01, 4.30e-02	2.56e+01, 2.56e+01, 8.65e-03	6.71e-02, 6.12e-02, 2.78e-02
64	5.12e+01	5.12e+01, 5.14e+01, 1.91e-01	7.54e-02, 7.18e-02, 1.88e-02	5.12e+01, 5.12e+01, 2.11e-02	2.56e-01, 2.42e-01, 4.07e-02	5.12e+01, 5.12e+01, 7.16e-14	8.86e-02, 6.10e-02, 1.33e-01
128	1.02e+02	1.02e+02, 1.03e+02, 1.01e+00	1.15e-01, 1.12e-01, 3.96e-02	1.02e+02, 1.02e+02, 3.47e-02	2.65e-01, 2.58e-01, 2.77e-02	1.02e+02, 1.02e+02, 6.00e-02	1.16e-01, 7.92e-02, 1.30e-01
256	2.05e+02	2.05e+02, 2.11e+02, 3.26e+00	1.79e-01, 1.57e-01, 7.79e-02	2.05e+02, 2.05e+02, 1.62e-01	2.98e-01, 2.52e-01, 2.25e-01	2.05e+02, 2.05e+02, 2.86e-13	9.94e-02, 9.26e-02, 4.46e-02
512	4.10e+02	4.10e+02, 4.10e+02, 5.13e-01	9.47e-02, 8.94e-02, 3.24e-02	4.10e+02, 4.10e+02, 3.39e-01	2.66e-01, 2.58e-01, 3.68e-02	4.10e+02, 4.10e+02, 2.40e-01	1.10e-01, 8.12e-02, 1.19e-01
1024	8.19e+02	8.19e+02, 8.19e+02, 1.24e+00	1.27e-01, 1.27e-01, 3.35e-02	8.19e+02, 8.19e+02, 7.06e-01	2.99e-01, 2.91e-01, 3.00e-02	8.19e+02, 8.19e+02, 2.38e+00	5.51e+00, 5.52e+00, 1.14e-01
1460	1.17e+03	1.17e+03, 1.17e+03, 2.99e+00	2.12e-01, 2.07e-01, 7.05e-02	1.17e+03, 1.17e+03, 1.83e+00	3.92e-01, 3.66e-01, 8.74e-02	1.17e+03, 1.17e+03, 1.25e+00	4.22e-01, 4.16e-01, 8.76e-02

Medium Packet Rate

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+02	1.82e+02, 1.83e+02, 7.24e-01	2.78e+00, 2.79e+00, 7.72e-02	2.56e+02, 2.57e+02, 1.01e+02	1.23e+00, 1.14e+00, 6.50e-01	2.56e+02, 2.56e+02, 1.64e-01	1.32e+00, 1.32e+00, 2.42e-03
64	5.12e+02	3.56e+02, 3.56e+02, 1.48e+00	2.84e+00, 2.83e+00, 7.24e-02	5.12e+02, 5.12e+02, 1.23e+02	1.88e+00, 1.14e+00, 4.11e-01	5.12e+02, 5.12e+02, 5.04e-01	1.36e+00, 1.36e+00, 4.36e-03
128	1.02e+03	6.74e+02, 6.74e+02, 4.30e+00	3.00e+00, 2.99e+00, 4.17e-02	1.02e+03, 1.03e+03, 1.82e+02	1.39e+00, 1.37e+00, 7.83e-02	1.02e+03, 1.02e+03, 2.91e+00	1.55e+00, 1.55e+00, 1.89e-02
256	2.05e+03	1.28e+03, 1.28e+03, 5.08e+00	3.15e+00, 3.15e+00, 5.17e-02	1.70e+03, 1.70e+03, 3.94e+01	1.79e+00, 1.78e+00, 4.77e-02	2.05e+03, 2.05e+03, 2.85e+00	1.55e+00, 1.55e+00, 3.93e-03
512	4.10e+03	2.24e+03, 2.24e+03, 1.10e+01	3.59e+00, 3.60e+00, 4.76e-02	2.13e+03, 2.14e+03, 3.19e+01	2.42e+00, 2.41e+00, 6.96e-02	3.04e+03, 3.04e+03, 8.02e+01	2.62e+00, 2.62e+00, 7.88e-02
1024	8.19e+03	3.55e+03, 3.55e+03, 2.48e+01	4.51e+00, 4.52e+00, 5.85e-02	2.65e+03, 2.64e+03, 1.81e+01	3.75e+00, 3.76e+00, 5.19e-02	3.00e+03, 3.00e+03, 5.67e+01	5.20e+00, 5.19e+00, 1.16e-01
1460	1.17e+04	4.10e+03, 4.10e+03, 3.92e+01	5.54e+00, 5.53e+00, 7.83e-02	2.05e+03, 2.05e+03, 2.14e+01	6.11e+00, 6.10e+00, 1.15e-01	2.85e+03, 2.85e+03, 5.09e+01	7.60e+00, 7.58e+00, 1.63e-01

High Packet Rate

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+03	1.83e+02, 1.83e+02, 6.80e-01	2.77e+00, 2.79e+00, 6.50e-02	1.17e+03, 1.52e+03, 5.21e+02	8.91e-01, 4.10e-01, 2.81e-01	2.56e+03, 2.56e+03, 2.06e+01	1.73e-01, 1.73e-01, 8.67e-04
64	5.12e+03	3.61e+02, 3.61e+02, 1.11e+00	2.80e+00, 2.83e+00, 8.31e-02	1.27e+03, 1.28e+03, 5.81e+01	7.35e-01, 7.34e-01, 2.79e-02	3.12e+03, 3.12e+03, 5.28e+01	3.07e-01, 3.07e-01, 6.31e-03
128	1.02e+04	6.90e+02, 6.91e+02, 1.88e+00	2.93e+00, 2.92e+00, 4.96e-02	1.60e+03, 1.60e+03, 4.16e+01	1.15e+00, 1.15e+00, 2.56e-02	3.02e+03, 3.02e+03, 5.87e+01	6.49e-01, 6.48e-01, 1.50e-02

Table 4: Throughput and Jitter of the *w2w-ah* scenario**Low Packet Rate**

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+01	2.52e+01, 2.54e+01, 4.11e+00	5.87e+00, 5.86e+00, 9.15e-01	2.56e+01, 2.56e+01, 3.89e-01	4.13e+00, 4.21e+00, 1.69e+00	2.56e+01, 2.56e+01, 8.11e+00	9.62e-01, 8.02e-01, 8.78e-01
64	5.12e+01	5.04e+01, 5.11e+01, 8.00e+00	3.09e+00, 3.62e+00, 1.62e+00	5.12e+01, 5.12e+01, 2.72e+00	2.19e+00, 1.76e+00, 1.02e+00	5.12e+01, 5.12e+01, 6.06e-01	1.45e+00, 1.19e+00, 1.08e+00
128	1.02e+02	1.02e+02, 1.02e+02, 1.28e+00	3.31e-01, 4.82e-02, 4.73e-01	1.02e+02, 1.02e+02, 1.79e+00	1.50e+00, 1.41e+00, 5.29e-01	1.02e+02, 1.02e+02, 1.49e+00	2.24e+00, 2.16e+00, 5.19e-01
256	2.05e+02	2.05e+02, 2.05e+02, 3.71e+00	2.12e+00, 2.15e+00, 5.25e-01	2.05e+02, 2.05e+02, 3.69e+00	2.33e+00, 2.19e+00, 4.77e-01	2.05e+02, 2.05e+02, 2.20e+01	2.97e+00, 2.45e+00, 1.97e+00
512	4.10e+02	4.08e+02, 4.10e+02, 1.39e+01	2.44e+00, 2.34e+00, 1.12e+00	4.10e+02, 4.10e+02, 8.70e+00	3.44e+00, 3.42e+00, 7.15e-01	4.10e+02, 4.10e+02, 6.30e+00	1.85e+00, 1.74e+00, 6.95e-01
1024	8.19e+02	8.19e+02, 8.19e+02, 7.33e-01	7.08e-02, 6.88e-02, 1.88e-02	8.19e+02, 8.19e+02, 4.37e-01	2.41e-01, 2.41e-01, 8.53e-03	8.19e+02, 8.19e+02, 5.17e-01	5.44e+00, 5.43e+00, 5.90e-02
1460	1.17e+03	1.17e+03, 1.17e+03, 1.01e+00	7.13e-02, 6.92e-02, 1.56e-02	1.17e+03, 1.17e+03, 8.84e-01	9.26e-02, 9.10e-02, 1.78e-02	1.17e+03, 1.17e+03, 7.39e-01	9.22e-02, 8.98e-02, 1.27e-02

Medium Packet Rate

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+02	2.56e+02, 2.56e+02, 5.69e-02	3.92e-02, 3.90e-02, 2.01e-03	2.56e+02, 2.54e+02, 7.63e+01	5.85e-01, 5.08e-01, 5.64e-01	2.56e+02, 2.56e+02, 1.17e-01	7.75e-01, 7.75e-01, 2.85e-03
64	5.12e+02	5.12e+02, 5.12e+02, 8.06e-02	3.95e-02, 3.92e-02, 2.76e-03	5.18e+02, 5.08e+02, 1.97e+02	1.21e+00, 5.29e-01, 5.22e+00	5.12e+02, 5.12e+02, 1.84e-01	8.27e-01, 8.27e-01, 2.56e-03
128	1.02e+03	7.30e+02, 7.31e+02, 3.94e+01	3.77e+00, 3.45e+00, 1.54e+00	9.40e+02, 9.39e+02, 1.46e+02	1.71e+00, 1.65e+00, 2.85e-01	1.02e+03, 1.03e+03, 2.60e+01	1.09e+00, 1.09e+00, 4.59e-02
256	2.05e+03	2.04e+03, 2.05e+03, 2.84e+01	2.66e-01, 1.21e-01, 1.90e-01	2.05e+03, 2.06e+03, 1.38e+02	7.96e-01, 7.86e-01, 9.85e-02	2.05e+03, 2.05e+03, 1.08e+01	1.41e+00, 1.40e+00, 1.62e-02
512	4.10e+03	2.07e+03, 2.08e+03, 1.57e+02	6.92e+00, 6.45e+00, 1.63e+00	2.02e+03, 2.00e+03, 1.84e+02	4.80e+00, 4.66e+00, 1.05e+00	2.81e+03, 2.80e+03, 2.69e+02	4.06e+00, 3.99e+00, 9.82e-01
1024	8.19e+03	4.61e+03, 4.64e+03, 1.80e+02	3.89e+00, 3.83e+00, 4.22e-01	3.70e+03, 3.71e+03, 1.36e+02	3.14e+00, 3.13e+00, 2.71e-01	3.72e+03, 3.72e+03, 1.97e+02	4.89e+00, 4.81e+00, 5.14e-01
1460	1.17e+04	6.34e+03, 6.34e+03, 7.46e+00	3.57e+00, 3.57e+00, 3.64e-02	3.29e+03, 3.43e+03, 2.98e+02	1.24e+01, 3.51e+00, 7.39e+01	5.08e+03, 5.09e+03, 6.45e+01	4.26e+00, 4.25e+00, 6.82e-02

High Packet Rate

PS	Bi- trate	UDP (mean, median, standard deviation)		SCTP (mean, median, standard deviation)		TCP (mean, median, standard deviation)	
[Byte]	[kbps]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]	Throughput [Kbps]	Jitter [ms]
32	2.56e+03	3.27e+02, 3.27e+02, 4.71e-01	1.54e+00, 1.56e+00, 4.07e-02	1.77e+03, 1.71e+03, 6.26e+02	4.82e-01, 3.36e-01, 4.92e-01	2.56e+03, 2.56e+03, 2.00e+00	1.71e-01, 1.72e-01, 2.95e-04
64	5.12e+03	5.59e+02, 5.61e+02, 1.72e+01	2.13e+00, 2.10e+00, 2.76e-01	1.96e+03, 1.95e+03, 1.15e+02	5.26e-01, 5.09e-01, 9.49e-02	4.78e+03, 4.81e+03, 2.32e+02	2.07e-01, 1.97e-01, 7.15e-02
128	1.02e+04	9.30e+02, 9.32e+02, 3.87e+01	3.36e+00, 3.15e+00, 9.09e-01	1.66e+03, 1.65e+03, 1.11e+02	1.43e+00, 1.37e+00, 2.24e-01	2.20e+03, 2.17e+03, 2.93e+02	1.16e+00, 1.13e+00, 2.17e-01