Heltec L76K GNSS Module for Mesh Node T114



- Availability: **Directly available from warehouse in Eindhoven**
- SKU: 006655

€11.50

€9.50 Ex NL BTW/VAT (21%)

50+ pieces in stock

1 ADD TO CART

Description Reviews (0)

An GNSS (GPS) module for the Mesh Node T114 (https://www.tinytronics.nl/index.php?route=product/product&product_id=6653).

Specifications

GENERAL	
Brand	Heltec
Minimum operating temperature [°C]	-20
Maximum operating temperature [°C]	70
GENERAL PHYSICAL APPEARANCE	
Main color	Green
Weight [g]	4
Dimension X [mm]	18
Dimension Y [mm]	16
Form factor	Module (general)

GENERAL	
GENERAL ELECTRICAL PROPERTIES	
Minimum supply voltage [V DC]	3.3
Maximum supply voltage [V DC]	3.3
Minimum IO-pin input voltage [V]	3.3
Maximum IO-pin input voltage [V]	3.3
IO-pin output voltage [V]	3.3
COMMUNICATION	
Hardware interface(s)	UART
Default baudrate	9600
WIRELESS COMMUNICATION	
Interface(s)	GNSS
GNSS chip/SoC	L76K
Supported GNSS systems	GPS QZSS Beidou GLONASS
Maximum GNSS position accuracy [m]	2.0
Maximum GNSS update rate [Hz]	5
CONNECTORS	
Power supply connector(s)	Molex Picoblade (compatible) male
IO-connector(s)	Molex Picoblade (compatible) male
GNSS antenna connector	Built-in antenna
PACKAGE CONTENTS	
Package contents	

If you have a question or problem regarding a product, please contact us by using one of the buttons below.

Show Less

PRODUCT QUESTIONS(https://www.tinytronics.nl/en/product-questions)

WARRANTY AND PROBLEMS(https://www.tinytronics.nl/en/warranty-and-problems)

MISTAKE ON THIS PRODUCT PAGE

Customer support

My account

About us

Business information

Chamber of Commerce number: 83192425
VAT-number: NL862763198B01

© TinyTronics B.V. 2014 - 2026