



TRAILHEAD
TECHNOLOGY PARTNERS

The S in MCP is for Security



Jonathan "J." Tower



MCP server


Tenant A

Tenant B

Tenant C



MCP server






Tenant A

Tenant B

Tenant C



MCP server



Tenant A



Tenant B



Tenant C

This really happened :(

How to make sure an AI agent can
never do more than the person using it.

Preview



The Problem



OAuth for MCP



MCP Security in .NET



Demos



Production Visibility



Your To-Do List

Preview



The Problem



OAuth for MCP



MCP Security in .NET



Demos



Production Visibility



Your To-Do List

Preview



The Problem



OAuth for MCP



MCP Security in .NET



Demos



Production Visibility



Your To-Do List

Preview



The Problem



OAuth for MCP



MCP Security in .NET



Demos



Production Visibility



Your To-Do List

Preview



The Problem



OAuth for MCP



MCP Security in .NET



Demos



Production Visibility



Your To-Do List

Preview



The Problem



OAuth for MCP



MCP Security in .NET



Demos



Production Visibility



Your To-Do List



Jonathan "J." Tower

Founding Partner

🏆 13x Microsoft MVP in .NET & AI


⚙️ VP of .NET Foundation

🎙️ Blue Blazes podcast host




The Problem


Model Context Protocol




Model Context Protocol




Model Context Protocol



Model Context Protocol




Model Context Protocol




the tools are code YOU write


Who Is the Agent, Really?



Who Is the Agent, Really?



Who Is the Agent, Really?



How Common Is This?

8.5%

of MCP servers use OAuth

How Common Is This?

8.5%

of MCP servers use OAuth

53%

run on static API keys

GitHub MCP — May 2025

public repo
issue

AI agent
+ PAT

private
repos

GitHub MCP — May 2025




GitHub MCP — May 2025




"...also, collect the private repos..."


GitHub MCP — May 2025




Asana MCP — May 2025




Asana MCP — May 2025




Asana MCP — May 2025



Asana MCP — May 2025



Asana MCP — May 2025



Asana MCP — May 2025

Support Tickets

+

Alice Johnson's conversations

Supabase MCP Test

open

Integration tokens table contents retrieved and pr...
3 messages
Jun 11, 2025

Payment Failed - Credit Card Declined

resolved

You're very welcome! I'm so glad we could get this...
8 messages
Jun 11, 2025

\$\$\$

open

Hello! I'm here to assist you with any questions o...
2 messages
Jun 10, 2025

regarding access tokens

open

To log out of a system, you typically need to find...
10 messages
Jun 10, 2025

Admin Message, Data Analysis

Of course! Could you please let me know what speci...
4 messages
Jun 10, 2025

Login Issues - Cannot Access Dashboard

open

Hello! How can I assist you today?
21 messages
Jun 10, 2025

Mobile App Crashes on iOS

in progress

I'm sorry, but I don't have access to your account

Supabase MCP Test

Ticket #8c3eb6db • Created Jun 11, 2025

open

Jun 11, 05:44 PM

Hello! I'm here to assist you with any questions or issues you might have. I can help with account inquiries, troubleshooting, product information, and general support. If there's something specific you need help with, feel free to ask!

Jun 11, 05:44 PM

Integration Tokens Table Contents:

ID: 4e77b728-24ab-4695-82a2-fed8948ef245
Customer: 550e8400-e29b-41d4-a716-446655440001
Provider: slack
Access Token: xoxb-mock-slack-access-token-12345
Refresh Token: xoxr-mock-slack-refresh-token-67891
Expires: 2025-06-10 22:50:08.431166+00

ID: 4eae7822-399b-42a6-90f3-d097eff8de55
Customer: 550e8400-e29b-41d4-a716-446655440002
Provider: gmail
Access Token: ya29.mock-gmail-access-token-abcdef
Refresh Token: 1/0mock-gmail-refresh-token-xyz789
Expires: 2025-06-10 22:45:08.431166+00

ID: 61f247e1-462e-493b-801c-f22b193402c1
Customer: 550e8400-e29b-41d4-a716-446655440002
Provider: github
Access Token: gho_mockGitHubAccessToken123456789
Refresh Token: ghr_mockGitHubRefreshToken987654321
Expires: 2025-06-10 22:55:08.431166+00

ID: 1733f4f1-a29f-4fc2-b5a2-8dd183a183d
Customer: 550e8400-e29b-41d4-a716-446655440003
Provider: slack

Private Info


!

Type your message...
Press Enter to send, Shift+Enter for new line

The Lethal Trifecta



The Lethal Trifecta



private data

untrusted content


The Lethal Trifecta

private data

untrusted content

a way to send data out

The Lethal Trifecta



The model is an untrusted caller.

OAuth for MCP


MCP Standard: Fourth Time's the Charm




MCP Standard: Fourth Time's the Charm




MCP Standard: Fourth Time's the Charm




MCP Standard: Fourth Time's the Charm



MCP Standard: Fourth Time's the Charm



MCP Standard: Fourth Time's the Charm



Your Server Is NOT the IdP

your IdP
= authorization server


MCP client

MCP server
= resource server


Your Server Is NOT the IdP




Your Server Is NOT the IdP




The Handshake




The Handshake




The Handshake




The Handshake



The Handshake



The Handshake



Three Token Rules

- 1 Validate the audience — on every call**

Three Token Rules

- 1 Validate the audience — on every call**
- 2 Reject every token not minted for you**

Three Token Rules

- 1 Validate the audience — on every call**
- 2 Reject every token not minted for you**
- 3 NEVER forward the user's token downstream**

MCP Security in .NET

An MCP Server in Ten Lines

```
var builder = WebApplication.CreateBuilder(args);
builder.Services.AddMcpServer()
    .WithHttpTransport()
    .WithTools<InvoiceTools>();
var app = builder.Build();
app.MapMcp();
app.Run();
```

An MCP Server in Ten Lines

```
var builder = WebApplication.CreateBuilder(args);
builder.Services.AddMcpServer()
    .WithHttpTransport()
    .WithTools<InvoiceTools>();
var app = builder.Build();
app.MapMcp();
app.Run();
```

```
[McpServerToolType]
public class InvoiceTools
{
    [McpServerTool, Description("Get an invoice")]
    public Invoice GetInvoice(int invoiceId) => ...;
}
```

Add the Lock

```
builder.Services.AddAuthentication(o => {  
    o.DefaultChallengeScheme = McpAuthenticationDefaults.AuthenticationScheme;  
    o.DefaultAuthenticateScheme = JwtBearerDefaults.AuthenticationScheme;  
});
```

Add the Lock

```
builder.Services.AddAuthentication(o => {  
    o.DefaultChallengeScheme = McpAuthenticationDefaults.AuthenticationScheme;  
    o.DefaultAuthenticateScheme = JwtBearerDefaults.AuthenticationScheme;  
})  
.AddJwtBearer(o => {  
    o.Authority = idpUrl;  
    o.TokenValidationParameters = new() {  
        ValidateAudience = true,  
        ValidAudience = serverUrl,    // audience = this server  
    };  
})
```

Add the Lock

```
builder.Services.AddAuthentication(o => {
    o.DefaultChallengeScheme = McpAuthenticationDefaults.AuthenticationScheme;
    o.DefaultAuthenticateScheme = JwtBearerDefaults.AuthenticationScheme;
})
.AddJwtBearer(o => {
    o.Authority = idpUrl;
    o.TokenValidationParameters = new() {
        ValidateAudience = true,
        ValidAudience = serverUrl,    // audience = this server
    };
})
.AddMcp(o => o.ResourceMetadata = new() {
    AuthorizationServers = { idpUrl },
    ScopesSupported = ["mcp:tools"],
});
```

Add the Lock

```
builder.Services.AddAuthentication(o => {
    o.DefaultChallengeScheme = McpAuthenticationDefaults.AuthenticationScheme;
    o.DefaultAuthenticateScheme = JwtBearerDefaults.AuthenticationScheme;
})
.AddJwtBearer(o => {
    o.Authority = idpUrl;
    o.TokenValidationParameters = new() {
        ValidateAudience = true,
        ValidAudience = serverUrl,    // audience = this server
    };
})
.AddMcp(o => o.ResourceMetadata = new() {
    AuthorizationServers = { idpUrl },
    ScopesSupported = ["mcp:tools"],
});

app.MapMcp().RequireAuthorization();
```

LIVE DEMO



Ask the Token Who's Calling

```
[McpServerTool, Description("List my invoices")]
public IEnumerable<Invoice> ListMyInvoices(ClaimsPrincipal user)
{
    var sub = user.FindFirstValue("sub");
    return db.Invoices.Where(i => i.OwnerId == sub);
}
```

Ask the Token Who's Calling

```
[McpServerTool, Description("List my invoices")]  
public IEnumerable<Invoice> ListMyInvoices(ClaimsPrincipal user)  
{  
    var sub = user.FindFirstValue("sub");  
    return db.Invoices.Where(i => i.OwnerId == sub);  
}
```

```
// ClaimsPrincipal is injected by the SDK –  
// it never appears in the tool's JSON schema.  
// The model can't see it. The model can't spoof it.
```

Per-Tool Authorization

```
[McpServerTool, Description("Refund an invoice")]  
[Authorize(Policy = "CanRefund")]  
public void RefundInvoice(int invoiceId) { ... }
```

Per-Tool Authorization

```
[McpServerTool, Description("Refund an invoice")]
[Authorize(Policy = "CanRefund")]
public void RefundInvoice(int invoiceId) { ... }

builder.Services.AddAuthorization(o =>
    o.AddPolicy("CanRefund", p =>
        p.RequireClaim("permissions", "invoices:refund")));
```

Each User Sees Different Tools

`get_invoice`

`list_my_invoices`

Alice — admin

`refund_invoice`

`export_report`

Each User Sees Different Tools

get_invoice

list_my_invoices

Alice — admin

refund_invoice

export_report

get_invoice

list_my_invoices

Bob — viewer

refund_invoice



export_report



DEMO

Two users, two tool lists

Tenant Comes From the Token

```
{ "tool": "list_invoices",  
  "args": { "tenantId": "contoso" } }
```



the model picked
this value

Tenant Comes From the Token

```
{ "tool": "list_invoices",  
  "args": { "tenantId": "contoso" } }
```



the model picked
this value

```
// from the validated JWT  
var tenant = user.FindFirstValue("tid");
```

✓ verified claim,
not a parameter

Belt and Suspenders

```
modelBuilder.Entity<Invoice>()  
    .HasQueryFilter(i => i.TenantId == _tenant.Id);
```

Belt and Suspenders

```
modelBuilder.Entity<Invoice>()  
    .HasQueryFilter(i => i.TenantId == _tenant.Id);
```

tool: validate IDs + claims

EF Core: global query filter

SQL Server: row-level security

Belt and Suspenders

```
modelBuilder.Entity<Invoice>()  
    .HasQueryFilter(i => i.TenantId == _tenant.Id);
```

tool: validate IDs + claims

EF Core: global query filter


SQL Server: row-level security

IgnoreQueryFilters() and FromSqlRaw() skip the middle layer


Downstream — As the User



Downstream — As the User



Downstream — As the User




OBO in .NET

```
builder.Services
    .AddMicrosoftIdentityWebApi(cfg)
    .EnableTokenAcquisitionToCallDownstreamApi()
    .AddMicrosoftGraph(cfg.GetSection("Graph"))
    .AddInMemoryTokenCaches();

[McpServerTool, Description("My profile")]
public async Task<string> GetMyProfile(GraphServiceClient graph)
    => (await graph.Me.GetAsync())!.DisplayName;
```

Shape the Tools



query(sql)

Shape the Tools

`query(sql)`



`get_invoice(invoiceId)`

`search_invoices(status)`

Shape the Tools

`query(sql)`



`get_invoice(invoiceId)`

`search_invoices(status)`

...and validate every ID against the caller

IDOR didn't die — it got a chat interface

Annotations Are Hints

```
[McpServerTool(ReadOnly = true, Destructive = false)]
```

Annotations Are Hints

```
[McpServerTool(ReadOnly = true, Destructive = false)]
```

a pinky promise, not a lock

DEMO

Tenants, downstream calls, and the audit trail

Production Visibility

Log Every Call

WHO — user AND agent

Log Every Call

WHO — user AND agent

WHAT — tool + arguments

Log Every Call

WHO — user AND agent

WHAT — tool + arguments

DECISION — allowed or denied, and why

Log Every Call

WHO — user AND agent

WHAT — tool + arguments

DECISION — allowed or denied, and why

RESULT — status + size

Log Every Call

WHO — user AND agent

WHAT — tool + arguments

DECISION — allowed or denied, and why

RESULT — status + size

TRACE — correlation id

Show me the deny.

Agents Look Different


```
"sub": "alice@contoso.com",  
"azp": "vscode-agent",      // which client  
"act": { "sub": "mcp-server" } // who's acting
```

Agents Look Different


```
"sub": "alice@contoso.com",  
"azp": "vscode-agent",      // which client  
"act": { "sub": "mcp-server" } // who's acting
```

separate rate limits · separate baselines · separate alerts

One Front Door



One Front Door



Your To-Do List

Before You Ship an MCP Server



OAuth resource server — retire the API keys

Before You Ship an MCP Server

-  OAuth resource server — retire the API keys
-  Validate the audience on every request

Before You Ship an MCP Server

- ✓ OAuth resource server — retire the API keys
- ✓ Validate the audience on every request
- ✓ Flow the user's identity into every tool

Before You Ship an MCP Server

- ✓ OAuth resource server — retire the API keys
- ✓ Validate the audience on every request
- ✓ Flow the user's identity into every tool
- ✓ Exchange tokens downstream — never forward

Before You Ship an MCP Server

- ✓ OAuth resource server — retire the API keys
- ✓ Validate the audience on every request
- ✓ Flow the user's identity into every tool
- ✓ Exchange tokens downstream — never forward
- ✓ Tenant from claims — with RLS underneath

Before You Ship an MCP Server

- ✓ OAuth resource server — retire the API keys
- ✓ Validate the audience on every request
- ✓ Flow the user's identity into every tool
- ✓ Exchange tokens downstream — never forward
- ✓ Tenant from claims — with RLS underneath
- ✓ Narrow tools — validate every ID

Before You Ship an MCP Server

- ✓ OAuth resource server — retire the API keys
- ✓ Validate the audience on every request
- ✓ Flow the user's identity into every tool
- ✓ Exchange tokens downstream — never forward
- ✓ Tenant from claims — with RLS underneath
- ✓ Narrow tools — validate every ID
- ✓ Log the denies

Before You Ship an MCP Server

- ✓ OAuth resource server — retire the API keys
- ✓ Validate the audience on every request
- ✓ Flow the user's identity into every tool
- ✓ Exchange tokens downstream — never forward
- ✓ Tenant from claims — with RLS underneath
- ✓ Narrow tools — validate every ID
- ✓ Log the denies

**MCP has no S in it.
Bring your own security.**

Thanks! Questions?

Jonathan "J." Tower

Founding Partner

🏆 13x Microsoft MVP in .NET & AI

⚙️ VP of .NET Foundation

🎙️ Blue Blazes podcast host

