

Best Practices for Cryptography in Python

PyCon AU 2019 // August 2, 2019 // Paul Kehrer

Secure cryptography is possible in Python

(restrictions apply)



Who am I?



- Principal Security Engineer @ Trail of Bits
- Core developer for the Python Cryptographic Authority
 - cryptography
 - PyNaCl
 - bcrypt
 - pyOpenSSL (ugh)
- Simpsons lover & Frinkiac creator
- @reaperhulk on GitHub, Twitter, IRC



Agenda



- What is cryptography really?
- Establishing the scope
- Implementing cryptographic algorithms
- Implementing cryptographic algorithms...in Python
- Establishing what matters in your application
- FFI, Python's cryptographic super power
- Additional Mitigations
- Conclusions

What is cryptography really?

TRAJŁ

What Cryptography Is



- In the presence of adversaries we need to be able to securely communicate information
 - Adversaries can be passive or active
 - Communication may be synchronous or asynchronous
 - Information is not necessarily a file
- In practice writing cryptographic software is difficult because you need both algorithms and implementation to be secure

The Scope



Implementation-based issues caused by language-level restrictions

Implementing cryptographic algorithms



Implementing Cryptographic Algorithms



You will need...

- Low level flow control to prevent data dependent branching
- Control of caches, use of SIMD instructions, and more
- Precise memory allocation and erasure
- As much speed as you can possibly get
- An aversion to healthy life choices

Implementing Cryptographic Algorithms



Unfortunately this means it is mostly written in C. Why?

- Ubiquity
- Speed
- The memory unsafety industrial complex needs CVEs

Implementing cryptographic algorithms ...in Python!



RSA Signing/Verification (do **not** use RSA)

- $S = M^d \pmod{N}$
- M = S^e (mod N)

RSA Encryption/Decryption (I beg of you, do not use RSA)

- C = M^e (mod N)
- M = C^d (mod N)



RSA Signing/Verification (**do not use RSA**)

- $S = M^d \pmod{N}$
- M = S^e (mod N)

RSA Encryption/Decryption (No! Stop!)

- C = M^e (mod N)
- M = C^d (mod N)

An Aside I Can't Resist



RSA Encryption/Decryption (please do not use RSA, it is so bad)

- C = M^e (mod N)
- M = C^d (mod N)



RSA Signing/Verification (You're going to regret it)

- $S = M^d \pmod{N}$
- M = S^e (mod N)

RSA Encryption/Decryption (Who does this? Is that you non-FS TLS?)

- C = M^e (mod N)
- M = C^d (mod N)



A 2048-bit number

• 3161737146912562735268967114726605252616435554798437691517055407792998714535 2516900116515724720539689816178060234721718362346143607072885674656026837376 0385798784388809674035974682479968357132677888656924721646085048164429674904 7979060883821999795076774565568272022147810806955767318366474350825861162130 4621875073764942665749430781731508992257954609822036091522236856038088605236 8988822002033869326409749433405711038430442576838490597281786933735931132555 6346941941249470554893343299758939018359287784287742745772052134802483951378 8453599288317814232804104189942999307294498415740679426518847863313883638498 088284383



RSA Signing/Verification (do not use RSA and also do not do this)

- sig = pow(msg, d, n)
- msg = pow(sig, e, n)



RSA Signin

sig

• msg





RSA Signing/Verifi

sig = pow

msg = pov



An Illustrative

TRAIL BITS

RSA Signing/Verification

- sig = pow(m:
- msg = pow(s



An Illustrative



RSA Signing/Verification

- sig = pow(m:
- msg = pow(s





Let's ask a scientician





Let's ask a scientician







Establish what matters

TRAJL BITS

Establish what matters



- Define the set of threats you consider in scope to protect against
- Many of these limitations may not matter for your specific situation
- There are powerful workarounds available!

FFI, Python's cryptographic super power



FFI



- Python has rich FFI to languages that speak the C ABI through cffi and ctypes so Python code can leverage native code
- This bridge gives access to every feature needed for safe cryptography, as well as allowing the construction of Pythonic APIs on top of difficult-to-use cryptographic libraries

Additional mitigations



 While byte strings are immutable bytearrays are not. You can also construct buffer protocol objects from native code to gain even more control

Secure cryptography is possible in Python

(restrictions apply)



Secure cryptography is possible in Python



- This frequently means that Python is what you use to call some underlying native code, not that the cryptographic code itself is in Python
- Threat models are critical. Building secure software requires tradeoffs, so carefully consider what you do and do not consider to be worth protecting against

References/Links



Seriously, Stop Using RSA

https://blog.trailofbits.com/2019/07/08/fuck-rsa/

The Montgomery Powering Ladder

http://cr.yp.to/bib/2003/joye-ladder.pdf

Fish in a Barrel - Memory Unsafety delenda est

https://twitter.com/lazyfishbarrel

The Black Magic of Python Wheels

https://www.youtube.com/watch?v=02aAZ8u3wEQ

Reliably Distributing Binary Modules

https://www.youtube.com/watch?v=-j4lolWgD6Q



Contact Me

Paul Kehrer

Principal Security Engineer

@reaperhulk on Twitter, GitHub, et cetera paul.kehrer@trailofbits.com https://langui.sh