

Trauma & Vitals — 15-Minute Observation Chart

Use during active casualty care, before and while completing the Medical Incident Report (A7). Record a fresh reading in the next time column at least every 15 minutes.

NAME

BLOOD GROUP

AGE

Codes — Airway device: N=Naso, O=Oro, K=King LTS-D · Airway: C=Clear, O=Obstructed · Breathing: N=Normal, Sh=Shallow, D=Deep, L=Laboured · Pulse: S=Strong, W=Weak, R=Rapid, Sl=Slow · Pulse site: Ra=Radial, Ca=Carotid · Pupils: R=Reactive, U=Unreactive, P=Pinpointed, D=Dilated

Time				
Airway device (N / O / K)				
Airway (C / O)				
Breathing (N / Sh / D / L)				
Respiration — breaths/min (12-20)				
SpO ₂ — oxygen saturation (95-100%)				
Chest seal applied (Y / N)				
Circulation — BP (systolic min 80, max 85 with major trauma wounds)				
Pulse quality (S / W / R / Sl)				
Pulse site (Ra / Ca)				
Pulse rate per minute				
Cap refill (<2 sec / >2 sec)				
Pallor — Normal / Pale / Cold / Clammy				
Response (AVPU) — Alert / Voice / Pain / Unresponsive				
Pupils L / R (R / U / P / D)				
Temperature				

Normal Saline Fluid — IV / IO

Qty	Time	Site

Control of Bleeding

- ☐ Elevation
- ☐ Direct pressure
- ☐ Combat gauze
- ☐ 1st dressing
- ☐ 2nd dressing
- ☐ Pressure point

Tourniquet — 2 hour limit

Site	Applied	Released

On Medication

Pain Assessment

Trauma Assessment & Body Chart

Initial casualty assessment. Complete alongside the 15-Minute Observation Chart (page 1), then transfer key findings to the Medical Incident Report (A7).

NAME

AGE

BLOOD GROUP

Mechanism of Injury

I

Vital Signs

Temperature

Pi

BP

Respiration

SpO₂

Signs, Symptoms & Previous History

Treatment Given

FLUIDS — N/S · IO · IV

AMOUNT GIVEN

OXYGEN GIVEN AT RATE (LPM)

CONTROLLED AIRWAY

STOPPED BLEEDING BY

AED — DID YOU SHOCK?

Notes

Trauma Chart

FRONT

RIGHT SIDE

BACK

LEFT SIDE



Legend

■ Burn

T Tourniquet



% BURN SURFACE AREA (mark on diagrams above, note total below)

