

Trauma & Vitals — 15-Minute Observation Chart

Use during active casualty care, before and while completing the Medical Incident Report (A7). Record a fresh reading in the next time column at least every 15 minutes.

NAME

BLOOD GROUP

AGE

Codes — Airway device: N=Naso, O=Oro, K=King LTS-D · Airway: C=Clear, O=Obstructed · Breathing: N=Normal, Sh=Shallow, D=Deep, L=Laboured · Pulse: S=Strong, W=Weak, R=Rapid, Sl=Slow · Pulse site: Ra=Radial, Ca=Carotid · Pupils: R=Reactive, U=Unreactive, P=Pinpointed, D=Dilated

Time				
Airway device (N / O / K)				
Airway (C / O)				
Breathing (N / Sh / D / L)				
Respiration — breaths/min (12–20)				
SpO ₂ — oxygen saturation (95–100%)				
Chest seal applied (Y / N)				
Circulation — BP (systolic min 80, max 85 with major trauma wounds)				
Pulse quality (S / W / R / Sl)				
Pulse site (Ra / Ca)				
Pulse rate per minute				
Cap refill (<2 sec / >2 sec)				
Pallor — Normal / Pale / Cold / Clammy				
Response (AVPU) — Alert / Voice / Pain / Unresponsive				
Pupils L / R (R / U / P / D)				
Temperature				

Normal Saline Fluid — IV / IO

Qty	Time	Site

Control of Bleeding

- ☐ Elevation
- ☐ Direct pressure
- ☐ Combat gauze
- ☐ 1st dressing
- ☐ 2nd dressing
- ☐ Pressure point

Tourniquet — 2 hour limit

Site	Applied	Released

On Medication

Drug Allergies

Trauma Assessment & Body Chart

Initial casualty assessment. Complete alongside the 15-Minute Observation Chart (page 1), then transfer key findings to the Medical Incident Report (A7).

NAME

AGE

BLOOD GROUP

Mechanism of Injury

Injury Found

Vital Signs

Temperature

Pulse

BP

Respiration

SpO₂

Signs, Symptoms & Previous History

Treatment Given

FLUIDS — N/S · IO · IV

AMOUNT GIVEN

OXYGEN GIVEN AT RATE (LPM)


CONTROLLED AIRWAY BY

STOPPED BLEEDING BY

AED — DID YOU SHOCK?

Notes

Trauma Chart



% BURN SURFACE AREA (mark on diagrams above, note total below)