

Find any action inside the IDE **⇧⌘A**

## CREATE AND EDIT

Show intention actions	<b>⌘⇧P</b>
Basic/smart code completion	<b>⇧Space / ⇧⇧Space</b>
Type name completion	<b>⇧⌘Space</b>
Complete statement	<b>⇧⌘⇧P</b>
Parameter information	<b>⌘P</b>
Quick definition	<b>⌘Space</b>
Quick/external documentation	<b>F1 / ⇧F1</b>
Generate code	<b>⌘N</b>
Implement methods	<b>⇧I</b>
Surround with...	<b>⌘⌘T</b>
Comment with line/block comment	<b>⌘// / ⌘⌘/</b>
Extend/shrink selection	<b>⌘↑ / ⌘↓</b>
Context info	<b>⇧⇧Q</b>
Optimize imports	<b>⇧⌘O</b>
Auto-indent lines	<b>⇧⌘I</b>
Cut/Copy/Paste	<b>⌘X / ⌘C / ⌘V</b>
Copy document path	<b>⇧⌘C</b>
Paste from clipboard history	<b>⇧⌘V</b>
Duplicate current line or selection	<b>⌘D</b>
Move line up/down	<b>⇧⇧↑ / ⇧⇧↓</b>
Delete line at caret	<b>⌘⌘⌘</b>
Join/split line	<b>⇧⇧J / ⌘⇧P</b>
Start new line	<b>⇧⇧P</b>
Toggle case	<b>⇧⌘U</b>
Expand/collapse code block	<b>⌘+ / ⌘-</b>
Expand/collapse all	<b>⇧⌘+ / ⇧⌘-</b>
Save all	<b>⌘S</b>

## VERSION CONTROL

VCS operations popup...	<b>⇧V</b>
Commit	<b>⌘K</b>
Update project	<b>⌘T</b>
Recent changes	<b>⌘⇧C</b>
Revert	<b>⌘⌘Z</b>
Push...	<b>⇧⌘K</b>
Next/previous change	<b>⇧⌘⇧↓ / ↑</b>

## MASTER YOUR IDE

Find action...	<b>⇧⌘A</b>
Open a tool window	<b>⌘[0-9]</b>
Synchronize	<b>⌘Y</b>
Toggle full screen mode	<b>⇧⌘F</b>
Quick switch scheme...	<b>⇧`</b>
Preferences...	<b>⌘,</b>
Jump to source/navigation bar	<b>⌘↓ / ⌘↑</b>
Jump to last tool window	<b>F12</b>
Hide active/all tool windows	<b>⇧⌘ / ⇧⌘F12</b>
Go to next/previous editor tab	<b>⇧⌘ / ⇧⌘[</b>
Go to editor (from a tool window)	<b>⌘</b>
Close active window/tab	<b>⇧⇧F4 / ⌘W</b>

## FIND EVERYTHING

Search everywhere	<b>Double ⇧</b>
Find/Replace	<b>⌘F / ⌘R</b>
Find in path/Replace in path	<b>⇧⌘F / ⇧⌘R</b>
Next/previous occurrence	<b>⌘G / ⇧⌘G</b>
Go to type/file/symbol	<b>⌘O / ⇧⌘O / ⌘⌘O</b>
Go to file member	<b>⌘F12</b>

## NAVIGATE FROM SYMBOLS

Declaration	<b>⌘B</b>
Type declaration	<b>⇧⌘B</b>
Super method	<b>⌘U</b>
Implementation(s)	<b>⌘⌘B</b>
Find usages/Find usages in file	<b>⌘F7 / ⌘⌘F7</b>
Highlight usages in file	<b>⇧⌘F7</b>
Show usages	<b>⌘⌘F7</b>

## REFACTOR AND CLEAN UP

Refactor this...	<b>⇧T</b>
Copy.../Move...	<b>F5 / F6</b>
Safe delete...	<b>⌘⌘⌘</b>
Rename...	<b>⇧F6</b>
Change signature...	<b>⌘F6</b>
Inline...	<b>⌘⌘N</b>
Extract method	<b>⌘⌘M</b>
Introduce variable	<b>⌘⌘V</b>
Introduce constant	<b>⌘⌘C</b>
Reformat code	<b>⌘⌘L</b>

## ANALYZE AND EXPLORE

Show error description	<b>⌘F1</b>
Next/previous highlighted error	<b>F2 / ⇧F2</b>
Run inspection by name...	<b>⌘⇧⌘I</b>
Type/call hierarchy	<b>⇧H / ⇧⌘H</b>

## NAVIGATE IN CONTEXT

Select in...	<b>⌘F1</b>
Recently viewed/changed files	<b>⌘E / ⇧⌘E</b>
Last edit location	<b>⇧⌘⌘</b>
Navigate back/forward	<b>⌘[ / ⌘]</b>
Go to previous/next method	<b>⇧↑ / ⇧↓</b>
Line/Column...	<b>⌘L</b>
Go to code block end/start	<b>⌘⌘ / ⌘⌘[</b>
Add to favorites	<b>⌘⇧F</b>
Toggle bookmark	<b>F3</b>
Toggle bookmark with mnemonic	<b>⌘F3</b>
Go to numbered bookmark	<b>⇧[0-9]</b>
Show bookmarks	<b>⌘F3</b>

## BUILD, RUN, AND DEBUG

Run context configuration	<b>⇧⇧R</b>
Run/debug selected configuration	<b>⇧⌘R / ⇧⌘D</b>
Run/debug current configuration	<b>⇧R / ⇧D</b>
Step over/into	<b>F8 / F7</b>
Smart step into	<b>⇧F7</b>
Step out	<b>⇧F8</b>
Run to cursor	<b>⌘F9</b>
Force run to cursor	<b>⌘⌘F9</b>
Show execution point	<b>⌘F10</b>
Evaluate expression...	<b>⌘F8</b>
Stop	<b>⌘F2</b>
Stop background processes...	<b>⇧⌘F2</b>
Resume program	<b>⌘⌘R</b>
Toggle line breakpoint	<b>⌘F8</b>
Place temporary line breakpoint	<b>⌘⇧⌘F8</b>
Edit/view breakpoint	<b>⇧⌘F8</b>