

Layouts

Default Layout	1
----------------	---

Tables

SA.ADDRESS_ORACLE	2
SA.INBOXHISTORY	2
SA.INBOX_ADDRESS_ORACLE	2
SA.INBOX_ATTACH_ORACLE	2
SA.INBOX_ORACLE	3
SA.OUTBOX_ADDRESS_ORACLE	3
SA.OUTBOX_ATTACH_ORACLE	3
SA.OUTBOX_ORACLE	4




Table ADDRESS_ORACLE			
*Pk	ID	number(10)	
	ADDRESS	varchar2(200)	
	NAME	varchar2(8)	
	SCHEME	varchar2(1)	
	TYPE	varchar2(1)	
Indexes			
Pk	SYS_C009994	ID	

Table INBOXHISTORY			
*Pk	ID	varchar2(255)	
*	LAST_SEQUENCE	number(10)	
Indexes			
Pk	SYS_C0010005	ID	

Table INBOX_ADDRESS_ORACLE			
*Pk	ID	number(10)	
*	ADDRESS	varchar2(256)	
	NAME	varchar2(8)	
	INBOX_ORACLE_ID	number(10)	
Indexes			
Pk	SYS_C009997	ID	
Foreign Keys			
	FK_CB9MBY61H06Y4W4YQGRUWTJN1 (INBOX_ORACLE_ID) ref INBOX_ORACLE (ID)		

Table INBOX_ATTACH_ORACLE			
*Pk	ID	number(10)	
*	DATA	blob	
	NAME	varchar2(200)	
	NUMBER_FILE	number(10)	
	TEST	varchar2(200)	
	INBOX_ORACLE_ID	number(10)	
Indexes			
Pk	SYS_C0010000	ID	
Foreign Keys			
	FK_ALEJDL75Y6G2P9H3KJGXQWFQ (INBOX_ORACLE_ID) ref INBOX_ORACLE (ID)		

Table INBOX_ORACLE			
*Pk	ID	number(10)	
	ATTACH	number(1)	
	CONTENT	varchar2(4000)	
	FROM_ADDRESS	varchar2(256)	
	PRIORITY	number(10)	
	SUBJECT	varchar2(2000)	
	TIME	timestamp(6)	
Indexes			
Pk	SYS_C0010002	ID	

Table OUTBOX_ADDRESS_ORACLE			
*Pk	ID	number(10)	
	ADDRESS	varchar2(256)	
	OUTBOX_ORACLE_ID	number(10)	
Indexes			
Pk	SYS_C0010007	ID	
Foreign Keys			
	FK_JLWAWSC53MCITGD11HKMXVSCB (OUTBOX_ORACLE_ID) ref OUTBOX_ORACLE (ID)		

Table OUTBOX_ATTACH_ORACLE			
*Pk	ID	number(10)	
*	DATA	blob	
	NAME	varchar2(200)	
	NUMBER_FILE	number(10)	
	PATH	varchar2(2000)	
	OUTBOX_ID	number(10)	
Indexes			
Pk	SYS_C0010010	ID	
Foreign Keys			
	FK_O3CBMD486V8RFVHAWFXD6LAD1 (OUTBOX_ID) ref OUTBOX_ORACLE (ID)		

Table OUTBOX_ORACLE			
*Pk	ID	number(10)	
	ATTACH	number(1)	
	CONTENT	varchar2(4000)	
	FROM_ADDRESS	varchar2(256)	
	PRIORITY	number(10)	

Table OUTBOX_ORACLE			
	SUBJECT	varchar2(256)	
	TIME	timestamp(6)	
Indexes			
Pk	SYS_C0010012	ID	