Mo Tu We Th Fri Sa Su

Memo No.....

Date...../...../.....

```
public class HinhHoc {
    public void tinhDientich() {
        System.out.println("tinh dien tich hinh hoc");
    }
}

public class HinhTron extends HinhHoc {
    private double bankinh;
    public HinhTron (double bankinh) {
        this.bankinh = bankinh;
    }
    @Override
    public void tinhdientich() {
        double dientich = math.PI * bank * bk
        System.out.println("Dientichhtron:" +
                                    dt);
public class HinhChuNhat hinhhoc {
    private double chieudai;
    private double chieurong;
    public HinhChuNhat (double dai,
                        double rong) {
        this.chieuDai = chieudai;
        this.chieurong = chieurong;
    }
    @Override
    public void tinhDientich() {
        double dientich = chieudai * chieurong;
        System.out.println("DTHCN:" + d(f);
    }
}
```

TUANVIET BOOKS

Mo Tu We Th Fri Sa Su

Memo No.....

Date...../...../.....

Bt tập lớp Cha là Animal : pig, cat, Dog, bird.

```
public class Animal {
    public void makeSound () {
        System.out.println ("Dong vat kcu") ;
    }
}

public class Pig extends Animal {
    ~~private double~~ @ Override
    public void makeSound () {
        System.out.println ("un in") ;
    }
}

public class Dog extends Animal {
    @ Override
    public void makeSound () {
        System.out.println ("gau gau") ;
    }
}

public Class Cat extends Animal {
    @ Override
    public void makeSound () {
        System.out.println ("meo meo") ;
    }
}

public Class Bird extends Animal {
    @ Override
    public void makeSound () {
        System.out.println ("chip chip") ;
    }
}
```

TUANVIET BOOKS

Mo Tu We Th Fri Sa Su

Memo No.

Date / /

```
public class Main {
    public static void main (String[] ags) {
        Animal a1 = new pig ();
               a2 = new Cat ();
               a3 = new Dog();
               a4 = new Bird ;
        a1 . makeSound ();
        a2 . makeSound ();
        a3 . makeSound ();
        a4 . makeSound ();
    }
}
```

Bài tập 2:

```
public class xedap {
    public void run () {
        System.out.println ("run");
    }
}

public class xe dap den ~~expent~~ extend xe dap {
    @ Override
    public void run() {
        System.out.println ("run");
    }
}

public class main {
    public static void main (String[] ays) {
        xe dap x1 = new xe dap ();
        xe dap x2 = new xe dap();
        x1 . run ();
        x2 . run();
    }
}
```

TUANVIET BOOKS

den

Memo No.....
Date...../...../.....

B3: Person . Employer - ~~Mangaer~~ manager

```
class Person {
    private String name
    private Data birthday;
    public void setname (string name) {
        this.name = name;
    }
    public void set birthday (date birthday)
        this birthday = birthday;
    }
    public String get Details () {
        return "Name:" + name + ",
                birthday:" + birthday;
    }
}
class Employee extends person {
    private double salary;
    public void setSalary (double Salary)
        this.salary = salary;
    }
    @ Override
    public String get Details () {
        return super.get Details() +
                Salary:" + Salary;
    }
}
class manager extends Employee
    private Employee assistant;
```

TUANVIET
BOOKS

Memo No.....
Date...../...../.....

```
    public void setAssistant(Employee
                assistant){
        this.assistant = assistant;
    }

    @Override
        public String getDetails(){
        return super.getDetails()+
                ", Assistant:"+
                (assistant != null ?
        assistant.getDetails(): "None");
    }
}

public class ~~program~~ main {
    public static void main(String[] ~~age~~ args){
    Employee e = new Employee();
    e.setName("An");
    e.setSalary(1000);
    Manager m = new Manager();
    m.setName("Binh");
    m.setSalary(3000);
    m.setAssistant(e);
    System.out.println(m.getDetails());
}
}
```

Bài 4:

```
class Bank {
    public double getRate(){
        return 0;
    }
```

TUANVIET BOOKS

Mo Tu We Th Fri Sa Su

Memo No.....

Date...../...../.....

```
class SBI extends Bank {
    @ ~~Override~~ Override
    public double getRate() {
        return 8;
    }
}

class ICICI extends Bank {
    @ Override
    public double getRate() {
        return 7;
    }
}

class Axis extends Bank {
    @ Override
    public double getRate() {
        return 9;
    }
}

public class ~~A~~ program {
    public static void main (String[] args) {
        bank ~~ba~~ b1 = new SBI ();
        bank b2 = new ICICI ();
        bank b3 = new Axis ();
        System.out.println("SBI rate:"
            + b1.getRate() + "%");
        System.out.println("ICICI rate:"
            + b2.getRate() + "%");
        System.out.println("Axis rate:"
            + b3.getRate() + "%");
    }
}
```

TUANVIET BOOKS

Bài 5

```
class Car {
    public void move () {
        System.out.println ("Car is move");
    }
}

class Land Rover extends Car {
    @ Override
    public void move () {
        System.out.println ("Land Rover is moving");
    }
}

class Ford extends Car {
    @ Override
    public void move () {
        System.out.println("Ford is move");
    }
}

class Honda extends Car {
    @ Override
    public void move () {
        System.out.println("Honda is!");
    }
}

public class Program {
    public static void main (String
                    args) {
        Car C1 = new Land Rover ();
        Car C2 = new Ford ();
        Car C3 = new Honda ();
        C1.move ();
        C2.move ();
        C3.move ();
    }
}
```