# Bài 6. Tạo API Đăng Ký 🎉

#### 1. File package.json 🌭



#### npm i jsonwebtoken body-parser

```
"name": "training",
"version": "1.0.0",
"description": "",
"main": "index.js",
"scripts": {
  "test": "echo \"Error: no test specified\" && exit 1",
  "start": "node server.js",
  "dev": "nodemon server.js"
},
"keywords": [],
"author": "",
"license": "ISC",
"dependencies": {
  "bcrypt": "^5.0.0",
  "body-parser": "^1.19.0",
  "express": "^4.17.1",
  "jsonwebtoken": "^8.5.1",
  "mongoose": "^5.9.28",
  "nodemon": "^2.0.4",
  "passport": "^0.4.1",
  "passport-jwt": "^4.0.0",
  "passport-local": "^1.0.0"
}
```

## 2. File server.js 🌭 🥾

```
const express = require('express');
const mongoose = require('mongoose');
const bodyParser = require('body-parser');
const app = express();

app.use(bodyParser.json());

const db = require('./config/key').mongoURI;

mongoose
   .connect(db, { useNewUrlParser: true, useUnifiedTopology: true })
   .then(() => console.log('MongoDB Connected....'))
   .catch((err) => console.log(err));

app.use('/', require('./router/User'));
const PORT = process.env.PORT || 8080;
app.listen(PORT, console.log(`Server Run With Port ${PORT}`));
```

### 3. File User.js 🌭 🜭 🌭

```
const express = require("express");
const userRouter = express.Router();
const JWT = require("jsonwebtoken");
const passport = require("passport");
const User = require("../model/User");
userRouter.post("/register", (req, res) => {
  const { username, password, role } = req.body;
  //kiem tra username co ton tai khong
  User.findOne({ username }, (err, user) => {
    if (err)
      res.status(500).json({
        message: { msgBody: "Error", msgError: true },
      });
    if (user)
      res.status(400).json({
        message: { msgBody: "Ten Dang Nhap Da Ton Tai", msgError: true },
      });
    else {
      const newUser = new User({ username, password, role });
      newUser.save((err) => {
       if (err)
          res.status(500).json({
            message: { msgBody: "Error", msgError: true },
          });
        else
          res.status(200).json({
            message: { msgBody: "Tao Tai Khoan Thanh Cong", msgError: false },
          });
      });
    }
  });
});
module.exports = userRouter;
```

## The End

