



Artisan is a Chinese factory established in 2021, specializing in FR4/G10 insulation board, colored G10 insulation board, FR5/G11 insulation board, anti-static FR4/G10 insulation board, Epoxy resin cloth insulation board, 3240 insulation board, copper clad laminate FR4/G10 CNC processing products, thermoplastic board, carbon fiber board, carbon fiber tube and carbon fiber CNC processing products. We can develop and produce a variety of high-standard and personalized products according to customer needs.

Our products are mainly used in high-end insulation parts processing, FPC (flexible printed circuit board) reinforcement sheets, battery covers, planetary gears, transformer insulation baffles, electronic insulation parts, insulation gaskets, insulation washers, motors, generators, transformers, high-voltage switches and other electrical equipment, precision test fixtures, ICT test fixtures, FCT fixtures, surf fins, hydrofoils and other water sports equipment, knife handle materials, slingshots, golf forks and other outdoor sports goods, as well as transformer oil and other humid environments. Carbon fiber products have been used in many fields such as aviation, automobile decoration, precision machinery parts, high-end sports equipment and surface decoration, aircraft models, car models, etc.

Tina Chen

Overseas department Manager

M: +86-15250334831(wechat/whatsapp)

Email:tinainsulation@gmail.com

<http://www.artisan-knifesupplies.com/>

Professionalism, Preciseness, Patience, Focus, Dedication make us can be ARTISAN

Eyelets



We offer four sizes of eyelets for Kydex, suitable for thicknesses of 1.5mm, 2.0mm, 3.0mm, and thicker.

Eyelets Size 1

Dimensional data

The diameter of the outer ring: **8mm**
 The outer diameter: **5.0mm**(the diameter of kydex hole) **5.1mm drill bit will be need.**
 Eyelet hole diameter: **4.5mm**
 Eyelet total length: **7.5mm**
 Price:\$0.05/pc, moq is 100 pcs.

Drill bit 5.1mm

Material: Stainless steel
 Diameter: **5.1mm**
 Hardness: 18 to 25 HCR
 Price:\$1.47/pc, moq is 1 pcs



Install tool for Eyelets for Size 1

The price is \$3.13/pc, moq is 1 pc



Eyelets Size 2

Dimensional data

The diameter of the outer ring: **9.0 mm**
 The outer diameter: **6.5mm**(the diameter of kydex hole) 6.6mm drill bit will be need.
 Eyelet hole diameter: **5.8 mm**
 Eyelet total length: **7.0mm**
 Price:\$0.05/pc, moq is 100 pcs.

Drill bit 6.6mm

Material: Stainless steel
 Diameter: **6.6mm**
 Hardness: 18 to 25 HCR
 Price:\$1.57/pc, moq is 1 pcs



Install tool for Eyelets for Size 2

The price is \$3.13/pc, moq is 1 pc



Eyelets Size 3

Dimensional data

The diameter of the outer ring: **9.0 mm**
 The outer diameter: **6.5mm**(the diameter of kydex hole) 6.6mm drill bit will be need.
 Eyelet hole diameter: **5.8 mm**
 Eyelet total length: **9.1 mm**
 Price:\$0.06/pc, moq is 100 pcs.

Drill bit 6.6mm

Material: Stainless steel
 Diameter: **6.6mm**
 Hardness: 18 to 25 HCR
 Price:\$1.57/pc, moq is 1 pcs



Install tool for Eyelets for Size 3

The price is \$3.13/pc, moq is 1 pc



Eyelets Size 4

Dimensional data

The diameter of the outer ring: **10.0 mm**
 The outer diameter: **6.2 mm**(the diameter of kydex hole) 6.3mm drill bit will be need.
 Eyelet hole diameter: **5.6 mm**
 Eyelet total length:**12.0 mm**
 Price:\$0.06/pc, moq is 100 pcs.

Drill bit 6.3mm

Material: Stainless steel
 Diameter: **6.3mm**
 Hardness: 18 to 25 HCR
 Price:\$1.57/pc, moq is 1 pcs

Install tool for Eyelets for Size 4

The price is \$3.13/pc, moq is 1 pc



Acrylic Plate



Standard sheet size :1020*610mm

Thick:6mm to 50mm

Moq: Each color 10 pcs

Vulcanized Fiber




- 1.Color:black, red
- 2.Thickness between 0.5mm to 1.5mm is in the form of roll
Roll width from 760mm to 860mm, length can be customized
- 3.Thickness between 2.0mm to 3.0mm is in the form of sheet
Sheet size is 1000*1200mm
- 4.Price: \$5.56/kg,one price for all colors.
- 5.MOQ 120kgs for fiber in roll form, 5 pcs for fiber in sheet form

100% Pure Diamond File, Quality Assurance



Multiple specifications are available for selection, including 3×140, 4×160, 5×180, etc.
Please provide specific requirements so that we can provide a quotation.

Damascus Steel



Pattern	Material
No.1 to No.7	vg10=10cr15comov Hardness:60 to 61
	350×50×3mm=\$32.17/pc 500×50×3mm=\$42.88/pc
1pc 350×50×3mm=0.45kg 1pc 500×50×3mm=0.6kg Size can be customized MOQ: Each pattern 30 kgs	

Resin Luminous Board

To achieve the luminous effect, sheets need to be placed in a dark place after irradiating it with a flashlight or a lamp tube or too much vision for dozens of seconds to have the luminous effect.



Size :For thickness 4.0—9.0mm, size is :215*315mm

For thickness more than 10.0mm, size is :220*340mm

Color:Green, blue, orange, blue+green.

Moq: 10 pcs for each color (can be different thickness)

Screw #1/For 4mm hole

416 stainless steel material,die stamping production

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Nut diameter (mm)	Nut thickness (mm)	Thread	Pirce (\$)
1	8.6	6	4	5.8	1.3	M3	0.13
2	9.1	6.5	4	5.8	1.3	M3	0.13
3	9.6	7	4	5.8	1.3	M3	0.13
4	10.1	7.5	4	5.8	1.3	M3	0.13
5	10.6	8	4	5.8	1.3	M3	0.13
6	11.1	8.5	4	5.8	1.3	M3	0.13
7	11.6	9	4	5.8	1.3	M3	0.13
8	12.1	9.5	4	5.8	1.3	M3	0.13
9	12.6	10	4	5.8	1.3	M3	0.13
10	13.6	11	4	5.8	1.3	M3	0.13
11	17.6	15	4	5.8	1.3	M3	0.13
12	10.1	7	4	6.8	1.55	M3	0.13
13	11.1	8	4	6.8	1.55	M3	0.13
14	12.1	9	4	6.8	1.55	M3	0.13
15	13.1	10	4	6.8	1.55	M3	0.13
16	15.1	12	4	6.8	1.55	M3	0.13
17	18.6	15.5	4	6.8	1.55	M3	0.13
18	19.1	16	4	6.8	1.55	M3	0.13
19	14	10.5	4	7.5	1.75	M3	0.13
20	11.1	7.5	4	7.8	1.8	M3	0.13
21	12.6	9	4	7.8	1.8	M3	0.13



Install tools for Screw #1, \$0.76/pc

Screw #2/For 5mm hole

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	17.6	14	5	7.8	1.8	M3.5	0.25
2	19.6	16	5	7.8	1.8	M3.5	0.25
3	20.6	17	5	7.8	1.8	M3.5	0.25
4	23.6	20	5	7.8	1.8	M3.5	0.25
6	15.6	12	5	7.8	1.8	M3.5	0.25
7	28.6	25	5	7.8	1.8	M3.5	0.30
8	33.6	30	5	7.8	1.8	M3.5	0.35
9	38.6	35	5	7.8	1.8	M3.5	0.40
10	43.6	40	5	7.8	1.8	M3.5	0.45



Install tools for Screw #2, \$0.76/pc

Screw #3/For 6mm hole

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	17.6	14	6	7.8	1.8	M3.5	0.25
2	19.6	16	6	7.8	1.8	M3.5	0.25
3	20.6	17	6	7.8	1.8	M3.5	0.25
4	23.6	20	6	7.8	1.8	M3.5	0.25
6	15.6	12	6	7.8	1.8	M3.5	0.25
7	28.6	25	6	7.8	1.8	M3.5	0.30
8	33.6	30	6	7.8	1.8	M3.5	0.35
9	38.6	35	6	7.8	1.8	M3.5	0.40
10	43.6	40	6	7.8	1.8	M3.5	0.45




Install tools for Screw #3, \$0.76/pc

Screw #4 /For 5mm hole

416 stainless steel+brass with "Automatic colt pistol mark"

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Price (\$)
1	18	14	5	10	2	M4	0.58
2	20	16	5	10	2	M4	0.58
3	21	17	5	10	2	M4	0.58
4	24	20	5	10	2	M4	0.58
5	13	9	5	10	0.5	M4	0.58
6	16	12	5	10	2	M4	0.58
7	29	25	5	10	0.5	M4	0.88
8	34	30	5	10	0.5	M4	0.95
9	39	35	5	10	0.5	M4	1.01
10	44	40	5	10	0.5	M4	1.08




Install tools for Screw #4, \$0.76/pc

Screw #5 /For 6mm hole

416 stainless steel+brass with "Automatic colt pistol mark"

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Price (\$)
1	18	14	6	10	2	M4	0.58
2	20	16	6	10	2	M4	0.58
3	21	17	6	10	2	M4	0.58
4	24	20	6	10	2	M4	0.58
5	13	9	6	10	2	M4	0.58
6	16	12	6	10	2	M4	0.58
7	29	25	6	10	2	M4	0.88
8	34	30	6	10	2	M4	0.95
9	39	35	6	10	2	M4	1.01
10	44	40	6	10	2	M4	1.08



Install tools for Screw #5, \$0.76/pc

Screw #6/For 5mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	17	14	5	9	1.5	M4	0.69
2	19	16	5	9	1.5	M4	0.69
3	20	17	5	9	1.5	M4	0.69
4	23	20	5	9	1.5	M4	0.69
5	12	9	5	9	1.5	M4	0.69
6	15	12	5	9	1.5	M4	0.76
7	28	25	5	9	1.5	M4	0.76
8	33	30	5	9	1.5	M4	0.76
9	38	35	5	9	1.5	M4	0.76
10	43	40	5	9	1.5	M4	0.76



Install tools for Screw #6, \$0.76/pc

Screw #7/For 6mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	17	14	6	9	1.5	M4	0.69
2	19	16	6	9	1.5	M4	0.69
3	20	17	6	9	1.5	M4	0.69
4	23	20	6	9	1.5	M4	0.69
5	12	9	6	9	1.5	M4	0.69
6	15	12	6	9	1.5	M4	0.76
7	28	25	6	9	1.5	M4	0.76
8	33	30	6	9	1.5	M4	0.76
9	38	35	6	9	1.5	M4	0.76
10	43	40	6	9	1.5	M4	0.76



Install tools for Screw #7, \$0.76/pc

Screw #8/For 5mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	19	14	5	8	2.5	M4	0.69
2	21	16	5	8	2.5	M4	0.69
3	22	17	5	8	2.5	M4	0.69
4	25	20	5	8	2.5	M4	0.69
5	14	9	5	8	2.5	M4	0.69
6	17	12	5	8	2.5	M4	0.76
7	30	25	5	8	2.5	M4	0.76
8	35	30	5	8	2.5	M4	0.76
9	40	35	5	8	2.5	M4	0.76
10	45	40	5	8	2.5	M4	0.76



Install tools for Screw #8, \$0.76/pc

Screw #9/For 6mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	19	14	6	8	2.5	M4	0.69
2	21	16	6	8	2.5	M4	0.69
3	22	17	6	8	2.5	M4	0.69
4	25	20	6	8	2.5	M4	0.69
5	14	9	6	8	2.5	M4	0.69
6	17	12	6	8	2.5	M4	0.76
7	30	25	6	8	2.5	M4	0.76
8	35	30	6	8	2.5	M4	0.76
9	40	35	6	8	2.5	M4	0.76
10	45	40	6	8	2.5	M4	0.76



Install tools for Screw #9, \$0.76/pc

Screw #10/For 5mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	19	14	5	10	1.3	M4	1.16
2	21	16	5	10	1.3	M4	1.16
3	22	17	5	10	1.3	M4	1.16
4	25	20	5	10	1.3	M4	1.16
5	14	9	5	10	1.3	M4	1.16
6	17	12	5	10	1.3	M4	1.16
7	30	25	5	10	1.3	M4	1.35
8	35	30	5	10	1.3	M4	1.35
9	40	35	5	10	1.3	M4	1.35
10	45	40	5	10	1.3	M4	1.35



Install tools for Screw #10, \$1.85/pc

Screw #11/For 6mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	19	14	6	10	1.3	M4	1.16
2	21	16	6	10	1.3	M4	1.16
3	22	17	6	10	1.3	M4	1.16
4	25	20	6	10	1.3	M4	1.16
5	14	9	6	10	1.3	M4	1.16
6	17	12	6	10	1.3	M4	1.16
7	30	25	6	10	1.3	M4	1.35
8	35	30	6	10	1.3	M4	1.35
9	40	35	6	10	1.3	M4	1.35
10	45	40	6	10	1.3	M4	1.35



Install tools for Screw #11, \$1.85/pc

Screw #12/For 5mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	19	14	5	12	2.5	M4	1.16
2	21	16	5	12	2.5	M4	1.16
3	22	17	5	12	2.5	M4	1.16
4	25	20	5	12	2.5	M4	1.16
5	14	9	5	12	2.5	M4	1.16
6	17	12	5	12	2.5	M4	1.16
7	30	25	5	12	2.5	M4	1.21
8	35	30	5	12	2.5	M4	1.21
9	40	35	5	12	2.5	M4	1.21
10	45	40	5	12	2.5	M4	1.21



Install tools for Screw #12, \$0.76/pc

Screw #13/For 6mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	19	14	6	12	2.5	M4	1.16
2	21	16	6	12	2.5	M4	1.16
3	22	17	6	12	2.5	M4	1.16
4	25	20	6	12	2.5	M4	1.16
5	14	9	6	12	2.5	M4	1.16
6	17	12	6	12	2.5	M4	1.16
7	30	25	6	12	2.5	M4	1.21
8	35	30	6	12	2.5	M4	1.21
9	40	35	6	12	2.5	M4	1.21
10	45	40	6	12	2.5	M4	1.21



Install tools for Screw #13, \$0.76/pc

Screw #14/For 5mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	18.8	14	5	7	2.4	M4	0.76
2	20.8	16	5	7	2.4	M4	0.76
3	21.8	17	5	7	2.4	M4	0.76
4	24.8	20	5	7	2.4	M4	0.76
5	13.8	9	5	7	2.4	M4	0.76
6	16.8	12	5	7	2.4	M4	0.76
7	29.8	25	5	7	2.4	M4	0.76
8	34.8	30	5	7	2.4	M4	0.76
9	39.8	35	5	7	2.4	M4	0.76
10	44.8	40	5	7	2.4	M4	0.76



Install tools for Screw #14, \$0.76/pc

Screw #15/For 6mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	18.8	14	6	7	2.4	M4	0.76
2	20.8	16	6	7	2.4	M4	0.76
3	21.8	17	6	7	2.4	M4	0.76
4	24.8	20	6	7	2.4	M4	0.76
5	13.8	9	6	7	2.4	M4	0.76
6	16.8	12	6	7	2.4	M4	0.76
7	29.8	25	6	7	2.4	M4	0.76
8	34.8	30	6	7	2.4	M4	0.76
9	39.8	35	6	7	2.4	M4	0.76
10	44.8	40	6	7	2.4	M4	0.76



Install tools for Screw #15, \$0.76/pc

Screw #16/For 5mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	17	14	5	7	0.5	M3.5	0.40
2	19	16	5	7	0.5	M3.5	0.40
3	20	17	5	7	0.5	M3.5	0.40
4	23	20	5	7	0.5	M3.5	0.40
5	12	9	5	7	0.5	M3.5	0.40
6	15	12	5	7	0.5	M3.5	0.40
7	28	25	5	7	0.5	M3.5	0.40
8	33	30	5	7	0.5	M3.5	0.40
9	38	35	5	7	0.5	M3.5	0.40
10	43	40	5	7	0.5	M3.5	0.40



Install tools for Screw #16, \$0.76/pc

Screw #17/For 6mm hole

416 stainless steel

MOQ:1pcs for each size



No.	Total length (mm)	Screw length (mm)	Screw diameter (mm)	Countersunk diameter (mm)	Countersunk thickness (mm)	Thread	Pirce (\$)
1	17	14	6	7	0.5	M3.5	0.40
2	19	16	6	7	0.5	M3.5	0.40
3	20	17	6	7	0.5	M3.5	0.40
4	23	20	6	7	0.5	M3.5	0.40
5	12	9	6	7	0.5	M3.5	0.40
6	15	12	6	7	0.5	M3.5	0.40
7	28	25	6	7	0.5	M3.5	0.40
8	33	30	6	7	0.5	M3.5	0.40
9	38	35	6	7	0.5	M3.5	0.40
10	43	40	6	7	0.5	M3.5	0.40



Install tools for Screw #17, \$0.76/pc

Bearing #1




Bearing frame material	Bearing frame Thickness(mm)	Outer diameter (mm)	Inner diameter (mm)	Ceramic ball diameter (mm)	Number of ceramic balls	Price (\$)
H61 brass	1	13.7	6.1	1.588	20	3.17

Bearing #2



Bearing frame material	Bearing frame Thickness(mm)	Outer diameter (mm)	Inner diameter (mm)	Ceramics ball diameter (mm)	Number of ceramic balls	Price (\$)
H61 brass	1	13.7	6.1	1.588	12	3.17

Bearing #3



For	Outer diameter (mm)	Inner diameter (mm)	Ceramics ball diameter (mm)	Number of ceramic balls	Price (\$)
LAND 812	12	5.1	1.588	12	3.17

Bearing #4



For	Outer diameter (mm)	Inner diameter (mm)	Ceramics ball diameter (mm)	Number of ceramic balls	Price (\$)
CKF	12.7	6.1	1.588	14	3.17

Bearing #5



For	Outer diameter (mm)	Inner diameter (mm)	Ceramics ball diameter (mm)	Number of ceramic balls	Price (\$)
C156	11	5.6	1.588	14	3.17

Bearing #5



Bearing frame material	Outer diameter (mm)	Inner diameter (mm)	Ceramics ball diameter (mm)	Number of ceramic balls	Price (\$)
H61 brass	9.7	5.3	1.588	9	1.08
H61 brass	6.9	4.1	1.0	9	1.08

Bearing #6



For	Bearing frame material	Outer diameter (mm)	Inner diameter (mm)	Stainless steel ball diameter (mm)	Number of steel balls	Price (\$)
ZT 0405/0808/0456/0900 /0804/0055/0460/ 0462/0920/0909/0392	H61 brass	9.7	5.3	1.588	9	1.11

Bearing #7



Frame	Outer diameter (mm)	Inner diameter (mm)	Stainless steel ball diameter (mm)	Number of steel balls	Price (\$)
H61 brass	10.5	6.4	1.588	9	1.11
H61 brass	9.6	5.2	1.588	9	1.11

Bearing #8



Frame	Outer diameter (mm)	Inner diameter (mm)	Ceramics ball diameter (mm)	Number of Ceramics balls	Price (\$)
Nylon fiberglass	13.5	6.1	1.588	16	0.95

Bearing #9



For	Outer diameter (mm)	Inner diameter (mm)	Ceramic ball diameter (mm)	Number of Ceramics balls	Price (\$)
9103/9102	11.8	6.1	1.588	10	1.53
901/902	9.7	5.1	1.588	10	1.53

Bearing #10



Frame	Outer diameter (mm)	Inner diameter (mm)	Ceramics ball diameter (mm)	Number of Ceramics balls	Price (\$)
Plastic	11.8	6.1	1.588	10	1.26
Plastic	9.6	5.2	1.588	10	1.26

Bearing #11



For	Outer diameter (mm)	Inner diameter (mm)	Stainless steel ball diameter (mm)	Price (\$)
ZT0562/0801/0560/0452/0095 Blue nylon Fiberglass bracket	12.6	5.1	2.381	1.11

Nitride Silicon Ceramic Bearing Ball



Example price:

1mm - \$0.035/pc 4mm - \$0.135/pc

There are many diameters to choose from. Please let us know your specific requirements so that we can quote.

Washer



Material:H62 brass

No.	Outer diameter (mm)	Inner diameter (mm)	Thick (mm)	Price (\$)	Remark
1	8	4	0.2	0.24	For folding knife
2	10	5	0.2	0.24	For folding knife
3	10	6	0.2	0.24	For folding knife
4	10	5.1	0.6	0.24	For folding knife
5	12	5.1	0.6	0.24	For folding knife
6	12	6.2	0.4	0.24	For folding knife
7	12.7	6.4	0.4	0.39	For Rich Hinderer XM18 and XM24,both 3 inch or 3.5 inch
8	11	4.5	0.5	0.39	For Spyderco C158
9	11	5.6	0.5	0.39	For Spyderco C186
10	8	4	0.2	0.39	For Spyderco C11,C10
11	11	5.1	0.3	0.39	For Spyderco C81,C223,C85
12	15.5	5.7	0.7	0.63	For 710,720,723,551
13	16	6.5	0.8	0.47	For Emerson CQC-7
14	11	5	0.8	0.41	For Benchmade 940 Osborne Knives
15	9	5	0.4	0.41	For Benchmade Bugout AXIS Lock Knife
16	14	6.2	0.3	0.41	For Recon1
17	14	6.5	0.6	0.41	For Adamas 273
18	11	5.1	0.5	0.41	For ColdSteel 26SP
19	14	6.2	0.3	0.41	For Voyager

Corby bolt

No.	Head Diameter	Head Length	Shank Diameter	Shank Length	Overall Length (min)	Overall Length (max)	Thread	Driver	Material	Price(\$)
3.1	0.25	0.3	0.187	0.35	1	1.2	US 6-40	Slot	Aluminum	0.47
3.2	0.25	0.3	0.187	0.35	1	1.2	US 6-40	Slot	Brass	0.46
3.3	0.25	0.3	0.187	0.35	1	1.2	US 6-40	Slot	stainless steel	0.43
3.4	0.25	0.3	0.187	0.35	1	1.2	US 6-40	Slot	copper	0.55
6.1	0.312	0.32	0.218	0.315	0.96	1.15	US 8-32	Slot	Aluminum	0.47
6.2	0.312	0.32	0.218	0.315	0.96	1.15	US 8-32	Slot	Brass	0.49
6.3	0.312	0.32	0.218	0.315	0.96	1.15	US 8-32	Slot	stainless steel	0.46
6.4	0.312	0.32	0.218	0.315	0.96	1.15	US 8-32	Slot	copper	0.61

1. MOQ:1,500pcs for each size + each material.
2. Price for aluminum is after oxidized.
3. The unit of the parameters in the above form is inch
4. Price is for 1 set of bolt, include 1 male + 1 female.
5. If the quantity you want is less than 1500pcs, please feel free to let us know. We will keep a record. When other customers needs corby bolts in the near future, we will gather your orders together for production and contact you at the first time.



Mosaic Pins



Length:39cm or customized

Diameter:2/3/4/5/6/8/9/10/12mm