



Shenyang Artisan Supplies Co.,Ltd

专业抛光打磨设备制造商

Professional polishing equipment manufacturer



目录

ONTENT



10年

生产厂家
Manufacturer

1000m²

车间面积
Workshop area

20+

员工人数
Number of employees

01

KF2100-304

304不锈钢多功能砂带机 304 stainless steel multi-function belt sander

03

KF2100/KF2100-SM

立卧两用多功能砂带机 Vertical and horizontal multi-functional belt sander

05

KF2100L

立式多功能砂带机 Vertical multi-functional belt sander

07

KF915LW/KF915LW-JD/KF1200LW

立卧两用多功能砂带机 Vertical and horizontal multi-functional belt sander

09

KF2100L-1


立式多功能抛光机 Vertical multi-functional polishing machine

11

KF915立式打磨机/KF915-100平磨机/KF915-3三工位打磨抛光机

KF915 vertical grinding machine /KF915-100 flat grinding machine /KF915-3 three-station grinding and polishing machine

KF2100-304 | 304不锈钢多功能砂带机
304 stainless steel multi-function belt sander



▶ 产品展示 Product display



▶ 细节展示 Detail presentation



▶ 技术参数 Technical parameter

产品型号 Product model	产品电源 Product power supply	电机转速 Motor speed	线速度 Linear velocity
KF2100-304	110V/220V/380V/415V	0-2850转	30米/秒
砂带尺寸 Belt size	机器尺寸 Machine size	电机功率 Motor power	净重/毛重 Net/gross weight
2100*50/72*2'	750*350*580MM	1.5KW/2.2KW	90KG/98KG

KF2100/KF2100-SM | 立卧两用多功能砂带机

Vertical and horizontal multi-functional belt sander



变频调速器
Frequency conversion governor

产品展示 Product display



KF2100-SM水磨款
KF2100-SM water grinding model



细节展示 Detail presentation



产品型号 Product model	KF2100	KF2100-SM
产品电源 Product power supply	110V/220V/380V/415V	110V/220V/380V/415V
电机转速 Motor speed	0-2850转	0-2850转
电机功率 Motor power	1.5KW/2.2KW	1.5KW/2.2KW
线速度 Linear velocity	30米/秒	30米/秒
砂带尺寸 Belt size	2100*50/72*2'	2100*50/72*2'
机器尺寸 Machine size	750*350*580MM	750*350*580MM
包装尺寸 Package size	64*45*45CM	64*45*45CM
净重/毛重 Net/gross weight	90KG/98KG	90KG/98KG



KF2100L | 立式多功能砂带机
Vertical multi-functional belt sander



► 设备适用范围
Scope of equipment application




金属打磨
Metal grinding



金属修整
Metal finishing




工厂使用
Factory use




DIY打磨
DIY grinding

► 产品展示 Product display



► 细节展示 Detail presentation



► 技术参数 Technical parameter

产品型号 Product model	产品电源 Product power supply	电机转速 Motor speed	线速度 Linear velocity
KF2100L	110V/220V/380V/415V	0-2850转	28米/秒
砂带尺寸 Belt size	机器尺寸 Machine size	电机功率 Motor power	净重/毛重 Net/gross weight
2100*50/72*2'	750*350*400MM	1.5KW/2.2KW/4KW	78KG/86KG



KF915LW/KF915LW-JD/KF1200LW

立卧两用多功能砂带机
Vertical and horizontal multi-functional belt sander




产品展示
Product display

产品展示 Product display




细节展示 Detail presentation



技术参数 Technical parameter

产品型号 Product model	KF915LW	KF915LW-JD	KF1200LW
产品电源 Product power supply	110V/220V	110V/220V	110V/220V
电机转速 Motor speed	200-4500转	200-4500转	200-4500转
电机功率 Motor power	0.75KW/1.1KW/1.5KW	0.75KW/1.1KW/1.5KW	1.1KW/1.5KW
线速度 Linear velocity	25米/秒	25米/秒	25米/秒
砂带尺寸 Belt size	915X50/36X2'	915X30/36X1 ³ / ₁₆ '	1220X50/48X2'
机器尺寸 Machine size	280X280X300mm	280X280X300mm	380X280X300mm
包装尺寸 Package size	350X350X400mm	350X350X400mm	450X350X400mm
净重/毛重 Net/gross weight	23KG/29KG	13KG/18KG	25KG/30KG



KF2100L-1

立式多功能抛光机

Vertical multi-functional polishing machine




变频调速器
Frequency conversion governor






零部件展示

Parts display




产品展示

Product display



细节展示

Detail presentation



技术参数

Technical parameter

产品型号 Product model	产品电源 Product power supply	电机转速 Motor speed	线速度 Linear velocity
KF2100L-1	110V/220V/380V/415V	0-2850转	28米/秒
砂带尺寸 Belt size	机器尺寸 Machine size	电机功率 Motor power	净重/毛重 Net/gross weight
2100*50/72*2'	750*350*400MM	1.5KW/2.2KW	78KG/86KG




KF915立式打磨机
KF915 vertical grinding machine

KF915-100平磨机
KF915-100 flat mill



KF915-3三工位打磨抛光机
KF915-3 three-station grinding and polishing machine



► **技术参数** Technical parameter

产品型号 Product model	KF915	KF915-3	KF915-100
产品电源 Product power supply	110V/220V/380V/415V	110V/220V/380V/415V	110V/220V/380V/415V
电机转速 Motor speed	0-2850转	0-2850转	0-2850转
电机功率 Motor power	1.5KW/2.2KW	1.5KW/2.2KW	1.5KW/2.2KW
线速度 Linear velocity	26米/秒	26米/秒	24米/秒
砂带尺寸 Belt size	915*50mm/36*2'	915*50mm/36*2'	915*100mm/36*4'
机器尺寸 Machine size	260X200X400mm	680X260X400mm	400X200X200mm
包装尺寸 Package size	400X400X400mm	400X500X500mm	450X350X400mm
净重/毛重 Net/gross weight	35KG/40KG	38KG/43KG	40KG/35KG

► **配件展示** Accessories display



专用全密封三防变频器
Special fully sealed three-proof inverter



皮带软磨头
Belt soft grinding head


多轮组磨头
Multi-wheel grinding head




平磨夹头
Flat grinding chuck



打磨橡胶轮
Grinding rubber wheel



底座
Base



车床抛光砂带机
Lathe polishing belt sander



车床抛光砂带机
Lathe polishing belt sander