

Artisan Materials



Made in China

PRICE LIST




Epoxy Fiberglass Sheet



Shenyang Artisan Supplies Co.,Ltd

Artisan is a Chinese factory established in 2021, specializing in FR4/G10 insulation board, colored G10 insulation board, FR5/G11 insulation board, anti-static FR4/G10 insulation board, Epoxy resin cloth insulation board, 3240 insulation board, copper clad laminate FR4/G10 CNC processing products. We can develop and produce a variety of high-standard and personalized products according to customer needs.

Our products are mainly used in high-end insulation parts processing, FPC (flexible printed circuit board) reinforcement sheets, battery covers, planetary gears, transformer insulation baffles, electronic insulation parts, insulation gaskets, insulation washers, motors, generators, transformers, high-voltage switches and other electrical equipment, precision test fixtures, ICT test fixtures, FCT fixtures, surf fins, hydrofoils and other water sports equipment, knife handle materials, slingshots, golf forks and other outdoor sports goods, as well as transformer oil and other humid environments. Carbon fiber products have been used in many fields such as aviation, automobile decoration, precision machinery parts, high-end sports equipment and surface decoration, aircraft models, car models, etc.



Artisan Materials

Chinese Factory Since 2021

Customer Support

Do you have a question concerning Artisan, but don't know who to contact? We're here to help, and you can contact us in the following ways:

- Talk to us, Call us at +8615250334831 to speak to a Customer Support representative from 8:00 a.m. to 5:00 p.m. China time.

- Email us at

tinainsulation@gmail.com

info@artisanmaterial.com

95112697@qq.com

Connect with Us!



Follow us
@artisan_supplies



Follow us
@ Artisan Materials



Follow us
@Insulationseals



Connect with us
@ insulationseals



Product Information

Products introduction and technical data

Price

Fiberglass product price for sheets and rods

Certificate and Guarantee

Our certificate and guarantee policy.

Make an order

How to make an order

Quantity and discount, delivery time

Contact Information

Main contact information

Product introduction

Epoxy Fiberglass Sheet Introduction

Epoxy Fiberglass Sheet is an extremely durable material constructed from layers of fiberglass soaked in resin, then oven baked after compression. Impervious to UV, moisture & liquid, flame resistant and physically stable under climate change.

Epoxy Fiberglass Sheet is used the world over in a variety of industrial applications as insulation material and as a high-end handle material due to its unrivalled toughness, low maintenance and excellent grip characteristics. Epoxy fiberglass sheet is also used as reinforcement parts in many sports equipment due to its flexibility.

Advantages

Epoxy Fiberglass Sheet is first quality with good structure, absolutely no foreign matter or defects of any kind, very closed thickness tolerance, flat and straight panel, smooth and clean surfaces.

- * Very bright color, especially suitable for fins application.
- * Absolutely no foreign matter or defects of any kind.
- * Very closed thickness tolerance, flat and straight panel suitable for CNC machining.
- * High flexural & impact strength.
- * Good structure with clear layer.
- * Customize color available.

Applications

High-end insulation parts processing, FPC (flexible printed circuit board) reinforcement sheets, battery covers, planetary gears, transformer insulation baffles, electronic insulation parts, insulation gaskets, insulation washers, motors, generators, transformers, high-voltage switches and other electrical equipment, precision test fixtures, ICT test fixtures, FCT fixtures, surf fins, hydrofoils and other water sports equipment, knife handle materials, slingshots, golf forks and other outdoor sports goods, as well as transformer oil and other humid environments. Carbon fiber products have been used in many fields such as aviation, automobile decoration, precision machinery parts, high-end sports equipment and surface decoration, aircraft models, car models, etc.

Specifications:

- 1) Usual Colors: Black, White, Red, Yellow, Blue, Orange, Olive Green, Gray, Brown and so on.
Multicolor is available, even 7 colors, like rainbow.
- 2) Thickness Range: 0.2mm to 200mm
- 3) Standard sheet Size: 1020*1220mm, CNC cutting to meet different size requirements.
- 4) According to CAD drawing, we can also process the finished handle to the customers.

Industry Standard

Standard	Code
IEC 893/ EN 60893 Grade	EPGC 201
ANS (NEMA) Grade NEMA Li-1	FR4
DIN 7735	Hgw2372
JIS Grade	EL-GEM
BS3953	EP-3

Technical data

Item	Unit	Result
Material	Epoxy resin + Glass fiber cloth	
Size	1020x1220mm	
Thickness	0.2 to 200 mm	
Temperature resistance	$\geq 150^{\circ}\text{C}$	
Color	green , yellow , black , orange , white,blue,red , 33+color	
Density	1.9 - 2.15g/cm ³	
Certification	SGS/UL/RoHS/ISO	
Vertical layer bending strength	MPA	≥ 340
Parallel layer tensile strength	MPA	≥ 300
Impact strength	KJ/ m2	≥ 60
Adhesive strength	N	≥ 8000
Insulation resistance	Ω	Normal: $\geq 1.0 \times 10^{12}$
		After water immersion: $\geq 5.0 \times 10^{10}$
Dielectric loss factor	1MHz, after water immersion 24 hour	0.04 to 0.05
Parallel layer withstand voltage	KV (In transformer oil $90^{\circ}\text{C} \pm 2^{\circ}\text{C} / 1 \text{ min}$)	≥ 35
Volume resistivity	$\Omega \cdot \text{M}$	$\geq 1.0 \times 10^{11}$
Vertical dielectric strength	MV/ m (In transformer oil $90^{\circ}\text{C} \pm 2^{\circ}\text{C}$)	≥ 16

Price

Specifications

Product name : Epoxy Fiberglass Sheet

Color: Black, White, Red, Yellow, Blue, Orange, Olive Green, Gray, Brown, etc. or multi color.

Thickness Range: 0.2mm to 200mm

Standard sheet Size: 1020*1220mm

Price list

The following prices shall take effect on September 21, 2026

No.	Name	Image	Thick (mm)	Size (mm)	Unit (pc)	Qty.	Wt. (KG)	Unit Price (Ex-W) in USD
1	Epoxy sheet		1	1020×1220	pc	1	2.6	34.58
2			2				5.2	59.92
3			3				7.8	89.88
4			4				10.4	119.84
5			5				13.0	149.80
6			6				15.6	179.76
7			7				18.2	209.72
8			8				20.8	239.68
9			9				23.4	269.64
10			10				26.0	299.60
11			11				28.6	329.56
12			12				31.2	359.52
13			13				33.8	389.48
14			14				36.4	419.44
15			15				39.0	449.40
16			16				41.6	479.36
17			17				44.2	509.32
18			18				46.8	539.28
19			19				49.4	569.24
20			20				52.0	599.20

Multi color price list

Usual colors available: Black, White, Red, Yellow, Blue, Orange, Olive Green, Gray, Brown, and many different color combinations, such as Black+Red, Black+Orange+White, Black+Olive Green+Brown+Gray, etc.




















Color ratio : 2:2 or 3:3 or as required.

Under the condition of the same thickness, the price of multicolor sheet is the same as that of solid color sheet.

CNC Cutting is available,USD 0.44/small piece f or thick less than 10mm.

Discount:We offer different discounts based on order quantity. Please contact sales staff for more information.

Color Swatch

 AR 001	 AR 002	 AR 003	 AR 004	 AR 005	 AR 006
 AR 007	 AR 008	 AR 009	 AR 010	 AR 011	 AR 11SF
 AR 11SM	 AR 11SS	 AR 11ST	 AR 015	 AR 016	 AR 017
 AR 018	 AR 019	 AR 022	 AR 023	 AR 030	 AR 031
 AR 032	 AR 033	 AR 034	 AR 035	 AR 036	 AR 037
 AR 039	 AR 040	 AR 041	 AR 042	 AR 044	 AR 050
 AR 051	 AR 052	 AR 053	 AR 054	 AR 056	 AR 057
 AR 058	 AR 060	 AR 070	 AR 080	 AR 088	 AR 090
 AR A	 AR A8	 AR B	 AR C	 AR D	 AR E
 AR H	 AR H20	 AR T8	 AR W	 AR C Red	 AR D Red
 AR Ivory					

Damascus Pattern

Color Pattern	Standard Size	Moq	Price	Cutting
Damascus -black+red	665×520×35mm	1 pc in standard size	\$706/pc	Available
Damascus -black+orange	665×520×45mm	1 pc in standard size	\$886/pc	Available
Damascus -black+blue				
Damascus -black+white	665×520×55mm	1 pc in standard size	\$1066/pc	Available
Damascus -multicolor				

Remark: Width 35mm,45mm,55mm is fixed, length and thick can be customized
Cutting is available, can be cut to 43 pcs of 665×45×8mm, can be cut to 215 pcs of 130×45×8mm



Damascus -multicolor



Damascus -black+white



Damascus -black+red



Damascus Wave Pattern

Color Pattern	Standard Size	Moq	Price	Cutting
Damascus wave -black+red	665×520×35mm	1 pc in standard size	\$706/pc	Available
Damascus wave -black+orange	665×520×45mm	1 pc in standard size	\$886/pc	Available
Damascus wave -black+blue	665×520×55mm	1 pc in standard size	\$1066/pc	Available
Damascus wave -black+white				
Damascus wave -black+green				
Damascus wave -multicolor				

Remark: Width 35mm,45mm,55mm is fixed, length and thick can be customized
Cutting is available, can be cut to 43 pcs of 665×45×8mm, can be cut to 215 pcs of 130×45×8mm



Carbon+ Color Fiberglass Composite(one layer carbon + one layer color fiberglass)

Name	Standard Size	Thick	Price	Moq	Cutting
Black carbon+ orange fiberglass	600×1000mm	2mm to 200mm	\$110/mm	1 pc in standard size	Available
Black carbon+ red fiberglass	600×1000mm	2mm to 200mm	\$110/mm	1 pc in standard size	Available
Black carbon+ white fiberglass	600×1000mm	2mm to 200mm	\$110/mm	1 pc in standard size	Available
Black carbon+ blue fiberglass	600×1000mm	2mm to 200mm	\$110/mm	1 pc in standard size	Available
Black carbon+ olive fiberglass	600×1000mm	2mm to 200mm	\$110/mm	1 pc in standard size	Available




Composite-black carbon+ olive
g10



Composite-black carbon+ red g10



Composite-black carbon+ blue
g10



Composite-black carbon+ white
g10



Composite-black carbon+ orange
g10

Multicolor Fiberglass Sheet Display



Product Introduction


Price

Make an order

Certificate & Guarantee

Contact Information

Shipping Pictures



Guarantee


Quality: We guarantee that the color of the delivered product is the same as the color swatch, and the thickness and dimension tolerance of the delivered products are the same as that agreed in the contract. If there is any discrepancy, we accept returns and we will bear all the loss of return goods, and we are willing to bear the loss of the seller arising therefrom. The color inspection standard is the color swatch, and the thickness and dimension inspection tool is the vernier caliper. The results obtained by other inspection methods are not acceptable.

Delivery time: We guarantee to deliver goods to customers in strict accordance with the contract. We will pay 1% of the total amount to customers as compensation for each day of delay, except delay caused by force majeure such as political, natural disasters and so on.

Documents: We guarantee that the delivered documents will not cause customs clearance trouble to the buyer. If additional customs clearance fees or port fees are incurred, we are willing to bear them. Of course, if the buyer fails to provide information in time or provides wrong information, or if the documents made in full accordance with the buyer's requirement, we are not responsible for the loss.

Packaging: We guarantee that the packaging method is industry standard packaging. If the loss caused due to improper packaging, we will be responsible for the loss. We will take photos before delivery, we are not responsible for any loss caused by packing problem in transit.

Product display



Make an order

Discount		
Quantity	Price discount	Delivery time
Less than 1000kgs	no discount	Within 7 working Days After Confirmed
1000 to 2000 kgs	1%	7-10 working Days After Confirmed
2000 to 3000 kgs	1.5%	7-10 working Days After Confirmed
More than 3000 kgs	2%	10-15 working Days After Confirmed

Sample

Sample is free and will be sent on request within 3 working days.

Sample size : 120×40×8mm or depends on the specific situation.

Freight: USD 15 will be charged in advance and will be returned in your first order.

Paypal account: 95112697@qq.com for receiving sample freight. Please inform after payment.

Contact email: tinainsulation@gmail.com Cellphone: 008615250334831 (wechat/whatsapp)

Please send email to tinainsulation@gmail.com or fill in the followed form to make an order

Color code	Size	Thick	Quantity	Speical requirement

For Payment

Paypay, West union, bank card, credit card, T/T bank transfer are all available.

Make an order

Discount		
Quantity	Price discount	Delivery time
Less than 1000kgs	no discount	Within 7 working Days After Confirmed
1000 to 2000 kgs	1%	7-10 working Days After Confirmed
2000 to 3000 kgs	1.5%	7-10 working Days After Confirmed
More than 3000 kgs	2%	10-15 working Days After Confirmed

Sample

Sample is free and will be sent on request within 3 working days.

Sample size : 120×40×8mm or depends on the specific situation.

Freight: USD 15 will be charged in advance and will be returned in your first order.

Paypal account: 95112697@qq.com for receiving sample freight. Please inform after payment.

Contact email: tinainsulation@gmail.com Cellphone: 008615250334831 (wechat/whatsapp)

Please send email to tinainsulation@gmail.com or fill in the followed form to make an order

Color code	Size	Thick	Quantity	Speical requirement

For Payment

Paypay, West union, bank card, credit card, T/T bank transfer are all available.

Artisan Supplies I China

Contact Information:

Tel: +8615250334831(wechat/whatsapp)

Email: tinainsulation@gmail.com

info@artisanmaterial.com

95112697@qq.com



WhatsApp QR Code