INTERPIPE

EXPERT PIPE SOLUTIONS FOR INDUSTRIAL APPLICATION

SEAMLESS PIPES, WELDED PIPES AND HOLLOW SECTIONS



CONTENT

Seamless pipes

ASTM A106/A53 5
ASTM A333 8
EN 10255 10
EN 10210 / EN 10297 /DIN 1629 12
EN 10216-1 / EN 10216-2 / EN 10216-3 14
GOST 8731-74/ 8732-78 16

Welded pipes

ASTM A53/A53 M 20
EN 10255 21
EN 10217-1 22
EN 10217-2, EN 10217-3 22
EN 10219 23
EN 10224 23
GOST 10705-80 24
GOST 20295-85 24

Welded square and rectangular pipes (hollow sections)

EN 10219 26

Polyethylene coated pipes

DIN 30670 28
ISO 21809-1:2011 29
EN 10288 30

INTERPIPE AT A GLANCE
Interpipe has a vertically – integrated business structure

Interpipe is a global steel pipe producer — one of the top ten largest manufacturers of seamless pipes in the world. In 2013 the company sold over 1 million tons of steel pipes.

The company's products are supplied to 80 countries all over the world through a chain of commercial offices located in Ukraine, Russia, Kazakhstan, Europe, the USA and the Middle East.

Interpipe structure includes production facilities located in Dnepropetrovsk region, one of the major industrial centers of Ukraine. The company continues to invest heavily in the development and modernization of its mills.

Interpipe has a vertically integrated business structure which includes 5 high efficient mills. Such structure allows controlling product quality at every stage: from manufacturing of raw materials to delivery of final products to customers.

Interpipe Vtormet
Dnepropetrovsk, Ukraine





SCRAP PROCESSING

Interpipe Steel
Dnepropetrovsk, Ukraine





STEEL PRODUCTION

Interpipe NTRP
Dnepropetrovsk, Ukraine




Interpipe Niko Tube
Nikopol, Ukraine



Interpipe NMPP
Novomoskovsk, Ukraine





SEAMLESS STEEL PIPES AND RAILWAY WHEEL PRODUCTION

Selling to customers globally – key markets



North American Interpipe



Interpipe Middle East



Interpipe Kazakhstan



Interpipe Europe SA



Interpipe M



Interpipe Ukraine



QUALITY-FOCUSED OPERATIONS

Interpipe considers quality control as a key part of the activities to manufacture products, exceeding customer needs. Quality control is implemented at all stages of production process - starting from continuous casting at the in-house mini mill and up to nondestructive testing of pipe body and pipe ends and shipping to customers.

Our commitment to quality is confirmed by:

- Pipe products certification in compliance with major international standards API 5CT, API 5L, EN (DIN), ASTM, JIS, GOST and customer specifications
- Quality management system as per ISO 9001 and API Q1
- Implementation of a continuous improvement system at the Company mills
- Effectively operating customer reclamation system



ONGOING INVESTMENTS PROGRAM

In our business, investments play a crucial role in making decisions on the Company's future. Interpipe regularly invests in development of its production capacities, improvement of the output quality, and expansion of its product range. Currently we are carrying out a major investment program that will reinforce the Company's vertical integration, boost our capacity in production of high quality products, and enhance our operating efficiency in pipe and wheel production.

SEAMLESS PIPES

ASTM A 106/A106M
ANSI/ASME B36.10M
ASTM A 53/A 53 M

Application: for producing structures, as well as for steam, water, gas and air pipelines, and also in general machine-building and tool-making.
Steel grade — A, B
Pipe dimensions and weight

Nominal size	Outside diameter		Wall thickness		Weight per length unit		Weight class	Schedule
	in	mm	in	mm	lb/ft	kg/m		
1	1.315	33,4	0.133	3.38	1.68	2.50	STD	40
1 ¼	1.660	42.2	0.140	3.56	2.27	3.39	STD	40
1 ½	1.900	48.3	0.125	3.18	2.37	3.54		30
			0.145	3.68	2.72	4.05	STD	40
2	2.375	60.3	0.141	3.58	3.36	5.01		
			0.156	3.91	3.66	5.44	STD	40
			0.172	4.37	4.05	6.03		
			0.188	4.78	4.39	6.54		
			0.218	5.54	5.03	7.48	XS	80
2 ½	2.875	73.0	0.141	3.58	4.12	6.13		
			0.156	3.96	4.53	6.74		
			0.172	4.37	4.97	7.40		
			0.188	4.78	5.40	8.04		30
			0.203	5.16	5.80	8.63	STD	40
			0.216	5.49	6.13	9.14		
			0.250	6.35	7.01	10.44		
			0.276	7.01	7.67	11.41	XS	80
3	3.500	88.9	0.141	3.58	5.06	7.53		
			0.156	3.96	5.58	8.29		
			0.172	4.37	6.11	9.11		
			0.188	4.78	6.66	9.92		30
			0.216	5.49	7.58	11.29	STD	40
			0.250	6.35	8.69	12.93		
			0.281	7.14	9.67	14.40		
			0.300	7.62	10.26	15.27	XS	80
			0.438	11.13	14.32	21.35		160
3 ½	4.000	101.6	0.156	3.96	6.41	9.53		
			0.172	4.37	7.03	10.48		
			0.188	4.78	7.66	11.41		30
			0.226	5.74	9.12	13.57	STD	
			0.250	6.35	10.02	14.92		
			0.281	7.14	11.17	16.63		
			0.318	8.08	12.52	18.63	XS	80
4	4.500	114.3	0.172	4.37	7.95	11.85		
			0.188	4.78	8.67	12.91		30
			0.203	5.16	9.32	13.89		
			0.219	5.56	10.02	14.91		
			0.237	6.02	10.80	16.07	STD	40
			0.250	6.35	11.36	16.90		
			0.281	7.14	12.67	18.87		
			0.337	8.56	14.98	22.32	XS	80
			0.438	11.13	19.00	28.32		120
			0.531	13.49	22.51	33.54		160

Pipe dimensions and weight

Nominal size	Outside diameter		Wall thickness		Weight per length unit		Weight class	Schedule
	in	mm	in	mm	lb/ft	kg/m		
5	5.563	141.3	0.258	6.55	14.62	21.77	STD	40
			0.375	9.53	20.78	30.97	XS	80
			0.500	12.70	27.04	40.28		120
			0.625	15.88	32.96	49.11		160
6	6.625	168.3	0.250	6.35	17.04	25.36		
			0.280	7.11	18.97	28.26	STD	40
			0.312	7.92	21.04	31.32		
			0.344	8.74	23.08	34.39		
			0.375	9.53	25.03	37.28		
			0.432	10.97	28.57	42.56	XS	80
			0.500	12.70	32.74	48.73		
			0.562	14.27	36.39	54.20		120
			0.625	15.88	40.09	59.69		
			0.719	18.26	45.35	67.56		160
8	8.625	219.1	0.250	6.35	22.38	33.32		20
			0.277	7.04	24.70	36.81		30
			0.312	7.92	27.70	41.24		
			0.322	8.18	28.55	42.55	STD	40
			0.344	8.74	30.42	45.34		
			0.375	9.53	33.04	49.25		
			0.406	10.31	35.64	53.08		60
			0.438	11.13	38.30	57.08		
			0.500	12.70	43.39	64.64	XS	80
			0.562	14.27	48.44	72.08		
			0.594	15.09	50.95	75.92		100
			0.625	15.88	53.45	79.59		
			0.719	18.26	60.71	90.44		120
			0.750	19.05	63.14	93.98		
			0.812	20.62	67.76	100.92		140
			0.875	22.23	72.42	107.92	XXS	
			0.906	23.01	74.69	111.27		160
10	10.750	273.0	0.307	7.8	34.24	51.03		30
			0.344	8.74	38.23	56.98		
			0.365	9.27	40.52	60.29	STD	40
			0.438	11.13	48.28	71.88		
			0.500	12.70	54.74	81.55	XS	60
			0.562	14.27	61.21	91.05		
			0.594	15.09	64.43	96.01		80
			0.625	15.88	67.65	100.69		
			0.719	18.26	77.03	114.70		100
			0.812	20.62	86.26	128.34		
			0.844	21.44	89.29	133.09		120
			0.875	22.23	92.28	137.52		
			0.938	23.83	98.30	146.48		
			1.000	25.40	104.13	155.15	XXS	140
			1.125	28.58	115.64	172.33		