CRISIS PLAYBOOK · NO. 06

WEEK OF 14 DECEMBER 2026

- T+00:00 Incident declared
- T+00:02 Alert sent · push, SMS, voice
- T+01:30 Escalated · no response
- T+04:10 Team acknowledged



HEALTHCARE

Major incident, minute one.

Ransomware on the pathology system, a chiller failure in a heatwave, a surge in winter. How to declare, call staff in, switch to paper and keep patients safe when the systems go down.

T+00:00 · T+00:05 · T+00:15 · T+01:00 · T+04:00

INSIDE

Contents

A practical playbook for NHS trusts and independent healthcare providers: how to declare, mobilise staff, run downtime procedures and keep patients safe in the first hour of a business continuity, critical or major incident, including a cyber attack on clinical systems.

Foreword 03

Introduction 04

01 Declare and decide 06

02 Mobilise 12

03 Keep patients safe 18

04 Rehearse and review 25

Readiness assessment and buyer's guide 35

Sources 37

FOREWORD

In healthcare, an IT incident becomes a patient safety incident within the hour.

On 3 June 2024 a ransomware attack on Synnovis, the pathology provider for major hospitals in south east London, stopped normal blood testing. Guy's and St Thomas' and King's College Hospital declared a critical incident the next morning.[1] NHS England later reported that 10,152 acute outpatient appointments and 1,710 elective procedures had been postponed at the two trusts.[2] Because blood could not be matched in the usual way, NHS Blood and Transplant asked O type donors to book urgently.[3]

In June 2025 King's College Hospital confirmed that a long wait for a blood test result, caused by the attack, was one of the factors that contributed to a patient's death.[4] In April 2026, almost two years on, one mental health trust in the area was still working in business continuity for pathology.[5] And in the summer of 2026 trusts declared critical incidents when chillers failed in a heatwave and when IT systems went down.[6,7]

This playbook is for the people who carry the bleep when that happens: accountable emergency officers, EPRR and business continuity leads, on-call managers and directors, digital, nursing and communications teams, in NHS trusts and in independent providers that deliver NHS-funded care. It covers the first hour, the downtime that follows and the plan to be ready before the next one. The companion intelligence report sets out the evidence in full.

The Crises Control team
Crises Control

INTRODUCTION

Three things decide how the first hour goes.

Every trust has an incident response plan and a business continuity plan. The ones that cope best on the day have rehearsed three simple things until they are habits.

Declare early, in the right words

Use the NHS England definitions for business continuity, critical and major incidents, and the standard message formats, so partners know exactly what you mean.[8]

Know who is coming in

Reach on-call staff, ward leaders and off-duty teams in minutes, and know who has acknowledged, who is on the way and who has not answered.

Make downtime safe

Paper requests, manual result reporting, safe blood and clear handovers, practised before the systems fail, so patient care does not depend on the network.

The network can go down. Patient care cannot.

A cyber attack, a power cut or a failed cooling plant all end in the same place: clinicians working without the systems they rely on, and patients who need to be told what is happening.

PART 01

Declare and decide.

Agree the words, the thresholds and who can say them, before the day you need them.

01 Three declarations, exact words

02 Why declaring early matters

03 A severity ladder and escalation workflow

04 Who does what: a responsibilities matrix

DEFINITIONS

Three declarations, in NHS England's words

From the NHS EPRR Framework, version 3, July 2022. Use them exactly, and always say who declared it.[8]

DECLARATION	DEFINITION	WHAT IT MEANS IN PRACTICE
Business continuity incident	"an event or occurrence that disrupts, or might disrupt, an organisation's normal service delivery, to below acceptable pre-defined levels. This would require special arrangements to be put in place until services can return to an acceptable level."	Your business continuity plan is running. Examples in the framework include a surge in demand, a utilities breakdown and significant equipment failure.
Critical incident	"any localised incident where the level of disruption results in an organisation temporarily or permanently losing its ability to deliver critical services; or where patients and staff may be at risk of harm."	Principally an internal escalation. You need support from partners across the system to restore normal operating functions.
Major incident	Defined by the Cabinet Office and JESIP as "an event or situation with a range of serious consequences that require special arrangements to be implemented by one or more emergency responder agency."	Usually multi-agency. There are no universal triggers; the decision is made in a local, operational context.
Format	"Critical Incident declared by (organisation)". For major incidents: standby, declared, cancelled or stand down.	Tell your ICB, which reports to NHS England through regional on-call.[8]

DECLARE AND DECIDE

Why the first decision is the hardest, and the most important

> **Declaring is how you get the right people moving. Waiting for certainty puts you two hours behind the wards.**

Nobody wants to declare too soon. A critical incident is a public signal, it pulls in partners and it can feel like an admission. So the first hour often goes on fixing the problem quietly, while wards improvise and the on-call director hears about it second hand.

The NHS framework is clear that a critical incident is principally an internal escalation response to increased system pressures or disruption to services that will affect the ability to deliver safe patient care.[8] It exists to bring in help. When East Kent Hospitals declared one over IT problems in July 2026, it said the declaration let it keep patients safe by drawing on support from colleagues across the health system.[7]

Declaring is also how you get the right people moving. An on-call manager who declares a business continuity incident at 08:15 can start the downtime procedures, call in the pathology and digital leads and warn the emergency department. One who waits for certainty at 10:00 is two hours behind the wards.

So set the triggers in advance. Loss of a clinical system that supports results, prescribing or patient flow for more than a set time. Any suspected cyber attack on a clinical system. Loss of power, water, cooling or medical gases to a clinical area. A surge that takes the organisation to its highest operational pressure level under the OPEL framework.[9] Write them down, give named roles the authority to declare and tell them they will never be criticised for declaring early and standing down.

Use the agreed words. NHS England asks for the format “Critical Incident declared by (organisation)”, and the four standard major incident messages: standby, declared, cancelled and stand down.[8] Share facts with partners in METHANE or SBAR form, which the framework sets out, including an example for a cyber incident.[8]

Then tell your own staff, in the same words, at the same time. A declaration that reaches the ICB before it reaches the wards has gone the wrong way round.

SEVERITY

A healthcare severity ladder for the first hour

An internal scale for alerting and staffing. It sits alongside the formal EPRR declarations, not instead of them. If in doubt, grade up and step down later.

SEV 1

Major or critical, trust wide

TRIGGERS

Loss of pathology, EPR or prescribing across sites; suspected ransomware; mass casualty major incident declared by your trust or the ambulance service; loss of power or water to clinical areas.

WHO IS ALERTED, HOW

Executive on call, AEO, incident team, all clinical leads, digital, comms; ICB on call informed at once.

`Push, SMS and voice · ack in 5 min`

SEV 2

Critical in one service or site

TRIGGERS

One site's emergency department, theatres or diagnostics unable to work safely; critical system down beyond the agreed time; OPEL 4 with patient safety risk.

WHO IS ALERTED, HOW

Director and manager on call, service and site leads, digital, comms.

`Push and SMS · ack in 10 min`

SEV 3

Business continuity incident

TRIGGERS

Planned downtime overrunning; single system or equipment failure with a working fallback; staffing gap in one area; supplier outage.

WHO IS ALERTED, HOW

Manager on call, service leads, EPRR lead.

`Push and email · ack in 30 min`

SEV 4

Watch and prepare

TRIGGERS

Supplier warning, heat or cold alert, cyber advisory affecting your systems, rising pressure.

WHO IS ALERTED, HOW

EPRR lead, digital, site team.

`Email and app · no ack needed`

ESCALATION

How an incident climbs, and who decides at each step

From the first report on a ward to a system-wide response. Times are illustrative: set your own and write them into the plan. Never wait at a level because the next one feels too big.

	TRIGGER	WHO IS ALERTED	WHO DECIDES
LEVEL 1 **Department response**	A system is slow or failing in one service, with a working fallback. Patient care is not yet affected.	Department lead, digital service desk, site manager.	Department or site manager. Logs the fault as a possible incident, not a ticket.

↓ ESCALATE IF NO FIX IN 30 MINUTES, CARE IS AFFECTED OR A CYBER CAUSE IS POSSIBLE

	TRIGGER	WHO IS ALERTED	WHO DECIDES
LEVEL 2 **Business continuity incident**	A clinical system is down beyond the agreed time, or special arrangements are needed. SEV 3 on the ladder.	Manager on call, service leads, digital, EPRR lead. Call-in by role, with acknowledgement.	Manager on call declares and starts downtime procedures.

↓ ESCALATE IF CRITICAL SERVICES ARE LOST, PEOPLE ARE AT RISK OR RANSOMWARE IS SUSPECTED

	TRIGGER	WHO IS ALERTED	WHO DECIDES
LEVEL 3 **Critical incident**	Loss of critical services or risk of harm; suspected cyber attack on a clinical system. SEV 2 or SEV 1.	Executive on call, accountable emergency officer, incident team, clinical leads, comms; ICB on call told at once.	Executive on call declares, in the standard words, and sets the meeting rhythm.

↓ ESCALATE IF OTHER ORGANISATIONS ARE AFFECTED OR HELP IS NEEDED BEYOND THE TRUST

	TRIGGER	WHO IS ALERTED	WHO DECIDES
LEVEL 4 **System response**	Several providers affected, mutual aid needed, ambulance redirection, or a major incident declared.	ICB on call, who reports to NHS England through regional on-call; ambulance service; suppliers.	Your executive still decides for your trust. The ICB coordinates the system and mutual aid.

Notify the ICB when you declare; it reports to NHS England through regional on-call.[8] Step down as deliberately as you stepped up, with a message at each level.

RESPONSIBILITIES

Who does what in a critical incident

One accountable owner for every decision. Adapt the roles to your own on-call structure; clinical leads include pathology, transfusion, ED, theatres and nursing.

ACTIVITY	EXECUTIVE ON CALL	INCIDENT LEAD (MANAGER ON CALL)	CLINICAL LEADS	DIGITAL AND IT	COMMS	ICB AND PARTNERS
Grade the incident and call staff in	I	A	C	C	I	·
Declare a critical incident	A	R	C	C	I	I
Start downtime procedures in each department	I	A	R	C	·	·
Isolate systems and report a suspected cyber attack	I	C	I	A	·	I
Prioritise care: what is cancelled, diverted or protected	A	R	R	I	I	C
Authorise O type blood use under downtime	I	I	A	·	·	C
Request mutual aid and ambulance redirection	A	R	C	·	·	R
Messages to staff, patients and the public	A	C	C	I	R	I
Decide when systems are safe to restore	A	C	C	R	I	I
Back-enter and check results recorded on paper	I	A	R	R	·	·
Stand down and hold the hot debrief	A	R	C	C	C	I

R Responsible: does the work · A Accountable: owns the decision · C Consulted · I Informed

> Illustrative. Check that every row has exactly one A, that the A can be reached at 03:00, and that a named deputy is on the call-in list for each role.

PART 02

Mobilise.

Reach the right people, know who is coming, and say the same thing to everyone.

01 The first hour, minute by minute

02 Who does what across teams, and where it breaks

03 Call-in and messages ready to send

04 Three scenarios

THE FIRST HOUR

Monday, 08:10: the lab goes dark

An illustrative acute trust. Treat it as a cyber attack until proved otherwise.

CLOCK	ACTION	OWNER
T+00:00	**Laboratory staff report the system is down** Lab manager calls the site manager and digital service desk. No results are going out.	LAB MANAGER
T+00:05	**On-call manager grades it SEV 1** Business continuity incident declared. Executive on call and AEO alerted. Digital isolates systems.	MANAGER ON CALL
T+00:10	**Call-in alert sent** Incident team, pathology, transfusion, ED, theatres, critical care, comms. Reply with arrival time; silence escalates to a deputy at 10 minutes.	SITE MANAGER
T+00:15	**Downtime procedures start** Paper requests and phoned urgent results; transfusion to its downtime plan. Clinical leads review today's planned care.	PATHOLOGY LEAD
T+00:20	**Cyber reporting route** Digital lead calls the NHS England cyber security operations centre, which is monitored 24/7.[10] NIS operators prepare a DSPT report within 72 hours.[11]	CHIEF DIGITAL OFFICER
T+00:30	**Critical incident declared** “Critical Incident declared by (trust)”. ICB on call told; testing mutual aid requested.	EXECUTIVE ON CALL
T+01:00	**Messages out, first meeting held** Holding lines to staff, today's patients and ED. Facts in METHANE form; decisions logged; open actions reviewed at each meeting.	INCIDENT DIRECTOR

ACROSS THE TEAMS

The same hour, team by team: where it goes wrong

Clinical teams, incident control, digital, partners and comms in the pathology outage. Red cards are the points where responses commonly break down; diamonds are decisions and their owners.

	T+0	T+10 min	T+30 min	T+1 hour	T+4 hours	Day 2 on
Clinical teams	Lab reports results not flowing	! Wards keep sending electronic requests	Paper requests; urgent results phoned	◆ Clinical leads triage today's planned care	Results logged on paper for back-entry	! Same staff on paper for days, no rota change
Site management and incident control	◆ Manager on call grades SEV 1	Call-in sent; acknowledgements tracked by role	◆ Executive on call declares critical incident	One log; actions owned and timed	Fixed meeting and sitrep times	Recovery cell and second shift planned
Digital and IT	! Service desk logs a fault, not an incident	Systems isolated; cyber reporting started	Out-of-band channel confirmed for staff		◆ Restore only when declared safe	Back-entry checked against paper logs
Partners: ICB, ambulance, supplier	! Supplier's incident call leaves out the trust		ICB on call told; mutual aid asked	Ambulance service warned of possible diverts	Mutual aid turnaround tracked by batch	
Comms		! Staff hear first on personal WhatsApp	Holding line to staff and switchboard	Patients booked today sent SMS	Updates at fixed times until stand down	

Action · Decision · Where it goes wrong · Monitored

Illustrative. Most failures sit at hand-offs between teams, not inside them. After WannaCry, staff shared information by personal phones and WhatsApp when email was lost.[12] Give every lane the same incident, the same log and the same update times.

CALL-IN

Five rules for calling staff in

Most trusts have a cascade. Few know, in real time, who has answered.

01 Alert by role, not by name

Lists are built around roles and rotas: the on-call transfusion scientist, the theatre coordinator, the matron on duty. People change; roles do not.

02 Ask for an answer, not a read receipt

Every call-in asks a question: available now, available later, not available. Silence after the set time escalates to a deputy automatically.

03 Use more than one channel

Push, SMS and voice. If the incident is a cyber attack, assume trust email and Teams may be down or untrusted.

04 Protect people off duty

Ask for what you need and no more. Track hours so the people who come in at 08:30 are not still there at midnight. Plan the second shift in the first hour.

05 Stand down in the same way

Release staff with a message as clear as the one that called them in, and tell them when the hot debrief will be.

REMEMBER

If you cannot see who has acknowledged within ten minutes, you do not yet know whether you have a response team.

MESSAGES

Six messages ready to send

Short, specific and honest. Fill the brackets, do not speculate on cause, and always give the time of the next update.

SMS · ON-CALL STAFF 134 chars

> [Trust] critical incident: lab systems down. Incident team to [room] now. Reply 1 coming, 2 later, 3 not available. Next update 09:00.

Send by role. Escalate no reply after 10 minutes.

PUSH · ALL CLINICAL STAFF

> Pathology systems unavailable. Use paper request forms and phone urgent results via [extension]. Transfusion is on downtime procedures. Do not use [system] until told. Update at 09:30.

Pin it in the app; repeat at each handover.

SMS · PATIENTS BOOKED TODAY 133 chars

> [Trust]: we have an IT problem affecting blood tests. Please attend as planned unless we contact you. Info: [web page]. Do not reply.

Approved by clinical leads first.

WEB AND PHONE · PUBLIC HOLDING LINE

> We have declared a critical incident because of an IT problem affecting pathology. Emergency care is open. Please use NHS 111, your GP or a pharmacy for non-urgent needs. We will update this page at [time].

Same words on the switchboard message.

EMAIL · ICB AND PARTNERS

> Critical Incident declared by [trust] at [time]. METHANE summary attached. Requests: urgent testing mutual aid, ambulance awareness. Next sitrep [time].

From the incident log, not from memory.

SMS · COMMUNITY AND LONE STAFF 118 chars

> [Trust]: IT incident. Visits go ahead. Use paper notes, call [number] for results. Check in at 12:00 and on finishing.

Ask for a reply to confirm they are safe.

IN PRACTICE

Three providers, three first hours

ACUTE TRUST, THREE SITES

Ransomware at a pathology partner

WHERE IT FAILS

The lab is run by a partner; nobody at the trust was on its incident call list, so wards heard first.

WHAT HAPPENS

A joint call-in list and shared incident log with the partner; downtime forms printed on every ward.

WHO DECIDES

The executive on call declares; the transfusion lead authorises O type use, agreed with the blood bank.

HOW IT IS MONITORED

Time from first report to first paper result, measured in a joint exercise and again on the day.

COMMUNITY TRUST, 1,200 FIELD STAFF

EPR outage during a cold snap

WHERE IT FAILS

Visit lists live only in the electronic record; staff were already on the road.

WHAT HAPPENS

Offline visit lists, a lone worker check-in rule and SMS updates that need no app login.

WHO DECIDES

The community manager on call decides which visits go ahead and which are deferred.

HOW IT IS MONITORED

Check-ins tracked through the shift; a missed one escalates. About one in seven NHS staff reported physical violence from patients or the public in the 2025 staff survey.[13]

INDEPENDENT PROVIDER, NHS CONTRACT

Cooling failure in a heatwave

WHERE IT FAILS

Theatres and the server room relied on the same chiller plant, and nobody linked the two.

WHAT HAPPENS

Lists moved to a partner site; temperature triggers written into the severity ladder.

WHO DECIDES

The director on call declares a business continuity incident and tells the ICB. The NHS Standard Contract requires providers of NHS-funded services to comply with EPRR guidance.[8]

HOW IT IS MONITORED

Theatre and server room temperatures checked against the triggers at set times.

PART 03

Keep patients safe.

Downtime, partners, patients and staff, from the first hour to the last debrief.

01 Downtime that works, department by department

02 A results log for paper working

03 Partners, long incidents and outstanding actions

KEEP PATIENTS SAFE

Downtime procedures: the plan you hope never to use

> **Can a ward request an urgent blood test, get the result and act on it safely with no computers at all?**

Most clinical areas have a downtime folder. The question is whether anyone has opened it this year. The test is simple: can a ward request an urgent blood test, receive the result and act on it safely with no computers at all? If the answer depends on one person who knows how, it is not a procedure.

Synnovis showed how long downtime can last. NHS England reported that services in south east London were largely restored by the end of 2024, but in early 2026 one trust estimated that entering 161,560 pathology reports into patient records had been delayed, and it had recorded 122 patient safety incidents involving incorrect, unavailable or delayed results.[5] Recovery has its own risks: results back-entered weeks later, duplicate records and patients lost to follow-up.

Blood is the sharpest edge. When hospitals cannot match blood in the usual way they rely on O type blood, which is safe for all patients. That is why NHS Blood and Transplant appealed for O negative and O positive donors within a week of the attack.[3] Every transfusion laboratory needs a downtime plan agreed with clinicians, including who authorises O type use.

Good downtime procedures are short, printed and practised. They name the forms, the phone numbers, the runners and the order of priority: emergency department, critical care, maternity, theatres, then the rest. They say how results will be checked and entered when systems return. And they are tested in exercises with the people who will use them, not just the people who wrote them.

Treat the cyber attack as different from the power cut in one way: you may not be able to trust the systems even when they come back. Keep digital and clinical leads in the same incident meeting. The 2017 WannaCry review found that local staff shared information by personal mobile phones and WhatsApp when email was lost.[12] Decide your out-of-band channel now, before staff choose one for you.

DOWNTIME CHECKLIST

Downtime procedure checklist by department

Check each department's downtime folder before the day; use it as the switch-over list on the day. Priority runs from the top.

DEPARTMENT	ON SWITCHING TO DOWNTIME	BEFORE SYSTEMS COME BACK
Emergency department	Paper triage and requests; urgent results phoned to a named number.	Every paper request matched to a result; discharges reviewed.
Critical care	Paper charts; blood gases and infusions logged by hand.	Charts reconciled and entered, checked by a second person.
Maternity	Paper notes; urgent bloods phoned; transfusion route confirmed.	Results confirmed in the record; babies linked to the right mother.
Theatres	Lists reviewed by clinical leads; cases needing blood held unless authorised.	Cancelled patients rebooked by clinical priority.
Pathology and transfusion	Downtime plan started; manual reporting; O type use authorised by a named clinician.	Results back-entered and validated; duplicates resolved.
Pharmacy	Paper prescribing and dispensing; high-risk medicines double-checked.	Prescriptions and administration entered; allergies re-confirmed.
Imaging	Paper requests; urgent reports phoned; images held locally where safe.	Reports matched to requests and to the right patient.
Wards	Downtime folder opened; result phone numbers on display.	Paper records entered; results chased before discharge.

RESULTS LOG

Downtime results and back-entry log

One sheet per department, kept by the nurse in charge. Every result received on paper or by phone is written here, then entered and checked when systems return.

TIME	PATIENT (NHS NO.)	TEST	RESULT RECEIVED FROM	GIVEN TO AND ACTED ON BY	ENTERED ON SYSTEM (DATE, INITIALS)	CHECKED BY
09:42	*999 000 0018*	*Potassium*	*Lab, ext. 4412, A.B.*	*FY2 on Ward 7; repeat ordered*	*Day 3, C.D.*	*E.F.*

Illustrative example row; the number shown is in the NHS test range, not a real patient. Keep the log with the patient's paper notes. A result is only closed when it has been entered on the system and checked by a second person.

SYSTEM PARTNERS

Who needs to hear from you, and when

A declared incident is rarely yours alone. Agree these routes in advance and test them in exercises.

ICB and NHS England

Tell your ICB on call when you declare. The ICB reports to NHS England through regional on-call, and coordinates mutual aid.[8]

Ambulance service

If you need diverts or redirection, say so early. The framework lists ambulance redirection as a reason to notify.[8]

Suppliers and partners

Pathology, imaging, EPR and facilities partners belong on your call-in lists, and you on theirs.

GPs, social care, the public

Primary care, care homes and patients need to know what still works and where to go instead.

Report cyber incidents to the NHS England cyber security operations centre straight away.[10] Operators of essential services report network and information system incidents through the DSPT within 72 hours.[11]

LONG INCIDENTS

Winter, heat and the incident that does not end

Many healthcare incidents are rising tides, not explosions. They need a different rhythm.

PRESSURE	WHAT OFTEN HAPPENS	WHAT GOOD LOOKS LIKE
Winter surge	Escalation drifts from OPEL 3 to 4 without a declared incident or extra staff.	Triggers that link OPEL levels to your severity ladder and call-in lists.[9]
Heat	Chillers and server rooms fail together; theatres and scanners stop.	Temperature triggers, cooling checks and a plan for diagnostics, as trusts learned in June 2026.[6]
Long cyber recovery	Staff run on paper for weeks with no rota change or welfare plan.	A recovery cell, shift patterns, welfare checks and a plan for back-entering results.
Lone and community staff	Visits continue with no way to raise an alarm if systems are down.	Check-in times, one-touch alarms and visit lists that work offline.
Communication fatigue	Updates stop once the crisis feels normal.	Fixed update times for staff and patients until stand down.

OUTSTANDING ACTIONS

Day one, 16:00: the actions board

Illustrative board for the pathology outage, reviewed at every incident meeting. Overdue and blocked items go straight to the executive on call.

ACTION	OWNER	DUE	STATUS	HOW IT IS CHECKED
Paper request forms on every ward	Pathology lead	Day 1 10:00	DONE	Runner signs off each ward
O type authorisation rule confirmed	Transfusion lead	Day 1 09:00	DONE	Decision and authoriser in the log
Patients booked today contacted	Outpatients manager	Day 1 11:00	DONE	SMS delivery and call log
Mutual aid testing route agreed	Incident lead	Day 1 12:00	IN PROGRESS	Samples sent against results back
Cyber incident reported and DSPT report drafted	Chief digital officer	Within 72 hours	IN PROGRESS	Reference number in the log
Lone worker check-ins for community teams	Community manager	Each shift	OVERDUE	Missed check-ins escalated, not waited on
Second shift and welfare plan	Incident lead	Day 1 14:00	OVERDUE	Hours worked against the rota
Results back-entry plan	Digital lead	Day 3	BLOCKED	Waiting for assurance systems are clean
Sitrep to the ICB	Incident director	Daily 16:00	OPEN	Sent from the log, not from memory

> Every action has one owner, a due time and a way to check it is done. If an action has no check, nobody will know it has stalled. The incident lead owns the board and reviews it at every meeting and every shift handover; closed actions stay visible for the debrief.

PART 04

Rehearse and review.

Practise with the people who will do it, then learn from every incident and every exercise.

01 A tabletop exercise, ready to run

02 A post-incident review template

03 Your plan, questions and checklist

TABLETOP EXERCISE

Exercise: the lab goes dark

A discussion exercise built on the scenario in this playbook. Read each inject aloud, give the room five minutes, and record decisions and gaps as you go.

DURATION	PARTICIPANTS	OBJECTIVE	FACILITATOR
Two and a half hours, plus a 30-minute hot debrief	Executive and manager on call, pathology, transfusion, ED, digital, comms, ICB liaison, supplier	Test declaration, call-in and the first paper result with no clinical systems	EPRR lead, with an observer timing each decision

00:00	INJECT 1	Monday 08:10. The lab manager reports the pathology system is down. A ransom note is found on a server.	DISCUSS Who grades it, and how? Who is called first? What do wards do right now?
00:15	INJECT 2	Ten minutes after the call-in, the transfusion on-call and the theatre coordinator have not replied.	DISCUSS Who are the deputies? How do you know, now, who is coming in?
00:30	INJECT 3	Digital advise that trust email and Teams cannot be trusted.	DISCUSS What is the out-of-band channel? How does the critical incident message reach the ICB?
00:50	INJECT 4	ED has a patient with major bleeding. Electronic crossmatch is unavailable.	DISCUSS Who authorises O type blood, how quickly, and where is it recorded?
01:15	INJECT 5	A local journalist calls. Patients are posting about cancelled appointments.	DISCUSS Who approves the holding line? What do today's patients hear, and from whom?
01:45	INJECT 6	The supplier says full restoration will take weeks.	DISCUSS Who runs recovery? What changes for the second shift, mutual aid and results back-entry?

> Measure three times: to grade the incident, to hear back from every key role, and to the first paper result. Put each gap on the actions board with an owner.

POST-INCIDENT REVIEW

Post-incident review template

Use it for the hot debrief within 48 hours of stand down, then the structured debrief within 28 days and any multi-agency debrief within 8 weeks, as the EPRR framework expects.[8] Facts first, from the log.

INCIDENT	DATE	SEVERITY	REVIEW LEAD

01 What happened, and when

The timeline from first report to stand down, taken from the incident log, not from memory.

02 Declaration and decisions

Were the triggers clear? Who declared, at what time, and was it early enough? Who decided what?

03 Call-in and acknowledgement

How long to reach, and hear back from, each key role? Who was not reached, and why?

04 Downtime procedures

Did each department switch to paper safely? How long to the first paper result?

05 Patient safety

Incidents reported, delays to care and results, harm reviews started, patients needing follow-up.

06 Partners and suppliers

Did the ICB, ambulance service and suppliers hear in time, in the agreed words?

07 Staff, patients and the public

Were updates on time and consistent? Which channels worked? How were staff looked after?

08 Actions, owners, dates

What changes, who owns each one and by when. Add them to the actions board and the board report.

YOUR PLAN

This week, this month, this quarter

Owners are suggestions. Adjust them to your structure.

WHEN	ACTIONS	OWNER
This week	Write declaration triggers and who can declare. Check call-in lists by role, with tested numbers for every on-call rota.	Accountable emergency officer
This week	Confirm the out-of-band channel if email and Teams are lost. Print downtime forms for every clinical area.	Chief digital officer
This month	Agree downtime plans with pathology, transfusion, imaging and pharmacy partners, including results back-entry.	Chief medical officer
This month	Load the six message templates. Set a lone worker check-in rule for community teams.	Head of comms; chief nurse
This month	Swap incident contacts with every clinical supplier. Agree how they will alert you and how you will alert them.	Chief operating officer
This quarter	Link OPEL levels, heat and cold alerts to the severity ladder before winter peaks.	EPRR lead
This quarter	Run a no-notice call-in test and a cyber downtime exercise with a key supplier. Time first paper result.	EPRR lead
This quarter	Report results, gaps and dated actions to the board alongside the annual EPRR core standards return.	Accountable emergency officer

FOR LEADERS

Questions for your executive team

Ask them out loud. Vague answers are the finding.

READINESS

- ? Who can declare a critical incident tonight, and do they know the triggers?
- ? How long would it take to know who is coming in after a call-in?
- ? Could each ward get an urgent blood result with no computers?

PARTNERS AND PEOPLE

- ? Are our pathology, imaging and EPR suppliers on our incident call lists, and are we on theirs?
- ? How would we reach community staff if the record system and email were both down?
- ? Who looks after the people who worked the first twelve hours?

CHECKLIST

Ready for minute one?

Tick what is true today. Anything blank is your next action.

- [ ] **Declaration triggers written and owned**
  Using the EPRR definitions and standard formats.

- [ ] **Call-in lists by role, with acknowledgement**
  Tested out of hours in the last quarter.

- [ ] **Downtime procedures printed and practised**
  Including transfusion and results back-entry.

- [ ] **Out-of-band channel agreed**
  For use when email and Teams cannot be trusted.

- [ ] **Suppliers on your incident lists**
  And your team on theirs.

- [ ] **Message templates approved**
  Staff, patients, partners, public and lone workers.

- [ ] **Lone worker check-in rule**
  Works with no access to the record system.

- [ ] **Hot debrief within 48 hours of stand down**
  As the EPRR framework expects, with welfare support.

GLOSSARY

Words worth knowing

EPRR
Emergency preparedness, resilience and response: the NHS England programme and framework for incidents and emergencies.

Accountable emergency officer
The board-level executive responsible for EPRR in an NHS-funded organisation.

Business continuity incident
Disruption below acceptable levels that needs special arrangements until services recover.

Critical incident
Localised loss of ability to deliver critical services, or risk of harm to patients and staff.

Major incident
An event with serious consequences needing special arrangements by one or more responder agencies.

OPEL
Operational pressures escalation levels, from 1 to 4, used to describe pressure on services.

METHANE
A JESIP format for sharing incident information: major incident, exact location, type, hazards, access, number of casualties, emergency services.

SBAR
Situation, background, assessment, recommendation: a structured way to escalate.

Downtime procedure
How a service works safely when a clinical system is unavailable.

Mutual aid
Help from other organisations, such as testing capacity or staff, during an incident.

Hot debrief
A short review straight after an incident, within 48 hours of stand down.

DSPT
The Data Security and Protection Toolkit, used by health bodies to report security incidents.

ICB
Integrated care board: plans and coordinates NHS services across a local area, with 24/7 on-call.

Out-of-band channel
A way to communicate that does not depend on the systems that may be compromised.

RACI
Responsible, accountable, consulted, informed: a way to show who does what, with one owner per decision.

Back-entry
Entering results and notes recorded on paper during downtime into the system once it is safe.

WHY COORDINATION, NOT JUST NOTIFICATION

Most organisations can send alerts. Few can manage incidents end-to-end.

When pathology goes down at 08:10, the alert is minute one. Keeping patients safe depends on who declared what, which staff came in, which downtime procedures started, what partners and patients were told, and a record for the after-action review.

WHERE INCIDENTS GO WRONG

01	**Fragmented information**	Different teams work from different information.
02	**Delayed decision making**	Leadership lacks visibility, so decisions wait.
03	**Uncoordinated response**	Several teams work independently on the same problem.
04	**Lack of visibility**	Critical actions become difficult to track.
05	**Lack of accountability**	Actions and decisions are poorly documented.

THE WHOLE INCIDENT, IN ONE PLATFORM



Crises Control is an **Operational Incident Coordination Platform**. It helps organisations maintain operational control during incidents by combining alerting, coordination, execution, visibility and accountability in one platform.

THE PLATFORM

One connected platform, from first alert to final report.

Crises Control helps organisations maintain operational control during incidents by combining alerting, coordination, execution, visibility and accountability in one platform. Each module does one job; the value comes from how they work together across the incident.

01 ESCALATE
SOS
Frontline staff report an incident in one touch from a mobile device.

02 START
Ping
Alerting and activation: reach people and collect acknowledgements and responses.

03 COORDINATE
Incident Manager
Activate the incident, assign roles, control communication and keep the timeline.

04 EXECUTE
Task Manager
Assign actions, track completion and escalate what stalls, with clear accountability.

05 OPERATE
Control Centre
Real-time view of incidents, timelines, task status and assets.

06 PROVE
Audit & Reporting
Incident records, response analysis and task accountability, ready to report.

07 ASSIST
CRAiG
AI assistant that helps users find information and work through the incident.

THE OUTCOMES

Alerting and activation
Reach the right people immediately.

Operational coordination
Structure communication and response activities.

Execution and visibility
Track tasks, responsibilities and progress.

Proof and accountability
Create a complete, defensible operational record.

Most organisations start with the capability they need today, often alerting, and expand as their requirements mature. Highlighted modules are the ones this playbook draws on.

HOW THE MODULES WORK TOGETHER

How the modules work together in a healthcare incident

One pathology outage, followed through the platform. Crises Control supports your incident response and business continuity plans; it does not replace them.

01	ESCALATE **SOS**	A laboratory manager, or a lone community nurse, raises the alarm in one touch, with location, so the site team knows in seconds.
02	START **Ping**	On-call, clinical and digital leads are called in by role; replies show who is coming, and silence escalates to a deputy.
03	COORDINATE **Incident Manager**	The critical incident is declared, roles are assigned, and the incident team, ICB liaison and supplier work from one log.
04	EXECUTE **Task Manager**	Downtime procedures, O type authorisation and results back-entry run as owned tasks with deadlines in every department.
05	OPERATE **Control Centre**	The incident team sees services affected, staff mobilised and overdue actions, without chasing wards for updates.
06	PROVE **Audit & Reporting**	A timestamped record of messages, decisions and tasks supports the hot debrief, EPRR assurance and the post-incident review.
07	ASSIST **CRAiG**	CRAiG helps the team find information in the platform and assists them as they work through the live incident.

COORDINATION
Everyone works from the same incident, roles and log.

VISIBILITY
Leaders see progress without chasing for updates.

EXECUTION
Every action has an owner, a deadline and an escalation.

ACCOUNTABILITY
The record of what happened builds itself as you go.

READINESS ASSESSMENT

How ready is your response?

Score each area from 0 (not in place) to 3 (fully in place) for your healthcare organisation, then add up the total.

AREA	THE QUESTION	SCORE 0 TO 3
01 · ACTIVATION **Alert**	Can you reach the right people on more than one channel within minutes, day or night? GOOD LOOKS LIKE Clinical, on-call and support staff reached on several channels, at any hour.	0 1 2 3
02 · ACTIVATION **Acknowledge**	Do you know who has seen the alert, and does silence trigger escalation automatically? GOOD LOOKS LIKE Call-in responses tracked, with escalation when key roles stay silent.	0 1 2 3
03 · COORDINATION **Escalate**	Are escalation paths set by role and time, not by whoever remembers who to call? GOOD LOOKS LIKE Declaration and escalation follow the EPRR framework by role.	0 1 2 3
04 · COORDINATION **Coordinate**	Is there one shared workspace and log for the incident, not scattered calls, chats and inboxes? GOOD LOOKS LIKE One incident log shared by the incident team, clinical leads, partners and communications.	0 1 2 3
05 · EXECUTION **Execute**	Are your procedures turned into owned tasks with deadlines that someone can track? GOOD LOOKS LIKE Downtime procedures run as owned tasks in every affected department.	0 1 2 3
06 · EXECUTION **See**	Can leaders see tasks, people, locations and blockers live, without having to ask? GOOD LOOKS LIKE A live view of staff mobilised, services affected and actions outstanding.	0 1 2 3
07 · ASSURANCE **Prove**	Could you produce a timestamped timeline for a regulator, insurer or inquiry within a day? GOOD LOOKS LIKE A timeline that supports EPRR assurance, the ICO and the after-action review.	0 1 2 3
08 · ASSURANCE **Rehearse**	Do you exercise the whole response, not just the call tree, at least once a year? GOOD LOOKS LIKE Exercises that include a cyber attack on clinical systems, not just a major incident.	0 1 2 3

0 to 8
Alerting only
You can send messages. The response still depends on people and luck.

9 to 16
Coordinating in parts
Some steps work. Gaps appear at night, at scale or when systems fail.

17 to 24
Coordinated and provable
You can run the response and show exactly what happened.

BUYER'S GUIDE

Eight questions to ask any incident platform supplier

Many tools can send an alert. These questions separate a notification tool from a platform that coordinates the whole response.

01 **Does it stop at the message?**
Ask what the platform does after the alert is sent: tasks, log, escalation, recovery.

02 **Can it prove who acknowledged?**
Delivery is not acknowledgement. Ask how silence is detected and escalated.

03 **Does it run your procedures?**
Ask whether your plans become owned tasks with deadlines, or stay as documents.

04 **Is there one shared picture?**
Ask what leaders see live, and whether it needs someone to update a spreadsheet.

05 **Does it work when your systems do not?**
Ask how teams coordinate if email, chat or your network is down.

06 **Can frontline staff raise the alarm?**
Ask how a colleague on site escalates, with their location, in one action.

07 **What evidence does it leave behind?**
Ask for a sample timeline of the kind a regulator, insurer or inquiry would want.

08 **Can you rehearse in it?**
Ask whether you can run exercises on the same platform you would use for real.

SOURCES

Sources and notes

Accessed November 2026. Early reporting on live incidents can change.

01 The Register, Suspected cyberattack hits major London hospitals, 4 June 2024, https://www.theregister.com/2024/06/04/suspected_cyberattack_hits_major_london/

02 NHS England London, Latest media statement on Synnovis cyber-attack, https://www.england.nhs.uk/london/synnovis-ransomware-cyber-attack/latest-media-statement-on-synnovis-cyber-attack/

03 NHS Blood and Transplant, O Positive and O Negative donors asked to urgently book appointments following London hospitals IT incident, 10 June 2024, https://www.nhsbt.nhs.uk/news/o-positive-and-o-negative-donors-asked-to-urgently-book-appointments-to-give-blood-following-london-hospitals-it-incident/

04 The Record, Ransomware attack contributed to patient's death, says Britain's NHS, 25 June 2025, https://therecord.media/ransomware-attack-contributed-patient-death-uk-nhs

05 The Record, Ransomware attack continues to disrupt healthcare in London nearly two years later, 17 April 2026, https://therecord.media/ransomware-nhs-cyberattack-disruption

06 ITV News Meridian, Hospital declares critical incident as heat causes cooling systems to fail, 24 June 2026, https://www.itv.com/news/meridian/2026-06-24/hospital-declares-critical-incident-as-heat-causes-cooling-systems-to-fail

07 PublicTechnology, East Kent Hospitals declare critical incident over ongoing IT issues, 31 July 2026, https://www.publictechnology.net/2026/07/31/health-and-social-care/east-kent-hospitals-declare-critical-incident-over-ongoing-it-issues/

08 NHS England, NHS Emergency Preparedness, Resilience and Response Framework, version 3, July 2022, https://www.england.nhs.uk/wp-content/uploads/2022/07/B0900-NHS-Emergency-Preparedness-Resilience-and-Response-Framework-version-3.pdf

09 NHS England, Integrated operational pressures escalation levels (OPEL) framework 2024 to 2026, https://www.england.nhs.uk/long-read/integrated-opel-framework-2024-to-2026/

10 NHS England Digital, Report a cyber security incident, https://digital.nhs.uk/cyber-and-data-security/incidents-and-alerts/report-an-incident

11 DHSC, The Network and Information Systems Regulations 2018: guide for the health sector in England, updated 27 September 2023, https://www.gov.uk/government/publications/network-and-information-systems-regulations-2018-health-sector-guide

12 National Audit Office, Investigation: WannaCry cyber attack and the NHS, 27 October 2017, https://www.nao.org.uk/reports/investigation-wannacry-cyber-attack-and-the-nhs/

13 Royal College of Nursing, NHS Staff Survey lifts lid on torrent of abuse, 12 March 2026, https://www.rcn.org.uk/news-and-events/news/NHS-Staff-Survey-lifts-lid-on-torrent-of-abuse-says-Royal-College-of-Nursing-of-Nursing

BOOK YOUR HEALTHCARE PLATFORM DEMONSTRATION

Watch a pathology outage run end to end.

A live, 30-minute demonstration built around a healthcare incident. You will see one incident move through the whole platform, not a tour of features, and you can bring your own scenario.

WHAT YOU WILL SEE

01	SOS	A laboratory manager reports a system outage, with location.
02	PING	On-call, clinical and digital leads are alerted; call-in responses come back.
03	INCIDENT MANAGER	The incident is declared, roles assigned and partners added.
04	TASK MANAGER	Downtime procedures in each department become owned tasks.
05	CONTROL CENTRE	The incident team sees services affected, staff mobilised and actions outstanding.
06	AUDIT & REPORTING	The record for EPRR assurance and the after-action review is produced.
07	CRAIG	CRAiG shows which downtime actions are overdue.

Book your demonstration →

crises-control.com/healthcare-incident-management-software/

+44 (0) 20 8584 1385 · contactus@crises-control.com

SCAN TO BOOK

COMPANION REPORT When the lab went dark