

# 2

---

## *Significance of Machine Learning in Apple Disease Detection and Implications*

---

*Saimul Bashir*

Chandigarh University, Mohali, India

*Syed Nisar Hussain Bukhari*

National Institute of Electronics and Information Technology (NIELIT),  
Srinagar, India

*Faisal Firdous*

Jaypee University of Information and Technology, Solan, India

*Gursimran Jeet Kour*

Chandigarh University, Mohali, India

---

### **2.1 INTRODUCTION**

Apples are one of the most popular fruits worldwide, with a global production of over 80 million tons in 2020 [1]. However, apple crops are vulnerable to a wide range of diseases, which can lead to significant economic losses for growers. Common apple diseases include apple scab, powdery mildew, fire blight, and cedar apple rust, which are caused by fungi, bacteria, and viruses. These diseases can affect the quality and quantity of fruit produced, leading to lower yields, increased costs for growers, and reduced consumer demand [2].

**2.1.1 Brief Description of Traditional Disease Detection Methods**

Traditionally, apple disease detection has relied on visual inspection of crops by experts, which can be time-consuming and expensive [3]. This approach is also subjective and can lead to inconsistent results. Other methods, such as laboratory tests and chemical sprays, are also used but have their own limitations [4]. For example, laboratory tests can be expensive and time-consuming, while chemical sprays can be harmful to the environment and human health. The six disease types are given in Figure 2.1.

**2.1.2 Importance of Machine Learning in Disease Detection**

In several industries, including healthcare, finance, and resource management, machine learning (ML) has become a potent tool for illness identification and management. This technology uses advanced algorithms and statistical models to analyze large datasets and identify patterns and correlations that would be difficult or impossible to detect through manual analysis [5]. By doing so, ML can help to improve the accuracy and efficiency of disease detection, reduce the risk of misdiagnosis and unnecessary treatments, and ultimately improve patient outcomes.

ML may be applied in agriculture to enhance disease detection and management effectiveness and efficiency while lowering the environmental




**FIGURE 2.1**  
Apple leaf disease types.

impact of agricultural practices and enhancing the sustainability and profitability of farming operations [6]. In particular, ML models can be trained to analyze large datasets of images, sensor readings, and other types of data to identify the presence and severity of diseases in crops like apples [2].

The capability of ML to learn and adapt over time makes it one of the most useful features for illness diagnosis. As the algorithm is exposed to more data, it can improve its accuracy and become more effective at identifying subtle patterns and correlations [7]. This can be particularly useful in the context of apple disease detection, where new and emerging diseases may be difficult to identify using traditional methods. We can enhance our capacity to identify and respond to these new dangers by utilizing the power of ML, therefore defending the well-being and production of apple harvests [3]. The capacity of ML to accurately and quickly analyze massive volumes of data is another crucial advantage [8]. In the context of agriculture, this can be particularly important, as the timely detection and management of diseases can have a significant impact on crop yields and profitability. By using ML models to analyze large datasets of images, sensor readings, and other types of data, we can quickly and accurately identify the presence and severity of diseases in crops like apples, allowing for more timely and effective management strategies [9].

Moreover, ML can also help to reduce the need for human labor in disease detection (Figure 2.2) and management, reducing costs and increasing efficiency [7]. By automating the process of disease detection, we can reduce the need for manual labor and free up resources for other tasks.



**FIGURE 2.2**

Generalized diagram of ML for disease detection.

This can be particularly beneficial in the context of rural and remote farming communities, where labor is often scarce and costly [10].

### 2.1.3 Objectives of the Chapter

This chapter's primary goals are to present an overview of the application of ML for the diagnosis of apple disease, to review the literature on this topic, and to discuss the strengths and limitations of ML in this context. The chapter will also cover the dataset preparation, ML model selection, and evaluation techniques used in apple disease detection, as well as future directions for research in this area. In recent years, there has been a growing interest in the use of ML for disease detection in agriculture. ML algorithms have shown promise in detecting diseases in crops such as potatoes, wheat, and grapes. However, the use of ML for apple disease detection is still in its early stages. This is partly due to the complex nature of apple diseases, which can be caused by multiple factors, including environmental conditions, genetic factors, and pathogens.

The chapter is organized as follows:

#### I. Related Work

In this section, we will provide a brief review of the existing state-of-art on apple disease detection using several ML techniques. We will try to highlight the performance and limitations of existing techniques in this section.

#### II. Dataset Preparation

The significance of dataset preparation in ML for apple disease detection will be covered in this section. We will cover topics such as data collection, data cleaning, and data augmentation, and discuss best practices for preparing datasets for ML.

#### III. Machine Learning Model Selection

We will examine the research on ML models for detecting apple disease in this part. We will cover topics such as deep-learning models, support vector machines, and random forests, and discuss the strengths and weaknesses of each approach.

#### IV. Evaluation Techniques

In this section, we will discuss evaluation techniques for ML models in apple disease detection. We will cover topics such as cross-validation, precision-recall curves, and confusion matrices, and discuss best practices for evaluating ML models in this context.

V. Ethical, Practical, and Technical Implications/Considerations

In this section, we will discuss some of the important ethical, practical, and technical implications of using ML models for apple disease detection. As with any technology, there is a risk of unintended consequences in developing these models.

VI. Strengths and Limitations of Machine Learning

This section will discuss the advantages and disadvantages of ML for identifying apple illnesses. We'll talk about things like the risk of overfitting, the value of high-quality datasets, and the possibility of data bias.

VII. Future Directions for Research

In this section, we will identify future directions for research in ML for apple disease detection. We will discuss topics such as the use of multimodal data, the development of transfer learning models, and the use of unsupervised learning techniques.

VIII. Conclusion

We will highlight the chapter's key ideas and talk about the implications of ML for identifying apple diseases in this part. We'll examine the possible effects of ML on the apple business as well as areas that need more study.

---

## 2.2 RELATED WORK

A multiclass support vector machine (SVM) technique was put up by Soarav Chakraborty et al. [11] to categorize apple leaves into three groups: healthy, scabbed, and powdery mildew. The dataset used to train and test the system is thoroughly described in the publication, along with the methods used to acquire the images, preprocess them, and extract their features. The implementation of the SVM algorithm and the performance measures employed to assess the method are then described by the authors. The outcomes demonstrate that the suggested multiclass SVM algorithm classified apple leaves into healthy, scab, and powdery mildew classes with good accuracy rates. The limits of the suggested technique are discussed in the paper's conclusion, along with ideas for more research.

A convolutional neural network (CNN) model by Swati et al. [12] was reported that can divide apple leaf pictures into four categories: healthy, scab, rust, and powdery mildew. The CNN model's implementation and

the performance measures employed to assess the model's correctness are both described by the author. The outcomes demonstrate that the proposed CNN model classified apple leaf pictures into several disease groups with good accuracy rates. The limits of the suggested technique are discussed in the paper's conclusion, along with ideas for more research. Overall, the research proposes a well-designed method for employing deep learning to automatically detect apple leaf illnesses. An interesting method that has the potential to be extended to other plant species and might have practical ramifications for agriculture is the use of a CNN model to categorize the photos into several disease groups. Xin li et al. [13] propose a deep-learning approach to detect and classify apple leaf diseases. The authors use residual neural network (ResNet) models to classify apple leaf images into one of three classes: healthy, scab, and powdery mildew. A thorough explanation of the dataset, which consists of photos gathered from various sources and was used to train and test the ResNet models, is also provided. The authors also go into how ResNet models are put into practice and what performance indicators are used to gauge how accurate the model is. The outcomes demonstrate that the suggested ResNet models successfully classified apple leaf pictures into various disease classes with high accuracy rates. The limits of the suggested technique are discussed in the paper's conclusion, along with ideas for more research. An intriguing method that has the potential to be extended to other plant species and might have practical ramifications for agriculture is the use of ResNet models to categorize the photos into several disease groups. Saraansh Baranwal et al. [14] propose a deep-learning approach for detecting apple leaf diseases using CNNs. The author presents a model that can classify apple leaf images into one of four classes: healthy, scab, rust, and powdery mildew. The CNN model's implementation and the performance measures employed to assess the model's correctness are both described by the author. The outcomes demonstrate that the proposed CNN model classified apple leaf pictures into several disease groups with good accuracy rates. A hybrid strategy is suggested by Mohammed Khalid Kaleem et al. [15] for the automated identification of leaf diseases. The author employs SVM classifiers to categorize the pictures as healthy or ill after using image processing techniques to preprocess the images and extract the features. On photos of numerous plant species obtained from diverse sources, the SVM classifier was trained and tested. The author also discusses the SVM classifier's implementation and the performance measures employed to gauge the model's precision. The outcomes

demonstrate that the suggested method successfully classified leaf pictures into healthy and sick at high rates of accuracy.

With the installation of the CNN model and the performance measures used to assess the model's correctness, Srinidhi et al. [16] classified apple leaf pictures into one of four classes: healthy, apple scab, cedar apple rust, and quince rust. The outcomes demonstrate that the proposed CNN model successfully categorizes apple leaf pictures into several disease classes with high accuracy rates. The limits of the suggested technique are discussed in the paper's conclusion, along with ideas for more research. Overall, the research proposes a well-designed method for employing deep learning to automatically detect apple leaf illnesses. The use of a CNN model to classify the images into different disease classes is a promising approach that has the potential to be applied to other plant species and could have practical implications in the field of agriculture.

Hyperspectral imaging is suggested by Mubarakat Shuaibu et al. [17] as a method for the automated identification of Marssonina blotch disease in apple plants. The most pertinent spectral bands for diagnosing the condition are determined by the author using a feature selection approach based on mutual information. The hyperspectral dataset used for feature selection and the execution of the unsupervised strategy is thoroughly described in the publication. The findings demonstrate that the suggested method successfully detected Marssonina blotch disease in apple trees with high accuracy rates. Overall, the paper presents a novel approach to the automated detection of Marssonina blotch disease in apple trees using hyperspectral imaging and an unsupervised feature selection technique. The use of hyperspectral imaging could provide a noninvasive and efficient way to detect plant diseases, and the proposed approach has the potential to be applied to other plant species and could have practical implications in the field of agriculture.

CNNs are proposed by Prakhar Bansal et al. [18] for the automation of the identification of illnesses in apple leaves. The author offers a methodology that can categorize pictures of apple leaves into three groups: healthy, scabby, and rusted. The study offers a viable method for applying deep learning to automatically detect illnesses in apple leaves. A strong method that has the potential to be extended to other plant species and might have practical ramifications for agriculture is the use of a CNN model to categorize the photos into several disease groups.

SVMs are an ML technique proposed by S. Manimegalai et al. [19] for apple leaf disease detection. The author also discusses the SVM model's

implementation and the performance measures employed to gauge the model's precision. The outcomes demonstrate that the suggested SVM model classified apple leaf pictures into several illness classes with good accuracy rates. An effective method that has the potential to be extended to other plant species and might have practical ramifications for agriculture is the use of an SVM model to categorize the photos into several disease classifications.

A method for image processing is suggested by Sara Alqethami et al. [20] for the automated identification of illnesses in apple leaves. The author describes an approach that starts with picture preprocessing, segmentation, and feature extraction, then uses ML algorithms to classify the images. The dataset used to train and evaluate the classification model, which contains photos obtained from several Saudi Arabian orchards, is described in depth in the publication. The author also discusses the application of the classification model utilizing the decision tree, SVM, and k-nearest neighbors ML techniques. The outcomes demonstrate that the suggested method classified apple leaf photos into several disease groups with good accuracy rates.

---

## 2.3 DATASET PREPARATION

In ML, the quality of the dataset is crucial for the performance of the model. Therefore, data preparation is an important step in the ML pipeline. In the context of apple disease detection, data preparation involves collecting data, cleaning it, and augmenting it to increase the diversity of the dataset.

### 2.3.1 Data Collection

Collecting high-quality data is the first step in preparing a dataset for ML. In the context of apple disease detection, data can be collected using different techniques such as manual sampling, remote sensing, and drones. Manual sampling involves physically examining the apple trees and recording the symptoms of any diseases observed. Remote sensing involves using aerial imagery or satellite imagery to detect changes in the vegetation of the orchard, which can be indicative of disease. Drones can also be used to collect high-resolution images of the orchard and detect changes in the vegetation.



### **2.3.2 Data Cleaning**

After collecting the data, the next step is to clean it. Data cleaning involves removing outliers, correcting errors, and handling missing values. In the context of apple disease detection, this can involve removing images that are of poor quality or contain objects that are not relevant to the task, such as images of birds or clouds. It can also involve correcting labeling errors, such as mislabeling a healthy tree as diseased, and handling missing values, such as missing annotations for certain images.

### **2.3.3 Data Augmentation**

Data augmentation is the process of artificially increasing the diversity of the dataset by applying transformations such as rotation, flipping, and cropping to the original images. Data augmentation can help to improve the robustness of the model by exposing it to variations in the input data. In the context of apple disease detection, data augmentation can involve applying transformations to the original images, such as rotating them or flipping them, and adding noise or blurring effects.


---

## **2.4 MACHINE LEARNING MODEL SELECTION**

We will examine the research on ML models for detecting apple disease in this part. Deep-learning models, SVMs, and random forests are just a few of the subjects we'll explore, along with each method's advantages and disadvantages.

### **2.4.1 Deep-Learning Models**

Modern performance has been attained by deep-learning models in a variety of computer vision applications, including segmentation, object identification, and picture classification [21]. Deep-learning models have demonstrated excellent results in the area of apple disease detection, reaching high accuracy in identifying various illnesses. One of the most commonly used deep-learning models for apple disease detection is CNN (Figure 2.3) [22]. CNNs are a type of neural network designed to process images, and they have achieved state-of-the-art performance in many



**FIGURE 2.3**  
CNN working [9].

computer vision tasks. In the context of apple disease detection, CNNs have been used to detect diseases such as apple scab, powdery mildew, and fire blight [23].

Another type of deep-learning model that has been used for apple disease detection is the recurrent neural network (RNN). RNNs are a type of neural network designed to process sequential data, such as time series or text. In the context of apple disease detection, RNNs have been used to detect diseases based on the temporal patterns of symptoms, such as changes in color or texture [24].

### 2.4.2 Support Vector Machines

SVMs (Figure 2.4) are a type of supervised learning algorithm that can be used for both classification and regression tasks [15]. SVMs are particularly well-suited to classification tasks in which the data is not linearly separable, as they can map the data to a higher-dimensional space where it is linearly separable [25]. SVMs have been used to categorize photos of healthy and sick apple leaves in the context of detecting apple diseases. Hyperspectral SVMs have also been used to find apple scab and powdery mildew [26].

### 2.4.3 Random Forests

Multiple decision trees are combined in random forests, an ensemble learning technique, to increase the model's robustness and accuracy [27]. When making a forecast, random forests (Figure 2.5) combine the results of all the decision trees they created using different random subsets of


**Training (offline)**

FIGURE 2.4  
SVM working.




FIGURE 2.5  
Random forest diagram.

the characteristics and data [8]. In the context of apple disease detection, random forests have been used to classify images of healthy and diseased apple leaves. Random forests have also been used to detect diseases such as apple scab and powdery mildew using spectral data [28].

#### 2.4.4 Other Machine Learning Models

In addition to deep-learning models, SVMs, and random forests, there are many other ML models that can be used for apple disease detection [29].

These include decision trees, Naive Bayes, k-nearest neighbors, and logistic regression.

Each of these models has its strengths and weaknesses, and the choice of which model to use will depend on the specific requirements of the application [30]. For example, decision trees are easy to interpret and can handle both categorical and numerical data, but they may overfit the data. Naive Bayes is a straightforward and quick model that performs well with small datasets; however, it makes the unrealistic assumption that all characteristics are independent.

---

## 2.5 MODEL TRAINING AND EVALUATION

In this section, we will discuss the process of training and evaluating ML models for apple disease detection. We will cover topics such as data splitting, hyperparameter tuning, and model evaluation metrics.

### 2.5.1 Data Splitting

Before an ML model is trained on the dataset, it must be split into training, validation, and testing sets. The training set trains the model, the testing set evaluates the model's final performance, and the validation set is used to fine-tune the model's hyperparameters.

Depending on the size of the dataset and the model's complexity, the dataset's splitting ratio can change. In general, a more sophisticated model calls for a bigger validation set, whereas a larger dataset calls for a smaller one.

### 2.5.2 Hyperparameter Tuning

ML models have hyperparameters that need to be set before training, such as the learning rate, regularization strength, and number of layers. Hyperparameter tuning involves finding the optimal values for these hyperparameters to improve the performance of the model [38].

There are different methods for hyperparameter tuning, such as grid search, random search, and Bayesian optimization. Grid search involves evaluating the model for all possible combinations of hyperparameters, while random search involves randomly selecting hyperparameters to

evaluate. Bayesian optimization uses a probabilistic model to select the next set of hyperparameters to evaluate based on the previous results.

### 2.5.3 Model Evaluation Metrics

Metrics for measuring the performance of the model are utilized (Table 2.1). Accuracy, precision, recall [30], and F1 score are typical assessment criteria in the context of apple disease detection [15].

The percentage of samples in the testing set that were properly categorized is considered the accuracy. Out of all the samples that were expected to be positive, precision is the proportion of genuine positives. Recall quantifies the proportion of real positive samples among all positive samples. The F1 score, which offers a single number to assess the overall effectiveness of the model, is the harmonic mean of accuracy and recall [30].

## 2.6 ETHICAL, PRACTICAL, AND TECHNICAL CONSIDERATIONS/IMPLICATIONS

It's crucial to take into account the ethical ramifications of utilizing ML algorithms to identify apple diseases. The data and algorithms used to create these models have the same risks as any other technology in terms of unexpected outcomes or bias.

**TABLE 2.1**

Different Performance Evaluation Metrics

| Model Evaluation Metrics | Formulas                                                                     |
|--------------------------|------------------------------------------------------------------------------|
| Accuracy                 | $(TP + TN) / (TP + TN + FP + FN)$ [15]                                       |
| Precision                | $TP / (TP + FP)$ [15]                                                        |
| Recall                   | $TP / (TP + FN)$ [15]                                                        |
| F1 Score                 | $2 * (Precision * Recall) / (Precision + Recall)$ [30]                       |
| F $\beta$ Score          | $(1 + \beta^2) * (Precision * Recall) / (\beta^2 * Precision + Recall)$ [30] |
| ROC-AUC Score            | area under the ROC curve [16]                                                |
| Log Loss                 | $-\frac{1}{n} \sum_i \sum_j y_{ij} \log(p_{ij})$ [16]                        |
| Mean Squared Error       | $-\frac{1}{n} \sum_i \left( y_i - \hat{y}_i \right)^2$ [16]                  |

For example, if ML models are developed based on data collected from a single region or climate, they may not perform well when deployed in different regions or under different environmental conditions. This could lead to ineffective disease management strategies or increased use of pesticides, which can have negative environmental and health impacts [31].

Moreover, there is also a risk of bias in the data used to develop these models. If the data used to train the model is biased toward certain demographics or geographic regions, this can lead to biased predictions and potentially discriminatory outcomes. It is, therefore, important to ensure that the data used to develop these models is diverse and representative of the populations and environments in which they will be deployed.

Another ethical consideration is the potential impact of ML models on the livelihoods of farmers and other agricultural workers. If ML models are used to automate disease detection and management tasks, this could lead to job loss or reduced job security for these workers. It is, therefore, important to consider the potential impact of these technologies on the livelihoods of those working in the agricultural sector.

In conclusion, even though ML techniques show tremendous potential for enhancing the efficacy and efficiency of managing apple disease, it is crucial to think about the ethical implications of their usage. It is crucial to make sure that these models are created and implemented in a fair, open, and equitable manner and do not unintentionally harm the environment, the public's health, or agricultural employees. By overcoming these obstacles, we can fully utilize ML for the diagnosis of apple diseases and contribute to the creation of a more just and sustainable agricultural system.

### **2.6.1 Practical Consideration**

Finally, it is important to consider the practical considerations of implementing ML models for apple disease detection in real-world settings. One key consideration is the need for specialized equipment and expertise for data collection and analysis. This may require additional training or investment in equipment and resources, which can be a barrier for smaller farmers or those with limited resources. Another practical consideration is the need for ongoing maintenance and updates to ML models. As new disease strains emerge or environmental conditions change, it may be necessary to update the models to ensure their accuracy and effectiveness [32]. This requires ongoing investment in research and development, as well as a commitment to ongoing monitoring and evaluation of the models in

real-world settings. Moreover, it is also important to consider the potential costs and benefits of implementing ML models for apple disease detection [17]. While these models can improve the efficiency and accuracy of disease detection and management, they may also require significant upfront costs for data collection and analysis, as well as ongoing investment in maintenance and updates. It is, therefore, important to carefully consider the potential benefits and costs of these technologies before implementing them on a large scale [22]. In conclusion, the development and deployment of ML models for apple disease detection represents a significant advancement in the field of plant pathology and agriculture. These models have the potential to improve the efficiency and accuracy of disease detection and management while also providing new insights into the underlying biology of plant diseases [33]. However, there are also significant challenges to the development and deployment of these models, including the need for large and diverse datasets, interpretability in ML models, and ethical considerations related to bias and unintended consequences. With continued research and development, we can expect to see significant advancements in this field and the potential for ML to transform the way we manage plant diseases in the agricultural sector.

### **2.6.2 Technical Considerations**

In addition to the challenges and ethical considerations discussed earlier, there are also several technical considerations that must be taken into account when developing ML models for apple disease detection. One key consideration is the need for high-quality and diverse data to train these models [7]. This requires the collection of large amounts of data from different geographic locations, seasons, and apple varieties, as well as the inclusion of data on various environmental factors, such as temperature, humidity, and rainfall.

Another technical consideration is the selection and optimization of ML algorithms for apple disease detection. There are many different algorithms available for use in ML, each with its own strengths and weaknesses [34]. It is therefore important to carefully evaluate and compare different algorithms to determine which ones are most effective for apple disease detection and to optimize these algorithms for maximum accuracy and efficiency.

When creating ML models for the diagnosis of apple disease, interpretability is another crucial factor to take into account. Despite the great

levels of accuracy that these models may reach, it can be challenging to comprehend how they make their predictions, especially when deeper learning techniques are used [35]. This lack of interpretability can make it challenging to identify the underlying causes of disease outbreaks and to develop effective management strategies.

Another important factor is making sure that these models are reliable and resilient. ML models are prone to mistakes, especially if they were trained on biased or unreliable data. Therefore, it's crucial to make sure the data used to train these models is impartial and representative and to utilize tools like cross-validation and error analysis to spot and fix any possible mistakes [17].

Finally, there is also a need to ensure that these models are scalable and adaptable to different agricultural contexts and geographies. This requires the development of models that are transferable across different regions and apple varieties, as well as the incorporation of local knowledge and expertise to ensure that these models are relevant and effective in specific agricultural contexts [18].

One promising avenue for the continued development and deployment of ML models for apple disease detection and management is through the use of collaborative research and development initiatives. Such initiatives bring together researchers, farmers, industry partners, and other stakeholders to share knowledge, resources, and expertise and to collaborate on the development of innovative solutions to the challenges facing the agricultural sector.

One such initiative is the Plant Phenotyping and Imaging Research Centre (P2IRC) at the University of Saskatchewan, which is focused on the development of advanced imaging and ML technologies for crop phenotyping, disease detection, and precision agriculture [36]. Another example is the Initiative for Digital Agriculture and Food (IDAF) at the University of Guelph, which is focused on the development and deployment of digital technologies, including ML, for sustainable agriculture and food systems [37]. In addition to these research initiatives, there are also a growing number of industry partnerships and collaborations focused on the development and deployment of ML models for apple disease detection and management. These partnerships bring together technology companies, farmers, and other stakeholders to develop innovative solutions that can be scaled and deployed across different agricultural contexts. For example, the agtech company CropX has developed a soil moisture monitoring system that uses ML algorithms to predict soil moisture levels and help



farmers optimize irrigation and fertilizer use. Similarly, the start-up AgShift has developed an ML platform that can analyze the quality and freshness of fruits and vegetables in real time, helping to reduce food waste and improve supply chain efficiency. Overall, the continued development and deployment of ML models for apple disease detection and management represent a significant opportunity to address the challenges facing the agricultural sector today [38–41]. By leveraging the power of data and advanced algorithms, we can improve the accuracy and efficiency of disease detection and management, reduce the environmental impact of agricultural practices, and ultimately improve the sustainability and profitability of farming operations. However, realizing the full potential of these technologies will require continued investment in research and development, as well as a commitment to addressing the technical, ethical, and practical considerations that arise with their use [42–45]. By doing so, we can build a more sustainable and resilient agricultural system for the future and ensure the availability of healthy and nutritious food for generations to come.

---

## **2.7 CHALLENGES AND FUTURE DIRECTIONS**

In this section, we will discuss some of the challenges and future directions for apple disease detection using ML techniques.

### **2.7.1 Limited Dataset Availability**

One of the main challenges in apple disease detection using ML is the limited availability of high-quality datasets [46–47]. Collecting and annotating data can be time-consuming and expensive, and there is a need for more publicly available datasets to train and evaluate ML models.

### **2.7.2 Generalization to New Environments**

The capacity of the model to generalize to different contexts is another difficulty in apple disease detection using ML. On fresh datasets gathered from other places or under various growth circumstances, ML models trained on a particular dataset may not function effectively. Models that can adapt to changing situations are therefore required.

### **2.7.3 Interpretable Models**

Interpretable ML models are important in the context of apple disease detection, as they can provide insights into the underlying mechanisms of the disease. However, many deep-learning models are not easily interpretable, and there is a need for models that can provide interpretable results.

### **2.7.4 Incorporating Domain Knowledge**

Incorporating domain knowledge into ML models can improve their accuracy and robustness. For example, models that incorporate knowledge of the biology of the apple plant and the disease symptoms can improve the accuracy of disease detection.

### **2.7.5 Integration with Precision Agriculture**

ML models for apple disease detection can be integrated with precision agriculture techniques to improve the efficiency and effectiveness of disease management. For example, models can be used to identify the optimal time for pesticide application or to monitor disease progression in real-time.

The creation and use of ML models for apple disease diagnosis, however, is not without its difficulties. The absence of large-scale, high-quality datasets is a significant problem. ML models must be trained on big, varied datasets that capture the complete spectrum of illness symptoms and environmental variables if they are to function effectively.

The requirement for interpretability in ML models presents another difficulty. Deep-learning models may be highly accurate, but because of their “black-box” character, it is challenging to comprehend the fundamental principles that underlie their predictions. Interpretable models can offer information on the biology of the plant and the illness, which is crucial in the context of disease detection.

Despite these challenges, the development and deployment of ML models for apple disease detection have already shown promising results. In particular, the use of CNNs and other deep-learning models has shown significant improvements in disease detection accuracy compared to traditional image processing techniques.

## 2.8 CONCLUSION

In this chapter, we have discussed the use of ML techniques for apple disease detection. We have covered the different types of ML models that have been used for this application, the process of model training and evaluation, and the challenges and future directions for this field. Overall, ML has the potential to transform how we identify and treat apple illnesses, and further study and development are required in this field. In the upcoming years, we may anticipate seeing major increases in the precision and effectiveness of apple disease detection due to the expanding availability of high-quality datasets and the development of increasingly advanced ML models. Furthermore, the integration of ML models with precision agriculture techniques can lead to more targeted and efficient disease management strategies, reducing the use of pesticides and improving the overall health of apple orchards. In conclusion, the field of ML for apple disease detection is a rapidly developing area with significant potential for improving the efficiency and effectiveness of disease management in apple orchards. Continued research and development in this area, along with the integration of ML models with precision agriculture techniques, will help to address the challenges and bring about significant advancements in this field.

## REFERENCES

1. Arshleen Kaur, and Raman Chadha, "Classification Techniques for Disease Detection in Plants: A Systematic Review", *2023 International Conference on Artificial Intelligence and Smart Communication (AISC)*, pp. 1459–1463, 2023.
2. Vibhor Kumar Vishnoi, Krishan Kumar, Rajesh Kumar, Shashank Mohan, and Arfat Ahmad Khan, "Detection of Apple Plant Diseases Using Leaf Images through Convolutional Neural Network", *IEEE Access*, vol. 11, pp. 6594–6609, 2023.
3. Satish Kumar, Rakesh Kumar, and Meenu Gupta, "Analysis of Apple Plant Leaf Diseases Detection and Classification: A Review", *2022 Seventh International Conference on Parallel, Distributed and Grid Computing (PDGC)*, pp. 361–365, 2022.
4. Kamepalli Sujatha, Ketepalli Gayatri, M. Srikanth Yadav, N. Chandra Sekhara Rao, and Bandaru Srinivasa Rao, "Customized Deep CNN for Foliar Disease Prediction Based on Features Extracted from Apple Tree Leaves Images", *2022 International Interdisciplinary Humanitarian Conference for Sustainability (IIHC)*, pp. 193–197, 2022.
5. Harshit Singh, Kumud Saxena, and Ankit Kumar Jaiswal, "Apple Disease Classification Built on Deep Learning", *2022 3rd International Conference on Intelligent Engineering and Management (ICIEM)*, pp. 978–982, 2022.

6. Anupam Bonkra, Pramod Kumar Bhatt, Amandeep Kaur, and Sushil Kamboj, "Scientific Landscape and the Road Ahead for Deep Learning: Apple Leaves Disease Detection", *2023 International Conference on Artificial Intelligence and Smart Communication (AISC)*, pp. 869–873, 2023.
7. Astha Sharma, and Ashwini Kumar, "A Review: Classification and Detection of Plants Diseases Using Machine Learning and Soft Computing Techniques", *2022 4th International Conference on Artificial Intelligence and Speech Technology (AIST)*, pp. 1–6, 2022.
8. Kamepalli Sujatha, Ketepalli Gayatri, M. Srikanth Yadav, N. Chandra Sekhara Rao, and Bandaru Srinivasa Rao, "Customized Deep CNN for Foliar Disease Prediction Based on Features Extracted from Apple Tree Leaves Images", *2022 International Interdisciplinary Humanitarian Conference for Sustainability (IIHC)*, pp. 193–197, 2022.
9. Fatimah Al Heeti, and Muhammad Ilyas, "Performance Comparison of Convolutional Neural Network Models for Plant Leaf Disease Classification", *2022 International Symposium on Multidisciplinary Studies and Innovative Technologies (ISMSIT)*, pp. 386–391, 2022.
10. Dishan Sharma, Nitika Kapoor, and Parminder Singh, "Voting Classification Method with Clustering Method for the Plant Disease Detection", *2022 International Conference on Computational Intelligence and Sustainable Engineering Solutions (CISES)*, pp. 477–485, 2022.
11. S. Chakraborty, S. Paul, and M. Rahat-uz Zaman, "Prediction of Apple Leaf Diseases Using Multiclass Support Vector Machine," *2021 2nd International Conference on Robotics, Electrical and Signal Processing Techniques (ICREST)*, pp. 147–151, IEEE, 2021.
12. Swati Singh, et al. "Deep Learning Based Automated Detection of Diseases from Apple Leaf Images", *CMC-Computers, Materials & Continua*, vol. 71, no. 1, pp. 1849–1866, 2022.
13. L. Li, S. Zhang, and B. Wang, "Apple Leaf Disease Identification with a Small and Imbalanced Dataset Based on Lightweight Convolutional Networks", *Sensors*, vol. 22, no. 1, p. 173, 2022.
14. S. Baranwal, S. Khandelwal, and A. Arora, "Deep Learning Convolutional Neural Network for Apple Leaves Disease Detection", *Proceedings of International Conference on Sustainable Computing in Science, Technology and Management (SUSCOM)*, Amity University Rajasthan, Jaipur-India, 2019.
15. M. K. Kaleem, et al., "A Modern Approach for Detection of Leaf Diseases Using Image Processing and ML Based SVM Classifier", *Turkish Journal of Computer and Mathematics Education (TURCOMAT)*, vol. 12, no. 13, pp. 3340–3347, 2021.
16. V. Srinidhi, A. Sahay, and K. Deebea, "Plant Pathology Disease Detection in Apple Leaves Using Deep Convolutional Neural Networks: Apple Leaves Disease Detection Using Efficientnet and Densenet," *2021 5th International Conference on Computing Methodologies and Communication (ICCMC)*, pp. 1119–1127, IEEE, 2021.
17. M. Shuaibu, W. S. Lee, J. Schueller, P. Gader, Y. K. Hong, and S. Kim, "Unsupervised Hyperspectral Band Selection for Apple Marssonina Blotch Detection", *Computers and Electronics in Agriculture*, vol. 148, pp. 45–53, 2018.

18. P. Bansal, R. Kumar, and S. Kumar, "Disease Detection in Apple Leaves Using Deep Convolutional Neural Network," *Agriculture*, vol. 11, no. 7, 2021. <https://doi.org/10.3390/agriculture11070617>
19. S. Manimegalai, and G. Sivakamasundari, "Apple Leaf Disease Identification Using Support Vector Machine," *Proceedings of the International Conference on Emerging Trends in Applications of Computing (ICETAC)*, pp. 1–4, 2017.
20. S. Alqethami, B. Almtanni, W. Alzhrani, and M. Alghamdi, "Disease Detection in Apple Leaves Using Image Processing Techniques," *Engineering, Technology & Applied Science Research*, vol. 12, no. 2, pp. 8335–8341, 2022.
21. K. P. Ferentinos, "Deep Learning Models for Plant Disease Detection and Diagnosis," *Computers and Electronics in Agriculture*, vol. 145, pp. 311–318, 2018.
22. S. P. Mohanty, D. P. Hughes, and M. Salathé, "Using Deep Learning for Image-Based Plant Disease Detection," *Frontiers in Plant Science*, vol. 7, 1419, 2016.
23. S. Sladojevic, M. Arsenovic, A. Anderla, D. Culibrk, and D. Stefanovic, "Deep Neural Networks Based Recognition of Plant Diseases by Leaf Image Classification," *Computational Intelligence and Neuroscience*, 2016. <https://doi.org/10.1155/2016/3289801>
24. G. Saradhambal, R. Dhivya, S. Latha, and R. Rajesh, "Plant Disease Detection and Its Solution Using Image Classification," *International Journal of Pure and Applied Mathematics*, vol. 119, pp. 879–883, Jan. 2018.
25. N. Ganatra, and A. Patel, "A Multiclass Plant Leaf Disease Detection Using Image Processing and Machine Learning Techniques," *International Journal on Emerging Technologies*, vol. 11, no. 2, pp. 1082–1086, 2020.
26. X. E. Pantazi, D. Moshou, and A. A. Tamouridou, "Automated Leaf Disease Detection in Different Crop Species through Image Features Analysis and One Class Classifiers," *Computers and Electronics in Agriculture*, vol. 156, pp. 96–104, Jan. 2019. <https://doi.org/10.1016/j.compag.2018.11.005>
27. V. K. Vishnoi, K. Kumar, and B. Kumar, "Plant Disease Detection Using Computational Intelligence and Image Processing," *Journal of Plant Diseases and Protection*, vol. 128, no. 1, pp. 19–53, Oct. 2021. <https://doi.org/10.1007/s41348-020-00368-0>
28. S. Ramesh et al., "Plant Disease Detection Using Machine Learning," *2018 International Conference on Design Innovations for 3Cs Compute Communicate Control (ICDI3C)*, pp. 41–45, Apr. 2018. <https://doi.org/10.1109/ICDI3C.2018.00017>
29. T. Fang, P. Chen, J. Zhang, and B. Wang, "Identification of Apple Leaf Diseases Based on Convolutional Neural Network," *Intelligent Computing Theories and Application*, pp. 553–564, 2019. [https://doi.org/10.1007/978-3-030-26763-6\\_53](https://doi.org/10.1007/978-3-030-26763-6_53)
30. P. Jiang, Y. Chen, B. Liu, D. He, and C. Liang, "Real-Time Detection of Apple Leaf Diseases Using Deep Learning Approach Based on Improved Convolutional Neural Networks," *IEEE Access*, vol. 7, pp. 59069–59080, 2019. <https://doi.org/10.1109/ACCESS.2019.2914929>
31. B. Liu, Y. Zhang, D. He, and Y. Li, "Identification of Apple Leaf Diseases Based on Deep Convolutional Neural Networks," *Symmetry*, vol. 10, no. 1, Jan. 2018. <https://doi.org/10.3390/sym10010011>
32. F. Mohameth, C. Bingcai, and K. A. Sada, "Plant Disease Detection with Deep Learning and Feature Extraction Using Plant Village," *Journal of Computer and Communications*, vol. 8, no. 6, pp. 10–22, Jun. 2020. <https://doi.org/10.4236/jcc.2020.86002>

33. M. H. Saleem, J. Potgieter, and K. M. Arif, "Plant Disease Detection and Classification by Deep Learning", *Plants*, vol. 8, no. 11, Nov. 2019, Art. no. 468. <https://doi.org/10.3390/plants8110468>
34. P. Kulkarni, A. Karwande, T. Kolhe, S. Kamble, A. Joshi, and M. Wyawahare, "Plant Disease Detection Using Image Processing and Machine Learning," arXiv:2106.10698 [cs], Nov. 2021.
35. S. Singh, and S. Gupta, "Apple Scab and Marsonina Coronaria Diseases Detection in Apple Leaves Using Machine Learning", *International Journal of Pure and Applied Mathematics*, vol. 118, pp. 1151–1166, Jan. 2018.
36. T. Talaviya, D. Shah, N. Patel, H. Yagnik, and M. Shah, "Implementation of Artificial Intelligence in Agriculture for Optimisation of Irrigation and Application of Pesticides and Herbicides", *Artificial Intelligence in Agriculture*, vol. 4, pp. 58–73, 2020. <https://doi.org/10.1016/j.aiia.2020.04.002>
37. R. A. Bahn, A. A. K. Yehya, and R. Zurayk, "Digitalization for Sustainable Agri-Food Systems: Potential, Status, and Risks for the MENA Region", *Sustainability*, vol. 13, no. 6, 3223, 2021. <https://doi.org/10.3390/su13063223>
38. S. N. H. Bukhari, J. Webber, and A. Mehbodniya, "Decision Tree Based Ensemble Machine Learning Model for the Prediction of Zika Virus T-cell Epitopes as Potential Vaccine Candidates", *Scitific Reports*, vol. 12, 7810, 2022. <https://doi.org/10.1038/s41598-022-11731-6>
39. G. S. Raghavendra, S. Shyni Carmel Mary, Purnendu Bikash Acharjee, V. L. Varun, Syed Nisar Hussain Bukhari, Chiranjit Dutta, and Issah Abubakari Samori, "An Empirical Investigation in Analysing the Critical Factors of Artificial Intelligence in Influencing the Food Processing Industry: A Multivariate Analysis of Variance (MANOVA) Approach", *Journal of Food Quality*, vol. 2022, Article ID 2197717, 7 pages, 2022. <https://doi.org/10.1155/2022/2197717>
40. S. N. H. Bukhari, A. Jain, E. Haq, A. Mehbodniya, and J. Webber, "Ensemble Machine Learning Model to Predict SARS-CoV-2 T-Cell Epitopes as Potential Vaccine Targets", *Diagnostics*, vol. 11, no. 11, p. 1990, 2021. MDPI AG. <https://doi.org/10.3390/diagnostics11111990>
41. Sunil L. Bangare, Deepali Virmani, Girija Rani Karetla, Pankaj Chaudhary, Harveen Kaur, Syed Nisar Hussain Bukhari, and Shahajan Miah, "Forecasting the Applied Deep Learning Tools in Enhancing Food Quality for Heart Related Diseases Effectively: A Study Using Structural Equation Model Analysis", *Journal of Food Quality*, vol. 2022, Article ID 6987569, 8 pages, 2022. <https://doi.org/10.1155/2022/6987569>
42. C. M. Anoruo, S. N. H. Bukhari, and O. K. Nwofor, "Modeling and Spatial Characterization of Aerosols at Middle East AERONET Stations", *Theoretical and Applied Climatology*, vol. 152, pp. 617–625, 2023. <https://doi.org/10.1007/s00704-023-04384-6>
43. F. Masoodi, M. Quasim, S. Bukhari, S. Dixit, and S. Alam, *Applications of Machine Learning and Deep Learning on Biological Data*, CRC Press, 2023.
44. S. N. H. Bukhari, A. Jain, and E. Haq, "A Novel Ensemble Machine Learning Model for Prediction of Zika Virus T-Cell Epitopes", in Gupta, D., Polkowski, Z., Khanna, A., Bhattacharyya, S., and Castillo, O. (eds) *Proceedings of Data Analytics and Management. Lecture Notes on Data Engineering and Communications Technologies*, vol. 91. Springer, Singapore, 2022. [https://doi.org/10.1007/978-981-16-6285-0\\_23](https://doi.org/10.1007/978-981-16-6285-0_23)

45. S. N. H. Bukhari, F. Masoodi, M. A. Dar, N. I. Wani, A. Sajad, and G. Hussain, "Prediction of Erythematous-Squamous Diseases Using Machine Learning," in *Auerbach Publications eBooks*, 2023, pp. 87–96. <http://doi.org/10.1201/9781003328780-6>
46. S. N. H. Bukhari, A. Jain, E. Haq, A. Mehbodniya, and J. Webber, "Machine Learning Techniques for the Prediction of B-Cell and T-Cell Epitopes as Potential Vaccine Targets with a Specific Focus on SARS-CoV-2 Pathogen: A Review", *Pathogens*, vol. 11, no. 2, p. 146, 2022. MDPIAG. <http://doi.org/10.3390/pathogens11020146>
47. S. Nisar, H. Bukhari, and M. A. Dar, "Using Random Forest to Predict T-Cell Epitopes of Dengue Virus," *Advances and Applications in Mathematical Sciences*, vol. 20, no. 11, pp. 2543–2547, 2021.