Tree removal walk-through

156 Old Corral Rd, Bailey, CO 80421 · Sixfold · prepared 11 Oct 2026

Walked by: _____ Date: _____

The job

Remove **2 pine trees infested with mountain pine beetle**, and deal with the wood (see page 3).


The property (county records)

Owner of record	WILLIS JOSEPH J
Lot	2.5 acres, Park County, residential (subdivision "Mill Iron")
County value	$574k (assessor's appraised total)
Elevation	about 8,526 ft (USGS)
Wildfire hazard	**Very high**, the top class (USFS Wildfire Hazard Potential 2023; rates the surrounding ~18 acres, not this lot alone)
In the app	Doors → Other towns → Bailey → Old Corral Rd (admin only; assigned to Matthew). The door note has the field guide.

Getting there

From Monument	About 83 road miles, roughly 1 h 45 min each way (longer with a trailer). 42 miles straight-line: 7 miles past the 35-mile area. Serving it is Brandon's call.
Drive time cost	2 people × ~3.5 h round trip ≈ 7 man-hours, about $700 at $100/man-hour, before any tree work.
Equipment	Towing costs fuel, wear and time; renting a chipper near the site can also settle the beetle-wood problem.

The lot (2023 aerial)



Yellow dashes: the lot line (state parcel map, can be off by a few feet). Red circle: the house. Photo: USDA NAIP, 21 Aug 2023. **Mark Tree 1 and Tree 2 here, with the direction each can fall.**

Tree by tree

Height with a clinometer app: stand where you can see the top, read the angle, count the distance. Height ≈ distance × the number below + your eye height (about 5 ft). 30° = 0.58 · 35° = 0.70 · 40° = 0.84 · 45° = 1.00 · 50° = 1.19 · 55° = 1.43 · 60° = 1.73. Anything closer than the tree's height is within its reach.

Tree 1

☐ Lodgepole ☐ Ponderosa ☐ Other: _____

Height (ft) _____ Clinometer angle (°) _____ Paces / distance (ft) _____

Girth at chest (in) _____ Diameter = girth ÷ 3.14 _____ Lean toward _____

To house (ft) _____ To shed / fence (ft) _____ To power line (ft) _____ To road / drive (ft) _____

Can it fall in one piece? ☐ Yes, toward: _____ ☐ No, needs sectioning

Crown: ☐ Green ☐ Yellow ☐ Orange / red ☐ Gray

Trunk: ☐ Pitch tubes (colour: _____) ☐ Beetle stuck in tubes ☐ Sawdust at base ☐ Woodpecker flaking

Under bark (2 spots): ☐ Grubs / beetles ☐ Vertical galleries ☐ Blue stain ☐ Round holes, no pitch

Access: ☐ Trailer can reach ☐ Chipper can reach ☐ Slope ☐ Rocks / obstacles ☐ Photos taken

Notes

Tree 2

☐ Lodgepole ☐ Ponderosa ☐ Other: _____

Height (ft) _____ Clinometer angle (°) _____ Paces / distance (ft) _____

Girth at chest (in) _____ Diameter = girth ÷ 3.14 _____ Lean toward _____

To house (ft) _____ To shed / fence (ft) _____ To power line (ft) _____ To road / drive (ft) _____

Can it fall in one piece? ☐ Yes, toward: _____ ☐ No, needs sectioning

Crown: ☐ Green ☐ Yellow ☐ Orange / red ☐ Gray

Trunk: ☐ Pitch tubes (colour: _____) ☐ Beetle stuck in tubes ☐ Sawdust at base ☐ Woodpecker flaking

Under bark (2 spots): ☐ Grubs / beetles ☐ Vertical galleries ☐ Blue stain ☐ Round holes, no pitch

Access: ☐ Trailer can reach ☐ Chipper can reach ☐ Slope ☐ Rocks / obstacles ☐ Photos taken

Notes

The conversation, the wood, the price

Ask the homeowner

- Which two trees? Any others they're worried about?
- **What happens to the wood?** Chipped on site, hauled away, or kept as firewood (it has to be treated first; see right).
- Stumps: cut low and left? (Sixfold no longer grinds stumps.)
- Anything the trees must miss: septic, well, gardens, fences, buried lines?
- Where can a trailer and chipper park? Gate width?
- Timing: the work should be done before beetles fly next summer.
- Best phone number; who decides; when they want the quote.

Before you leave

☐ Both tree forms filled in

☐ Photos: each whole tree, its bark close-up, the four directions around it, tree + house together

☐ Trees marked on the aerial

☐ Wood option chosen (or all three priced)

☐ Phone saved on the door, note added, "Quote booked" tapped in the app

Beetle wood (Colorado State Forest Service)

- **Timing is good now.** Adults fly mid-June to September; larvae spend the winter under the bark. CSFS: remove an infested tree "by the following spring".
- **Don't move infested wood** unless it's going to a secure drop-off: "it could spread the beetles". Call the receiving site first.
- Ways to kill the larvae: **chip** it; **peel the bark**; **burn** (in a pile, preferably with snow on the ground; contact the local forester); **bury** under at least 8 in of soil; **solar treatment** (logs off the ground in full sun, under clear plastic; the bark has to reach 110 °F, so it waits for summer).
- Wood the beetles have already left (lots of round holes, no pitch) is safe to use.

Pricing notes (quote engine, rates v4)

Height	Engine	Market check
10–30 ft	65 man-min ≈ $108 a tree	Sixfold's own timing
30–60 ft	330 man-min ≈ $550 a tree	Hawk $500–$1,000
60–80 ft	570 man-min ≈ $950 a tree	Hawk $1,000–$2,000+
Over 80 ft	Call-in, not a quote	

Sixfold has never timed a tree over 30 ft; those two lines are trade figures. Sectioning a tree that can't fall in one piece takes longer than any band. Add the drive time, and the wood option on top.

Lodgepole or ponderosa?

The 5-second test: pull one needle bundle and count. **2 short needles (1–3 in) = lodgepole. 3 long needles (3–7 in) = ponderosa.** Then the bark: big orange plates on a mature trunk = ponderosa.




Lodgepole: 2 needles, 1–3 in



Lodgepole: thin straight trunks, thin scaly bark



Ponderosa: 3 needles, 3–7 in




Ponderosa: thick red-orange plates

	Lodgepole	Ponderosa
Needles	2 per bundle, 1–3 in, stiff, often twisted	Typically 3 per bundle, 3–7 in, tufts at branch ends
Bark	Thin, light brown, many small scales	Mature: red-orange, thick, large flat plates. Young: dark
Cones	Up to 2 in; often stay closed on the branch	3–4 in; each scale ends in a sharp point
Height	20–80 ft	40–160 ft
Stands	Often pure, crowded stands	Open, park-like stands
Elevation	6,000–11,000 ft	6,300–9,500 ft (this lot: ~8,526 ft, so either)

Source: Colorado State Forest Service, "Colorado's Major Tree Species".

Is it beetle-infested?



1 · Crown yellow to red all over



2 · Pitch tubes on the trunk



3 · Galleries under the bark



3 · Blue-stained wood

- **1 · The crown:** yellowish to reddish through the whole crown, 8–10 months after the attack. **A green tree can already be infested.** New attacks are usually next to trees killed before.
- **2 · The trunk, all the way round:** popcorn-shaped pitch tubes (brown, pink or white); sawdust in bark cracks and at the base; bark flaked off by woodpeckers.
- **3 · Under the bark, with a hatchet, in 2+ spots:** grubs or beetles, vertical galleries, blue-gray stain. The surest sign.
- **Beetle stuck in the pitch tube** = failed attack. If most look like that, the tree may survive this year.
- **Dry trees may make no pitch tubes**: look for the sawdust.
- **Round holes, no pitch** = the beetles have left.
- **Ips beetles** fly earlier and get mistaken for mountain pine beetle.

Source: Leatherman, Aguayo and Mehall (CSFS), Mountain Pine Beetle, CSU Extension fact sheet 5.528 (rev. 9/2011). Photos, Wikimedia Commons: Dcrjsr (CC BY-SA 3.0), Rhododendrites (CC BY-SA 4.0), Crusier (CC BY-SA 3.0), NPS (Public domain), Themightyquill (CC BY-SA 3.0), R6, State & Private Forestry, Forest Health Protection (Public domain), R6, State & Private Forestry, Forest Health Protection (Public domain), James St. John (CC BY 2.0).