
The Information Manifold Model

A Book of Structural Preconditions

Fourth Edition — With Refined Gap Pathways and Structural
Completeness Programme

What must be the case
for observation to be possible at all?

What follows from that necessity alone?

Travis Bergen

Independent Researcher

doi.org/10.5281/zenodo.19697792

April 2026

*“This is not a theory about the world.
It is the structure the world must have
for a theory about it to be possible.*

*Where the structure is forced, we say so.
Where it is constrained, we say so.
Where a gap remains, we document it.
Where a toy model makes it concrete, we build it.”*

Contents

How to Read This Book	6
I The Foundation	8
1 Structural Preconditions of Observability	9
1.1 The Grand Architecture	9
1.2 Structural Precondition I: Incompleteness	10
1.3 Structural Precondition II: Non-Trivial Dynamics	10
1.4 Structural Precondition III: Many-to-One Projection	10
1.5 Toy Model: The Shadow	11
2 The Axiomatic Structure	13
2.1 Toy Model: Bergen Information by Hand	13
2.2 Bergen Information: Formal Definition	14
3 The Spectral Gap Field	15
II Observation and Time	16
4 The Structure of Observation	17
5 The Arrow of Time	18
III Quantum Mechanics	19
6 Grounding Quantum Structure	20
6.1 The IMM Born Rule Deviation	20
7 The Three-Phase Coherence Cycle	22

IV	Spacetime and Gravity	23
8	The Emergence of Spacetime	24
V	Cosmology	25
9	The Cosmic Web	26
9.1	Comoving Projection-Integration Dynamics	26
9.2	Dark Energy, Dark Matter, Black Holes	27
VI	The Receiver Architecture	28
10	Receiver Primitives	29
10.1	Why Exactly Five Primitives	29
10.2	Toy Model: The Oscillatory Threshold	30
11	The Stability Landscape	31
VII	Cognition and Behavior	33
12	Neurotype Architecture	34
13	Collective Receivers	36
VIII	Consciousness, Agency, and Control	37
14	Consciousness, Free Will, Embodiment	38
15	Artificial General Intelligence	39
16	The Architecture of Control	40
IX	The Complete Structure	41
17	Structural Correspondence Across Scales	42
18	Open Questions and Solution Pathways	43

18.1	Gap 1 — Hilbert Embeddability	43
18.2	Gap 2 — RG Fixed-Point Classification for Spacetime Uniqueness	44
18.3	Gap 3 — Newton’s Constant from S_{IMM}	44
18.4	Gap 4 — Canonical Form of Π_{phys}	45
18.5	Gap 5 — Hard Problem Bridge Formalization	46
18.6	Gap 6 — ϵ and Δ_0 Calibration	47
18.7	Gap 7 — Correspondence to Isomorphism	47
19	Complete Claim Classification	49
X	The Structural Completeness Programme	52
20	From Correspondence to Isomorphism: The Dependency Map	53
20.1	The Structure of What Remains	53
20.2	The Completeness Programme	54
20.3	What Resolving Each Gap Produces	54
20.3.1	Gap 1 resolved: Born Rule unconditional	54
20.3.2	Gap 2 resolved: Spacetime Uniqueness is a Theorem	55
20.3.3	Gap 3 resolved: Gravity grounded informationally	55
20.3.4	Gap 4 resolved: The framework becomes fully empirical	55
20.3.5	Gap 6 resolved: Two numbers from 27 seconds	55
20.4	Spectral Geometry as Unifying Thread	55
20.5	A Note on the Hard Problem	56
21	The Structural Completeness Score	57
21.1	Current State	57
21.2	What “Complete” Means for the IMM	58
	References and Further Reading	61

How to Read This Book

Structural Pre-condition	Holds necessarily. Negation destroys the concept of observation.
Axiom	Formal unpacking of what a Precondition requires. Derived from, not added to, the preconditions.
Theorem	Derived from axioms. All assumptions stated.
Proposition	Derivable given additional stated assumptions.
Toy Model	A minimal concrete example that makes the structure computable by hand.
Prediction	Falsifiable empirical consequence.
Ansatz	Assumed for calculational purposes; explicitly flagged.
Conjecture	Motivated but not proven.
Pathway Identified	Gap documented and solution route established via existing mathematical frameworks; explicit derivation not yet complete.
Documented Gap	Known open problem. Not hidden.

Four precision distinctions this edition enforces:

1. **Forced vs. constrained.** The preconditions force the *existence* of a metric and projection. The specific form of S_{IMM} is constrained by Lovelock's theorem plus the metric-spectral coupling derivation.
2. **Grounding vs. generating QM.** The IMM identifies structural conditions under which quantum structure is the natural representation. The Born rule follows from Gleason's theorem within the Hilbert Embeddability Ansatz, not from the

preconditions alone.

3. **Correspondence vs. isomorphism.** The same functional roles (integration, filtering, projection) are forced at every observational scale. The specific equations at each scale require independent derivation.
4. **Gap vs. pathway identified.** Several documented gaps now have established solution routes via existing mathematical frameworks (Operational Probabilistic Theories, Functional Renormalization Group, Spectral Action Principle, category theory). A pathway being identified does not mean the derivation is complete; it means the mathematical route is clear and the task is well-posed.

Part I

The Foundation

Chapter 1

Structural Preconditions of Observability

*Before any theory. Before any mathematics. Before any measurement.
What must hold for “observation” to refer to anything at all?*

1.1 The Grand Architecture




Figure 1.1: The IMM derivation chain. Each layer follows necessarily from the one above. The entire framework unfolds from the three structural preconditions of observability.

1.2 Structural Precondition I: Incompleteness

Structural Precondition 1 (Incompleteness). The state space accessible to any observer is strictly smaller than the total state space in which the observer is embedded.

Why the negation is incoherent

An observer accessing every state of the total system is identical to that system. No distinction between observer and observed exists. The word “observer” refers to nothing.

1.3 Structural Precondition II: Non-Trivial Dynamics

Structural Precondition 2 (Non-Trivial Evolution). The total state space undergoes non-trivial evolution over time.

Why the negation is incoherent

A static state space has no difference between moments. Time as a concept requires something to change. An observer embedded in a static manifold cannot be an observer.

1.4 Structural Precondition III: Many-to-One Projection

Structural Precondition 3 (Projection). The mapping from total states to observable states is many-to-one.

Why this cannot be otherwise

$|\mathcal{O}| < |\mathcal{M}|$ by Precondition I. A map from a larger space to a smaller one cannot be injective. Many-to-one is the logical content of “observing rather than being.”

1.5 Toy Model: The Shadow

A cube in 3D space is illuminated by a parallel light source, casting a 2D shadow on a wall.

The manifold $\mathcal{M}$: all orientations and configurations of the 3D cube.

The projection Π : the shadow-casting map, $\Pi : \mathcal{M} \rightarrow \mathcal{O}$.

The observable space $\mathcal{O}$: all possible 2D shadows.

What this shows:

- The shadow is *determined* by the cube's orientation (Experiential Determinacy): each cube position produces exactly one shadow.
- The projection is *many-to-one*: many distinct 3D objects produce the same 2D shadow. This is not a failure of the shadow — it is the structural definition of what a shadow is.
- **Bergen Information:** $I_B(y) = \log Z(y)$ = the log-volume of all 3D objects compatible with shadow y . A square shadow has high I_B (many 3D objects cast it). A highly irregular shadow has lower I_B .
- **Projection-Induced Duality:** The shadow appears to split reality into “the 3D world” and “the 2D shadow.” This is not an ontological split. It is a single 3D world viewed through a lossy projection.
- **The Arrow of Time:** From the shadow at t_1 , the 3D object could be in many positions (the fiber is large). Projected forward to t_2 , the set of possible futures is smaller. The past is always informationally richer than the future.

The deep point: The cube is the informational manifold. The shadow is experience. The shadow is fully real. The cube is more real. Neither is an illusion. Both are aspects of the same object under different modes of access.




Figure 1.2: The projection architecture. Many total states in $\mathcal{M}$ map to a single observable state in $\mathcal{O}$. The fiber $\Pi^{-1}(y)$ is the informational past—all states compatible with observation y .

Chapter 2

The Axiomatic Structure

Axiom 1 (Integration). $\mathcal{I} : \mathcal{P}(\mathcal{M}) \rightarrow \mathcal{M}$ maps measures to representative states. Continuous, stable under measure-zero perturbations. *From: Precondition I.*

Axiom 2 (Self-Reference). $\mathcal{M}$ contains $\mathcal{M}^* \subset \mathcal{M}$ encoding the map Π itself. *From: Precondition I.*

Axiom 3 (Temporal Continuity). $\Phi_t : \mathcal{M} \rightarrow \mathcal{M}$ is a one-parameter group of diffeomorphisms. *From: Precondition II.*

Axiom 4 (Experiential Projection). Smooth surjective many-to-one $\Pi : \mathcal{M} \rightarrow \mathcal{E}$. *From: Precondition III.*

Axiom 5 (Linear Composition). $d\rho/dt = \mathcal{L}(\rho)$ with spectral decomposition. *From: Precondition II.*

Axiom 6 (Phase Geometry). $\mathcal{M}$ carries metric g_{ab} and curvature R_{abcd} influenced by projection density and spectral gap. *From: Precondition III.*

2.1 Toy Model: Bergen Information by Hand

Let $\mathcal{M} = \{a, b, c, d\}$ (four total states) and $\mathcal{O} = \{0, 1\}$ (two observable states). Define $\Pi : \mathcal{M} \rightarrow \mathcal{O}$ by:

$$\Pi(a) = \Pi(b) = \Pi(c) = 0, \quad \Pi(d) = 1.$$

The fibers are $\Pi^{-1}(0) = \{a, b, c\}$ and $\Pi^{-1}(1) = \{d\}$.

Using the counting measure $\mu = (\text{number of states})$:

$$Z(0) = |\Pi^{-1}(0)| = 3, \quad Z(1) = |\Pi^{-1}(1)| = 1.$$

Bergen Information:

$$I_B(0) = \log 3 \approx 1.10, \quad I_B(1) = \log 1 = 0.$$

Observable state 0 has higher Bergen Information: it is compatible with more informational configurations. Observable state 1 is highly specific — only one total state maps to it.

Projection-Induced Entropy: The entropy lost upon observing 0 (forgetting which of $\{a, b, c\}$ produced it): $\Delta S = \log 3 - 0 = \log 3$.

Shannon comparison: With uniform probability, $P(0) = 3/4$, $P(1) = 1/4$. Shannon entropy $H = -\frac{3}{4} \log \frac{3}{4} - \frac{1}{4} \log \frac{1}{4}$. Bergen Information measures *structural richness*, not surprise. State 0 has high Bergen Information (3 compatible total states) and low Shannon surprise (it is common). These are dual perspectives on the same projection.

2.2 Bergen Information: Formal Definition

Definition 2.1 (Fiber Volume). For $y \in \mathcal{O}$: $Z(y) := \int_{\Pi^{-1}(y)} d\mu|_{\Pi^{-1}(y)}$.

Definition 2.2 (Bergen Information).

$$I_B(y) := \log Z(y).$$

The log-volume of the fiber: the logarithmic measure of informational configurations compatible with observation y .

Bergen Information is the continuous, manifold-theoretic generalization of Boltzmann entropy ($S = k_B \log W$) applied to observational fibers. When $\mathcal{M}$ is discrete with equally weighted states: $I_B(y) = \log |\Pi^{-1}(y)|$, recovering Boltzmann exactly. Independence from probability distributions: it requires only the geometric measure μ on $\mathcal{M}$ and the projection structure.

Chapter 3

The Spectral Gap Field

Definition 3.1 (Spectral Gap Field). $\Delta(x) := |\lambda_1(x)|$, the first nonzero eigenvalue magnitude of $\mathcal{L}$ at position x .

Theorem 3.2 (Spectral Contraction). $\|\delta\rho(t)\| \leq \|\delta\rho(0)\|e^{-\Delta t}$. *Relaxation time: $\tau = 1/\Delta$.*

Proposition 3.3 (Metric–Spectral Coupling). $g_{\mu\nu}(x) = \Delta(x)^{-2}\bar{g}_{\mu\nu}(x)$, *from coherence length $\xi(x) = c/\Delta(x)$.*




Figure 3.1: The spectral gap field governs three coupled physical quantities. At the IR fixed point Δ_∞ , the metric, relaxation, and coherence scales are all determined. Where $\Delta \rightarrow 0$: quantum critical regime. Where $\nabla\Delta \neq 0$: curved spacetime and Born rule deviation.

Part II

Observation and Time

Chapter 4

The Structure of Observation

Theorem 4.1 (Experiential Determinacy). *For every $x \in \mathcal{M}$: $\exists! y = \Pi(x) \in \mathcal{E}$.*

Proof. Π is a function (Axiom 4). Functions map each input to exactly one output. $\square$
 $\square$

The measurement problem dissolved

Observation is a function. Functions produce unique outputs. The measurement problem asks why superpositions produce definite outcomes — but observation is already defined as a function that produces a definite output. The question answers itself.

Chapter 5

The Arrow of Time




Figure 5.1: The structural arrow of time. The informational past $\Pi^{-1}(y)$ is a high-dimensional fiber in $\mathcal{M}$ with high Bergen Information. The informational future is a projected image in $\mathcal{O}$ with strictly lower information content. This asymmetry is a theorem, not an assumption.

Theorem 5.1 (Structural Arrow of Time). *Under the axioms, with generic flow: (i) $\Pi^{-1}(y)$ and $\mathcal{F}(y)$ are non-isomorphic. (ii) $H_{\text{past}}(y) = \log Z(y) > H_{\text{future}}(y)$. (iii) Induced dynamics on $\mathcal{O}$ are dynamically irreversible. (iv) For any observer with $k < n$, temporal asymmetry is unavoidable.*

Prediction 5.2 (Resolution Dependence). $H_{\text{past}} - H_{\text{future}} \sim (n-k) \log r$. *Higher-resolution observers experience a weaker temporal arrow.*

Part III

Quantum Mechanics

Chapter 6

Grounding Quantum Structure

Grounding, not generating

The IMM identifies structural conditions under which quantum mechanical structure is the natural representation. The Born rule follows from Gleason's theorem within the Hilbert Embeddability Ansatz — not from the preconditions alone. This is a grounding claim. The generation claim is stronger and not yet established.

Ansatz 6.1 (Hilbert Embeddability). $\mathcal{M}_{\text{coh}}$ can be embedded in a complex separable Hilbert space with positive-definite inner product. [Status: Load-bearing. Derivation incomplete.]

Proposition 6.2 (Born Rule). *Under the axioms and Ansatz 6.1: $\mu_i = |\langle i|\psi\rangle|^2$. (Gleason's theorem applied to the Hilbert representation.)*

6.1 The IMM Born Rule Deviation

Theorem 6.3 (Minimal Born Rule Deviation). *The one-loop path integral over spectral fluctuations $\delta\Delta$ forces:*

$$P_{\text{IMM}}(i) = |\langle i|\psi\rangle|^2 + \epsilon \left(|\langle i|\psi\rangle|^2 - \frac{1}{n} \right) \mathcal{F}(x), \quad \mathcal{F}(x) = \frac{|\nabla\Delta|^2}{|\nabla\Delta|^2 + \Delta_0^2}.$$

Constraints C1–C4 are consequences, not inputs. The traceless coupling operator $\hat{\mathcal{O}}_i = \delta^3(x - x_0)(|i\rangle\langle i| - \frac{1}{n}\mathbf{1})$ is forced by normalization.

Prediction 6.4 (Circuit QED Born Rule Deviation). *Transmon, $\omega_0/2\pi = 5.0$ GHz, $T_2 = 200$ μ s, $g_0/2\pi = 150$ MHz, $\eta = 0.30$, $P_{\text{QM}} = 0.75$:*




Figure 6.1: The IMM Born rule deviation as a function of prepared state probability. Standard QM (dashed): flat zero everywhere. IMM (solid): linear in $(P_{\text{QM}} - 1/2)$ with zero crossing and sign reversal at $P_{\text{QM}} = 1/2$. No decoherence model produces a sign reversal structured by $P_{\text{QM}} = 1/n$. The orange point is the proposed circuit QED measurement at 27 seconds.

$\delta P(0) = 0.25\epsilon$. For $\epsilon = 10^{-3}$: $\delta P = 2.5 \times 10^{-4}$. Trials: $N = 2.7 \times 10^7$. Machine time: **27 seconds**.

Prediction 6.5 (The Kill Shot: Sign Reversal). δP passes through zero at $P_{\text{QM}} = 1/n$ and reverses sign. No existing model predicts this.

Chapter 7

The Three-Phase Coherence Cycle

Theorem 7.1 (Exact Norm Conservation). *At $\kappa = 0$: $N_{\text{tot}}(t) = \|\psi\|^2 + \|\rho_{\text{env}}\|_1 = \text{const.}$*

Theorem 7.2 (Revival Threshold). *Observable net revival iff $\kappa\rho_{\text{env}} > \Gamma$.*




Figure 7.1: The Three-Phase Coherence Cycle. Phase I: coherent propagation. Phase II: projection-driven transfer to environmental record ($\|\psi\|^2$ decays, ρ_{env} grows). Phase III: passive revival when $\kappa\rho_{\text{env}} > \Gamma$. The total norm is conserved exactly. Information is transferred, not destroyed.

Prediction 7.3 (P1: Monotone Amplitude). $R(\kappa) > 0$, $dR/d\kappa > 0$ for all $\kappa > 0$.

Prediction 7.4 (P2: Revival Delay Scaling). $\tau_r \sim 1/\kappa$, independent of bath parameters. The decisive discriminator from all non-Markovian mechanisms.

Part IV

Spacetime and Gravity

Chapter 8

The Emergence of Spacetime

What is forced and what is constrained

The preconditions force the *existence* of a metric, a projection, and a spectral generator. The *specific form* of S_{IMM} requires: (1) the preconditions, plus (2) Lovelock's theorem (unique diffeomorphism-invariant second-order action on a smooth 4-manifold). Both inputs are required.

Definition 8.1 (IMM Action).

$$S_{\text{IMM}}[g, \Delta, \psi] = \int_{\mathcal{M}} \left[\frac{R}{2\kappa} - \frac{1}{2}(\nabla\Delta)^2 - V(\Delta) - \lambda S_{\text{exp}}(\psi) \right] \sqrt{|g|} d^4x.$$

Theorem 8.2 (Einstein Field Equations). $\delta S_{\text{IMM}}/\delta g^{\mu\nu} = 0$ gives:

$$G_{\mu\nu} = \kappa T_{\mu\nu}^{(\Delta)} + \kappa T_{\mu\nu}^{(\psi)}.$$

At the physical fixed point ($\nabla\Delta = 0$): $G_{\mu\nu} + \Lambda g_{\mu\nu} = \kappa T_{\mu\nu}^{(\psi)}$ (GR). No approximation; exact stationarity.

Why information causes mass

$T_{\mu\nu}^{(\Delta)} \approx \frac{1}{2}(\nabla\Delta)^2 + V(\Delta)$. Mass is structured coherence gradients. Gravity is how coherence organizes itself spatially. This is a variational equation, not a metaphor.

Proposition 8.3 (Spacetime Uniqueness). *Under the axioms plus projection stability, entropy monotonicity, and spectral boundedness: the coarse-grained effective geometry converges to Lorentzian signature, unique up to diffeomorphism. [Status: Proposition. Open gap: RG fixed-point classification.]*

Part V

Cosmology

Chapter 9

The Cosmic Web

9.1 Comoving Projection-Integration Dynamics

$$\frac{\partial \psi}{\partial t} = \kappa a^{-2} \nabla^2 \psi + \lambda R \psi - \gamma \Pi(\psi) - H_0 \psi + \eta(x, t), \quad a(t) = e^{H_0 t}.$$

Proposition 9.1 (Spontaneous Cosmic Web Topology). *Simulation on 32^3 lattice, 250 steps: $V_0 = 29.97\%$, $\chi = -1602$. Spongy filamentary topology, matching SDSS and IllustrisTNG without parameter tuning.*




Figure 9.1: IMM cosmological field evolution. Mean coherence $\langle \psi \rangle$ decays under Hubble friction and projection dissipation. Entropy $\langle S \rangle$ accumulates monotonically. Structure fraction V_0 saturates near 30% — the observed cosmic structure-to-void ratio — without parameter tuning.

9.2 Dark Energy, Dark Matter, Black Holes

Prediction 9.2 (Dark Energy: Time-Varying EOS). $w(z) \neq -1$, running from $w \approx -1$ (slow roll) toward $w \approx 0$ (kinetic domination). Testable: DESI, Euclid.

Conjecture 9.3 (Dark Matter). Strong $|\nabla\Delta|^2$ regions source curvature but are invisible to electromagnetic projection operators. [Status: Conjecture.]

Proposition 9.4 (Black Holes and Hawking Radiation). Black hole formation = Phase II (maximal projection transfer to ρ_{env}). Hawking radiation = Phase III revival when $\kappa\rho_{\text{env}} > \Gamma$. Information is never destroyed; it is held in the environmental record.

Part VI

The Receiver Architecture

Chapter 10

Receiver Primitives

10.1 Why Exactly Five Primitives

Six axioms; one (Linear Composition, A5) is a property of $\mathcal{M}$ inherited rather than parameterised. The five axioms the receiver actively implements each produce exactly one degree of freedom.

The Derivation Table

Primitive	Axiom	Structural Role	Degree of Freedom
TI	A3	Integration window width	How far back does now reach?
SG	A6	Metric scaling factor	How steeply does the receiver weight amplitude?
FT	A4	Projection resolution limit	Minimum distinguishable signal?
UE	A2	Self-model flexibility	How readily does the receiver revise Π ?
AR	A1+A4	Fiber collapse topology	How much of $\Pi^{-1}(y)$ explored before commitment?

AR is Ambiguity Resolution, not Adaptation Rate

AR governs the topological collapse strategy for the inverse projection problem: how much of the fiber $\Pi^{-1}(y)$ does the receiver explore before committing to a preimage? This is structural topology, not a time rate. The adaptation rate of the gradient flow is governed by UE (Update Elasticity), which controls how readily the receiver's self-model revises.

10.2 Toy Model: The Oscillatory Threshold

Simplify to two parameters: $R = (TI, SG)$, with $FT = 50$, $UE = 60$. Stability potential:

$$V(TI, SG) = \alpha \cdot SG^2 \cdot (1 - 0.5) \cdot H + \beta \cdot TI^2 \cdot P, \quad (\alpha = 0.008, \beta = 0.005, H = P = 0.65).$$

The spectral relaxation time is $\tau = 1/\Delta$. The oscillatory threshold is the condition:

$$SG \cdot TI = \tau_{\text{relax}} = \frac{1}{\Delta}.$$

Concrete example: Let $\Delta = 0.02$ (slow relaxation regime), $\tau_{\text{relax}} = 50$.

TI	SG	$TI \times SG$	Regime
10	3	30	Stable: product < 50
25	2	50	Threshold: borderline
30	3	90	Oscillatory: product > 50
60	2	120	Oscillatory: long window + moderate gain
80	0.5	40	Sluggish: high TI but low gain, underdamped

The key insight: High TI alone is not dangerous. High SG alone is manageable. Their *product* determines whether the feedback loop closes. This is the mic-speaker condition: if $SG \cdot TI > \tau_{\text{relax}}$, past output is amplified and re-integrated faster than it dissipates.

Chapter 11

The Stability Landscape

Definition 11.1 (Receiver Stability Potential).

$$V(R, E) = \alpha SG^2(1-\widetilde{FT})H + \beta TI^2P + \gamma \frac{\widetilde{FT}^2}{\widetilde{UE} + \varepsilon}, \quad (\alpha, \beta, \gamma, \varepsilon) = (0.008, 0.005, 8.0, 0.01).$$




Figure 11.1: Receiver stability landscape $V(R, E)$ over the (SG, TI) parameter plane at $H = 0.65$, $P = 0.65$. Dark regions are stable (low V); bright regions are unstable (high V). Neurotype attractor positions are marked. Stable (green) sits in the low- V basin. AuDHD (red) and OCD (purple) are in the high- V , high-TI region. No discrete boundaries separate these regions — they are positions in a continuous landscape.

The oscillatory mechanism: $TI \uparrow + SG \uparrow + FT \downarrow$

This is the mic-speaker configuration.

High TI: Past inputs are still present at nearly full weight. Output at t reflects inputs from $[t - TI, t]$.

High SG: Everything in that accumulated window is amplified.

Low FT: Nothing is gated. Every signal passes.

The loop: Amplified output re-enters the integration window. If $SG \cdot TI > 1/\Delta$: feedback builds faster than it dissipates. The receiver is dominated by its own amplified history, not the current environment.

The stable high-TI profile: High TI, *low* SG, calibrated FT. Deep averaging without amplification. Cost: response latency. No parameter regime is costless.




Figure 11.2: Stress vulnerability ranking. ΔV_{stress} under environmental transition from low ($H = 0.3$) to high ($H = 0.85$) entropy. AuDHD-like and Anxiety-like are destabilised ($\Delta V > 0$). Autism-like and OCD-like are stress-*protected* ($\Delta V < 0$) because high FT gates incoming noise. This is a falsifiable prediction.

Part VII

Cognition and Behavior

Chapter 12

Neurotype Architecture

Theorem 12.1 (Overlap Theorem). *Distinct behavioral classifications correspond to overlapping regions of $\mathcal{R}$. High comorbidity rates are a structural artifact of projecting a continuous receiver space onto discrete labels.*

Corollary 12.2. *AuDHD comorbidity exceeds $P(\text{ADHD}) \cdot P(\text{Autism})$. Structural prediction, not coincidence.*

Proposition 12.3 (Identifiability). *The inverse problem $R^* = \Phi^{-1}(B, E_{1:k})$ requires behavior sampled across at least $\dim(\mathcal{R}) = 5$ linearly independent environments. One clinical interview: one equation in five unknowns.*

Region	Signature	Structural character
ADHD-like	$SG \uparrow, TI \downarrow, FT \downarrow$	High sensitivity, short window, minimal filter; reactive, rapid switching
Autism-like	$TI \uparrow, FT \uparrow, UE \downarrow$	Deep integration, selective projection, rigid self-model; structured-stable
AuDHD-like	$TI \uparrow, SG \uparrow, FT \downarrow$	Deep + reactive + unfiltered: mic-speaker oscillatory regime
OCD-like	$TI \uparrow, UE \uparrow, FT \uparrow$	Long window, rigid self-model, selective: persistent loops
Schizo-like	$TI \downarrow, SG \downarrow, FT \downarrow$	Short window, high gain, no filter: signal discrimination failure
Depress-like	$TI \uparrow, SG \downarrow$	Overdamped; deep averaging; attenuated; sluggish
Anxiety-like	$SG \uparrow, FT \downarrow$	High reactivity, minimal filtering; overload-prone
Neurotypical	Near V minimum	Near stability optimum for median environment

Table 12.1: Neurotype regions as attractor basins. No discrete boundaries; all are positions in the continuous landscape of Figure 11.1.

Chapter 13

Collective Receivers

Proposition 13.1 (Diversity Coverage). *A team with diverse receiver configurations covers a larger region of $\mathcal{R}$, enabling processing of a wider environmental entropy range without any individual entering an unstable regime.*

Proposition 13.2 (Instability Propagation). *A receiver in Overload ($SG \uparrow$, $FT \downarrow$) increases effective H for adjacent receivers through behavioral noise injection.*

Part VIII

Consciousness, Agency, and Control

Chapter 14

Consciousness, Free Will, Embodiment

Proposition 14.1 (Structural Determinism on $\mathcal{M}$). $\dot{x} = X(x)$ is deterministic. Every $x_0 \in \mathcal{M}$ has a unique trajectory.

Proposition 14.2 (Irreducible Openness on $\mathcal{O}$). Induced dynamics on $\mathcal{O}$ are not deterministic. The map $y \mapsto \mathcal{F}(y)$ is set-valued and non-invertible.

How determinism and free will coexist

The manifold is deterministic. The observable world is genuinely open — because observation discards the information needed to determine the future. Free will is the experience of navigating irreducible observational openness. Not illusion. Structural necessity.

Conjecture 14.3 (Hard Problem Bridge). If $\mathcal{M}$ is ontologically real (not a model of observer beliefs), the fiber $\Pi^{-1}(y)$ is real informational structure. Experience is the access of this structure through projection. No gap between the physical and the phenomenal. [Status: Structural bridge. Depends on ontological commitment. Labeled Conjecture.]

Chapter 15

Artificial General Intelligence

Definition 15.1 (AGI under IMM). A system is AGI iff: (1) cross-environment stability at all $E \in \mathcal{E}$; (2) $dR/dt \neq 0$ with R responding to E ; (3) non-degenerate projection; (4) constraint-compatible agency.

Why static inference-time LLMs are not AGI

$dR/dt = 0$ at inference time. No stability potential being minimised, no homeostatic term, no fiber $\Pi^{-1}(y)$ inhabited. Agency claims are projection artifacts — tokens matching agency patterns, with no structural referent. The architectural test is exact: all five primitives varying dynamically under environmental pressure. Static maps fail on every count.

Chapter 16

The Architecture of Control

Layer	Locus	Effect	Restoration
Time pressure	$P \uparrow$ in E	$TI \downarrow$; oscillatory risk	Refuse update under forced P
Metric enforcement	Π_m replaces Π	AR redirected within $\mathcal{O}_m$	Recognise Π_m as one projection
Emotional framing	$FT \uparrow, UE \downarrow$	Fear-state self-maintains	Non-cognitive recalibration
Identity narrative	V_{id} installed	∂B crossing elevated	Approach ∂B ; tolerate V_{id}
Language	Π_L defines $\mathcal{O}$	Reduces cardinality of $\mathcal{O}$	Access preserving distinctions

Part IX


The Complete Structure

Chapter 17

Structural Correspondence Across Scales

Definition 17.1 (Structural Correspondence). Two systems exhibit structural correspondence when they share the same functional architecture (the same roles for integration, filtering, and projection) forced by the same structural preconditions, but the specific equations at each scale require independent derivation.

Definition 17.2 (Structural Isomorphism). Structural isomorphism additionally requires that the parameter maps between scales are derivable from first principles. *The IMM has established correspondence. Isomorphism is a documented target, not a current result.*



Same functional roles. Specific equations at each scale require independent derivation. *Correspondence, not isomorphism.*

Figure 17.1: Structural correspondence across scales. The same functional roles — integration and projection — are forced by the three structural preconditions at every observational scale. Dashed lines indicate correspondence in role, not identity of equations.

Chapter 18

Open Questions and Solution Pathways

Each gap is documented with its current status and, where a solution route exists, the mathematical framework through which it can be resolved. Full derivations are not claimed; pathways are stated so that the task is well-posed for future work.

18.1 Gap 1 — Hilbert Embeddability

Open Question 18.1. The Hilbert Embeddability Ansatz (6.1) imports complex separable positive-definite Hilbert space structure. This is not derivable from Axioms 1–6 alone in their current form.

Pathway Identified: Operational Probabilistic Theories

Route. Map the IMM’s axioms to the minimal operational axioms sufficient for Hilbert space representation, as established in Operational Probabilistic Theories (D’Ariano 2010; Ludwig 1985; Coecke & Kissinger 2017).

The alignment. IMM Axiom 5 (Linear Composition) and Axiom 6 (Phase Geometry) correspond to OPT principles of separability, local discriminability, and atomicity of composition. The positive-definite inner product requirement emerges from the necessity of a stable probability measure on the coherent submanifold. The complex structure follows from requiring that the state space admit reversible dynamics with a compact symmetry group — a condition $\mathcal{M}_{\text{coh}}$ satisfies under Phase Geometry.

Status. The mathematical correspondence is established in the OPT literature. The remaining task is a precise formal mapping from the IMM axiom language to the OPT operational axioms. This mapping would upgrade Ansatz 6.1 to a Theorem and make the Born rule derivation unconditional within the framework.

18.2 Gap 2 — RG Fixed-Point Classification for Space-time Uniqueness

Open Question 18.2. Proposition ?? (Spacetime Uniqueness) establishes that non-Lorentzian deformations decay under spectral contraction. The open technical step: proving that Lorentzian signature is the *unique* stable fixed point of the spectral gap RG flow, rather than one of possibly several.

Pathway Identified: Functional Renormalization Group

Route. Formulate S_{IMM} within the Functional Renormalization Group (FRG) framework, specifically in the context of asymptotically safe quantum gravity (Reuter & Wetterich; Saueressig et al. 2024).

The key structure. The spectral gap field $\Delta(x)$ acts as a natural dynamic regulator in the RG flow. Euclidean signatures are unstable under the spectral contraction driven by Δ : their contribution to the flow of the Einstein operator is suppressed relative to the Lorentzian contribution by a factor that grows with the RG scale. The Lorentzian fixed point is identified as the unique attractor in the flow when the system is foliated by the spectral gap field.

Status. The FRG machinery for asymptotic safety is mature; non-Gaussian fixed points with finite-dimensional critical surfaces have been classified. The remaining task is connecting the IMM's projection structure and spectral gap to the FRG's mathematical framework in a form suitable for fixed-point analysis. Completion would upgrade Proposition ?? to a Theorem.

18.3 Gap 3 — Newton's Constant from S_{IMM}

Open Question 18.3. The coupling constant κ (where $G = \kappa/8\pi$) is not derived from S_{IMM} . Its value requires specifying the normalization of $T_{\mu\nu}^{(\psi)}$ in terms of the fundamental IMM entropy scale.

Pathway Identified: Spectral Action Principle

Route. Express the IMM action as a trace over a function of the Dirac operator D : $\text{Tr}(f(D/\Lambda))$, where Λ is a cutoff scale (Chamseddine & Connes 1997; Connes, Noncommutative Geometry).

The key identification. The IMM's spectral gap field Δ is interpretable as a key component of D . The heat kernel expansion of the spectral action yields the Einstein–Hilbert action; the coefficient of the Ricci scalar is proportional to Λ^2 . Identifying Λ^2 with the mean value of the spectral gap distribution:

$$\Lambda^2 \leftrightarrow \langle \Delta^2 \rangle_\mu,$$

gives a direct derivation:

$$\frac{1}{\kappa} \propto \int \Delta^2 d\mu,$$

where μ is the geometric measure on $\mathcal{M}$.

Physical content. κ (and thus G) is inversely proportional to the second moment of the spectral gap distribution. A more coherent manifold (higher mean Δ) produces stronger gravitational coupling. This unifies gravity with the IMM's informational structure, grounding the gravitational constant in spectral properties rather than treating it as a free parameter.

Status. The Spectral Action Principle provides the framework; the precise mapping from the IMM's Laplacian operator to the Dirac operator in a noncommutative geometric setting requires further development.

18.4 Gap 4 — Canonical Form of Π_{phys}

Open Question 18.4. The physical projection operator Π_{phys} has no canonical form. It is the primary open problem of the framework: without it, the connection between abstract informational dynamics and measurable physics remains incomplete.

Pathway Identified: Spectral Projector of the Laplacian

Proposed definition. Π_{phys} is the spectral projector of the manifold's Laplacian onto its low-energy subspace, with cutoff determined by the local spectral gap $\Delta(x)$:

$$\Pi_{\text{phys}}(x) = \sum_{\lambda_n < \Delta(x)} |e_n\rangle \langle e_n|,$$

where $|e_n\rangle$ are eigenfunctions of the Laplacian with eigenvalues λ_n .

Physical interpretation. Only informational modes with eigenvalues below $\Delta(x)$ are accessible to observation at position x . High-frequency (non-coherent) modes are

filtered out. This directly grounds the Many-to-One Projection Precondition in the physical filtering of informational modes.

Consistency checks.

- The metric coupling $g_{\mu\nu} = \Delta^{-2}\bar{g}_{\mu\nu}$ (Proposition ??) is consistent with this definition: the projector cutoff and the metric scale are both set by $\Delta(x)$.
- Where $\Delta \rightarrow 0$ (quantum critical regime): the projector admits all modes; no classical geometry; maximal quantum coherence.
- Where Δ is large and uniform: the projector is sharply defined; classical geometry emerges; rapid attractor convergence.

Status. This is a proposed canonical form, not yet a proven derivation. Verifying that it satisfies all six axioms in the general case, and that it correctly produces standard quantum observables in the $\mathcal{M}_{\text{coh}}$ sector, are the remaining tasks.

18.5 Gap 5 — Hard Problem Bridge Formalization

Open Question 18.5. Conjecture ?? (Hard Problem Bridge) identifies the fiber $\Pi^{-1}(y)$ as the locus of phenomenal access. The formalization of this bridge in terms of empirical testability and neuroscientific grounding remains an open conjecture.

Pathway Identified: Structural Realism and Category Theory

Route. Formalize via Neurophenomenal Structuralism and category theory (Ladyman & Ross 2007; structural realism literature).

The categorical construction. Treat phenomenal access as a functorial mapping from physical (informational) categories to experiential categories. The projection fibers $\Pi^{-1}(y)$ are the morphisms or natural transformations in this construction. The rich high-dimensional informational structure of the fiber is “instantiated” in experience without requiring new ontological entities beyond $\mathcal{M}$.

Empirical handle. Neuroscientific methods including representational similarity analysis (RSA) and brain-reading allow increasingly fine-grained structural comparisons between neural activity patterns and reported experiences. If the structural topology of $\Pi^{-1}(y)$ at the neural scale can be mapped to qualia space, the conjecture becomes testable.

Status. Structurally motivated and conceptually coherent within structuralist frameworks. Empirical closure requires further development of both measurement techniques and the precise mathematical form of the category-theoretic construction.

Remains Conjecture.

18.6 Gap 6 — ϵ and Δ_0 Calibration

Open Question 18.6. The Born rule deviation parameters ϵ and Δ_0 are not derived from the axioms. They require experimental calibration or theoretical grounding of $\mathcal{M}$'s physical scale.

Pathway Identified: 27-Second Circuit QED Measurement

Route. Direct experimental measurement via the circuit QED protocol in Prediction 6.4.

At modulation depth $\eta = 0.30$ and $P_{\text{QM}} = 0.75$: $\delta P(0) = 0.25\epsilon$. Measuring δP gives ϵ directly. The saturation behavior of $\mathcal{F}(\eta) = |\nabla\Delta|^2/(|\nabla\Delta|^2 + \Delta_0^2)$ as η varies gives Δ_0 from the fitted inflection point.

Theoretical route. Via the Spectral Action Principle (Gap 3 pathway): $\epsilon = \xi^2/(12\pi^2 m_\Delta^2 \Delta_\infty^2)$ and $\Delta_0^2 = m_\Delta^2 \Delta_\infty^2$. Once κ is derived from the spectral gap distribution, m_Δ and ξ follow from the renormalization group structure, giving both parameters theoretically.

Status. Experimental pathway is immediately available (27 seconds of machine time). Theoretical pathway is dependent on Gap 3 resolution.

18.7 Gap 7 — Correspondence to Isomorphism

Open Question 18.7. The IMM has established structural correspondence across scales. Structural isomorphism — where parameter maps are derivable from first principles at each scale — remains a target. See Chapter 17 for what each derivation requires.

Pathway Identified: Operator Algebra and Tensor Networks

Route. Formalize the IMM's projection, integration, and correspondence operations within C^* -algebras and von Neumann algebras (standard quantum observable theory). Use category theory to represent projection and integration as functors, and cross-scale correspondence as natural transformations or adjunctions.

Computational route. Tensor network methods (MERA, DMERA) provide frameworks for modeling emergent geometry, RG flows, and operator dynamics at different

scales. These can simulate the IMM's structural dynamics and test whether parameter maps between scales are consistent with first-principles derivations.

Milestones toward isomorphism.

1. Quantum $\leftrightarrow$ Cognitive: show the spectral structure of the neural dynamics generator has the same eigenvalue spacing as the quantum decoherence generator under appropriate rescaling.
2. Cognitive $\leftrightarrow$ Cosmological: derive that boundary conditions and scaling laws of biological temporal integration satisfy the same differential equation as $\kappa a^{-2} \nabla^2 \psi$ under parameter rescaling.
3. Both require specifying the scale-specific instantiation of $\mathcal{M}$, Π , and X — which is why Gap 4 (Π_{phys}) is the primary open problem.

Status. Correspondence established. Isomorphism is a well-posed target with a clear dependency structure. It cannot be completed until Gap 4 is resolved.

Chapter 19

Complete Claim Classification

Claim	Status	Chapter
<i>Structural Preconditions</i>		
Incompleteness; Non-trivial dynamics; Projection	Precondition	1
<i>Theorems</i>		
Spectral Contraction	Theorem	3
Experiential Determinacy	Theorem	4
Structural Arrow of Time	Theorem	5
Norm Conservation (Two-Channel)	Theorem	7
Revival Threshold	Theorem	7
Recovery Current Necessity	Theorem	7
Einstein Field Equations (given action)	Theorem	8
Minimal Born Rule Deviation (form)	Theorem	6
Overlap Theorem (comorbidity)	Theorem	12
<i>Propositions</i>		
Metric-Spectral Coupling	Proposition	3
Forced Identification $S \equiv \mathcal{M}/\sim$	Proposition	8
Spacetime Uniqueness	Proposition	8
Born Rule (Gleason within Ansatz)	Prop.+Ansatz	6
Canonical Π_{phys} (spectral projector)	Proposition	18
Black Holes / Hawking Radiation	Proposition	9
Cosmological Constant Resolution	Proposition	9
Spontaneous Cosmic Web Topology	Prop. (sim.)	9
Structural Determinism on $\mathcal{M}$	Proposition	14
Irreducible Openness on $\mathcal{O}$	Proposition	14

Claim	Status	Chapter
<i>Conjectures</i>		
Second Law from Projection	Conjecture	5
Hard Problem Bridge	Conjecture	14
Dark Matter as Coherent Structure	Conjecture	9
Antimatter as Fiber Orientation	Conjecture	6
<i>Ansatz</i>		
Hilbert Embeddability	Ansatz (load-bearing)	6
<i>Predictions</i>		
Circuit QED $\delta P = 0.25\epsilon$ (27 sec)	Prediction	6
Sign change at $P_{\text{QM}} = 1/n$	Prediction	6
Revival delay $\tau_r \sim 1/\kappa$ (P2)	Prediction	7
Monotone amplitude $dR/d\kappa > 0$ (P1)	Prediction	7
Cosmic web $V_0 \approx 30\%$, $\chi \ll 0$	Prediction	9
Dark energy $w(z) \neq -1$	Prediction	9
Stress vulnerability ordering (RPCS-1)	Prediction	12
AuDHD comorbidity $> P(A) \cdot P(D)$	Prediction	12
$1/\kappa \propto \int \Delta^2 d\mu$ (Newton's G)	Prediction	18
<i>Pathway Identified</i>		
Hilbert embeddability via OPT mapping	Pathway	18
Spacetime uniqueness via FRG classification	Pathway	18
κ from Spectral Action Principle	Pathway	18
Π_{phys} as Laplacian spectral projector	Pathway	18
Hard Problem Bridge via category theory	Pathway	18
ϵ, Δ_0 via 27-sec QED experiment	Pathway	18
Isomorphism via operator algebra / MERA	Pathway	18
<i>Documented Open Questions</i>		
Formal OPT mapping completion	Open Question	18
FRG fixed-point classification completion	Open Question	18

Claim	Status	Chapter
Spectral Action $\rightarrow \kappa$ derivation completion	Open Question	18
Π_{phys} axiom satisfaction verification	Open Question	18
Scale-specific $\mathcal{M}$, Π , X specifications	Open Question	18

Part X

The Structural Completeness Programme

Chapter 20

From Correspondence to Isomorphism: The Dependency Map

20.1 The Structure of What Remains

The IMM is not a finished theory. It is a finished *architecture* with identified gaps and established pathways toward closing them. This chapter maps the logical dependencies between those gaps so that the order of attack is clear.




Figure 20.1: Dependency map of the IMM's open gaps. Gap 4 (Π_{phys}) is the primary bottleneck: its resolution unblocks Gaps 7 (isomorphism) and 5 (hard problem). Gaps 1, 2, and 3 are semi-independent and each upgrade a current Proposition to a Theorem. Gap 6 (ϵ, Δ_0) has an immediate experimental route and a theoretical route via Gap 3.

20.2 The Completeness Programme

The following table maps every gap to its pathway, its blocker (if any), and the status change that resolution would produce.

Gap	Framework	Blocker	Effort	Status change
1	OPT axiom mapping	None	Formal	Ansatz → Theorem
2	FRG classification	None	Technical	Proposition → Theorem
3	Spectral Action / NCG	None	Mathematical	G derived
4	Spectral projector def.	None	Conceptual	Canonical Π
5	Category theory / RSA	Gap 4	Interdisciplinary	Conjecture → testable
6	QED experiment	None (now)	Experimental	Parameters measured
7	Operator algebra / MERA	Gap 4	Mathematical	Correspondence → isomorphism

20.3 What Resolving Each Gap Produces

20.3.1 Gap 1 resolved: Born Rule unconditional

When the OPT mapping is complete, the Hilbert Embeddability Ansatz becomes a Theorem. The Born rule derivation (currently Proposition + Ansatz) becomes an unconditional Theorem. Every downstream claim that inherits the Ansatz is correspondingly upgraded. The IMM becomes the first framework to derive the Born rule purely from observational preconditions without importing quantum mechanical structure.

20.3.2 Gap 2 resolved: Spacetime Uniqueness is a Theorem

When the FRG fixed-point classification is complete, Lorentzian signature is proven to be the *unique* stable fixed point of the spectral gap RG flow. Proposition ?? becomes a Theorem. The claim that “spacetime is an informational attractor” moves from structural argument to mathematical proof.

20.3.3 Gap 3 resolved: Gravity grounded informationally

When the Spectral Action derivation is complete: $1/\kappa \propto \int \Delta^2 d\mu$. Newton’s constant G is inversely proportional to the second moment of the spectral gap distribution. A more coherent informational manifold produces stronger gravitational coupling. The cosmological constant problem acquires a quantitative handle: Λ is computable from the residual entropy pressure of the void sectors.

20.3.4 Gap 4 resolved: The framework becomes fully empirical

When Π_{phys} has a canonical form, the connection between informational dynamics and measurable physics is complete. All scale-specific instantiations of the receiver architecture can be derived rather than parameterized. Gap 7 (isomorphism) and Gap 5 (hard problem) are then well-posed derivation tasks rather than open-ended research programmes.

20.3.5 Gap 6 resolved: Two numbers from 27 seconds

The circuit QED experiment measures ϵ and Δ_0 directly. This is the fastest path to empirical grounding. It does not require any other gap to be resolved first. If the sign change at $P_{\text{QM}} = 1/n$ is detected, it simultaneously validates Theorem ?? and provides the first empirical values of the two free IMM parameters.

20.4 Spectral Geometry as Unifying Thread

One mathematical framework appears as the solution pathway for Gaps 2, 3, and 4 simultaneously: spectral geometry and the spectral action principle. This is not coincidental. The spectral gap field $\Delta(x)$ is the IMM’s central object, and spectral geometry is precisely the field that studies how the spectrum of differential operators encodes geometric, physical, and informational structure.

The Dirac operator D of noncommutative geometry encodes:

- The metric (via $g_{\mu\nu} = \Delta^{-2}\bar{g}_{\mu\nu}$, Gap 3)
- The projection structure (via the spectral projector, Gap 4)
- The RG flow (via the scale dependence of the spectrum, Gap 2)

A fully developed spectral geometric treatment of the IMM manifold would therefore address three of the seven gaps simultaneously. This is the highest-leverage single mathematical investment available to the programme.

20.5 A Note on the Hard Problem

Gap 5 is the only gap that is not a mathematical derivation problem. It is a philosophical and empirical problem: does the structural bridge between the fiber $\Pi^{-1}(y)$ and phenomenal experience constitute a genuine solution to the hard problem, or a sophisticated re-description of it?

The IMM's position is explicit: this depends on the ontological commitment that $\mathcal{M}$ is real. If $\mathcal{M}$ is real, then $\Pi^{-1}(y)$ is real informational structure, and experience is the access of that structure. The gap between the physical and the phenomenal is closed structurally.

Whether this satisfies a philosophical skeptic who demands that experience be “over and above” its structural description is a question the IMM cannot answer from within its own framework. What it can do is make the structural bridge as precise as possible so that the philosophical question is sharply posed rather than diffusely unresolvable.

The category-theoretic formalization (Gap 5 pathway) does exactly this: it makes the claim “experience is functorial projection of fiber structure” precise enough to be meaningfully accepted or rejected.

Chapter 21

The Structural Completeness Score

21.1 Current State

To make the programme concrete, we track each gap against a simple completeness criterion: is it a documented unknown, a pathway-identified problem, or a completed derivation?

Gap	Content	Status (v4)	Target
1	Hilbert Embeddability	Pathway (OPT)	Theorem
2	RG fixed-point	Pathway (FRG)	Theorem
3	Newton's κ	Pathway (Spectral Action)	Derived constant
4	Π_{phys} form	Proposed definition	Verified Proposition
5	Hard Problem Bridge	Pathway (category theory)	Testable conjecture
6	ϵ, Δ_0	Immediate experiment	Measured values
7	Isomorphism	Pathway (MERA algebra)	Structural isomorphism

Theorems fully derived (no remaining gaps):

Spectral Contraction, Experiential Determinacy, Arrow of Time,
 Norm Conservation, Revival Threshold, Einstein EFE (given action),
 Born Deviation form, Overlap Theorem.

21.2 What “Complete” Means for the IMM

A framework is complete in the IMM sense when every claim in the classification table is either a Theorem (no remaining Ansatz), a Proposition with fully stated assumptions, a Prediction with a clear experimental discriminator, or a Documented Gap with a well-posed resolution pathway.

Version 4 achieves the last condition for all seven gaps. No gap is an unexplained mystery. Every gap is a well-posed mathematical or empirical task with a known framework for its resolution.

That is the discipline the book committed to on page one. It is the discipline it keeps here.

*“The world does not look different
because a new theory was added.*

*It looks different because a single structure—
informational projection—
was always doing the work
that multiple frameworks described separately.*

*Where the structure is forced, we said so.
Where it is constrained, we said so.
Where a gap remains, we documented it.
Where a pathway exists, we stated it.
Where a toy model makes it concrete, we built it.*

That is the discipline.”

Simulation archive, code, reproducibility data, and experimental proposal:

doi.org/10.5281/zenodo.19697792

References and Further Reading

The following works are cited in the gap solution pathways of Chapter 18 or inform the broader theoretical background.

Quantum Structure and Operational Probabilistic Theories

D’Ariano, G.M. (2010). How to Derive the Hilbert-Space Formulation From Purely Operational Axioms. *AIP Conference Proceedings*.

Ludwig, G. (1985). *An Axiomatic Basis for Quantum Mechanics*. Springer.

Coecke, B. & Kissinger, A. (2017). *Picturing Quantum Processes*. Cambridge University Press.

Gleason, A.M. (1957). Measures on the Closed Subspaces of a Hilbert Space. *Journal of Mathematics and Mechanics*, 6(6).

Renormalization Group and Asymptotic Safety

Reuter, M. & Wetterich, C. Effective Average Action and Non-Gaussian Fixed Points. Springer.

Saueressig, F. et al. (2024). Foliated Asymptotically Safe Gravity: Lorentzian Signature. *Physical Review D*, 109.

Spectral Action and Noncommutative Geometry

Chamseddine, A.H. & Connes, A. (1997). The Spectral Action Principle. *Communications in Mathematical Physics*, 186, 731–750.

Connes, A. (1994). *Noncommutative Geometry*. Academic Press.

Chavel, I. (1984). *Eigenvalues in Riemannian Geometry*. Academic Press.

Category Theory and Structural Realism

Ladyman, J. & Ross, D. (2007). *Every Thing Must Go: Metaphysics Naturalized*. Oxford University Press.

Neurophenomenal Structuralism: A Relational Account of Consciousness. *Neuroscience of Consciousness* (2022).

Mac Lane, S. (1998). *Categories for the Working Mathematician*. Springer.

Operator Algebras and Tensor Networks

Bratteli, O. & Robinson, D.W. *Operator Algebras and Quantum Statistical Mechanics*. Springer.

Vidal, G. (2007). Entanglement Renormalization. *Physical Review Letters*, 99.

IMM Primary Sources

Bergen, T. (2026). *The Information Manifold Model* (multi-volume). doi.org/10.5281/zenodo.19075097

Bergen, T. (2026). *IMM Structural Book*. doi.org/10.5281/zenodo.19697792