



Rorabaugh, Tyler L.

Technical Analysis of Early PCs and DOS




Overview

- Analysis of early PCs:
 - Hardware
- Analysis of DOS:
 - Software
- Impacts on Modern Technology:
 - Operating Systems
 - Computer Hardware




Goals:

- Learn about early PCs and DOS:
 - Historical Interest
 - Appreciation of Modern PCs and APIs
- 




The PC:

- IBM PC, Low Cost
 - PC [5150] – 1981
 - XT [5160] – 1983
 - AT [5170] – 1984
 - Open Standards, Popularity:
 - Third Party Devices
 - Third Party Software
 - Compatible Clones
 - Helped establish popularity
- 

PC Hardware: Processors

- 8088
 - Same as 8086 but 8 bit data bus
 - Used in IBM PC and XT
 - 8087 optional FPU
- 80286
 - Used in IBM AT
 - Faster, memory management, access more memory
 - Features not used like expected



PC Hardware: Memory

- IBM PC
 - 16KB – 256KB, Expansion cards
 - BIOS used 8KB
- IBM XT
 - 64KB – 1MB, Expansion cards
 - BIOS used 384 KB
- IBM AT
 - Up to 16MB, 80286 address space



PC Hardware: Drives

- Low Budget
 - Tape drives
 - Floppy drive
- Floppy Drives Very Popular
- IBM PC
 - Up to 2 5.25" single sided floppy drives
- IBM XT
 - Up to 2 5.25" double sided floppy drives
 - 10MB hard drive
- IBM AT
 - Up to 2 5.25" high density floppy drives
 - 20MB hard drive



PC Hardware: IO

- Keyboard
 - Very good keyboard -> popularity
- Monitor
 - Color Monitor
 - MDA - Text mode only
 - CGA - Text and graphics
 - EGA - Text and higher resolution graphics
- Serial and Printer Ports
 - Modems
 - Mice
 - Printers
- Expansion Cards:
 - Joysticks
 - Cash Drawers
 - Special Machinery



PC: Limitations


- **Memory**
 - Little available to programmer
 - Cost and address space
 - Fixed with expansion cards and 80286
- **Storage Capacity**
 - Hard drives quite expensive
 - Fixed with IBM XT
- **Graphics:**
 - Limited Resolutions and Colors
- **Multi-Tasking & Memory Management**
 - 8088 – No Support
 - 80286 – Added support, not backwards compatible -> not used

The Disk Operating System

- Root is CP/M
- Lightweight Single-Task Single-User Program Loader
- IBM asked Microsoft for OS
- Microsoft sourced 86-DOS from Tim Patterson
- Modified into MS-DOS
- Licensed PCDOS to IBM

```
Starting MS-DOS...  
C:\>_
```


DOS: Boot Process



DOS: Memory Management

- Conventional Memory (640KB)
 - Kernel [MSDOS.SYS]
 - Applications
- Upper Memory Area (384KB)
 - Video Memory
 - BIOS Extensions
 - System ROM BIOS
- Loading High

DOS: Memory Management



DOS: Memory Management

- Free Memory - Arena Entries
 - Headers chained together for searching
 - Essentially Dynamic Partitioning
- .COM
 - Raw binary
 - Max memory given at start
- .EXE
 - Has header telling DOS how much memory is needed
- Memory Requests
 - DOS functions

DOS: File Management

- FCB
 - Legacy for CP/M programs
 - No Directories
- FAT
 - Clusters
 - Basic block of data
 - File Allocation Table
 - Index table for clusters
 - Cluster Chaining
 - Directory Tables
 - Cluster #s
 - Name, Attributes

Boot Sector
File Allocation Table
Root Directory
Cluster Region

DOS: File Management

Cluster	Value	Description
0000	0001	File 1, Part 1
0001	0002	File 1, Part 2
0002	FFFF	File 1, End
0003	0005	File 2, Part 1
0004	FFFE	Bad Cluster
0005	0006	File 2, Part 2
0006	FFFF	File 2, End
0008	FFFD	Reserved Cluster
0009	FFFF	File 3, End

DOS: IO

- Basic Devices – BIOS
 - Keyboard, Screen, Drives
 - Software Interrupts
 - Available to DOS and programs
- Additional Devices – CONFIG.SYS
 - Loaded at startup

DOS: API

- Basic functions:
 - File access
 - Starting another program
 - Memory allocation
- Similar to BIOS function calls
 - Software interrupts
- Very primitive compared to today:
 - Limited libraries - programmers wrote their own for every program

DOS: Limitations

- No Multi-Tasking
 - TSRs were closest functionality
- One User
 - Original design was simple program loader
- No Security
 - Files only protected by attributes
 - System
 - Hidden
 - Read Only
- Limited API
 - No Common Libraries

```
01:03:54
D:\KATHIR\SWF\TCSAMP~1>timer
Syntax: Timer -I (for Install)
Syntax: Timer -U (for Uninstall)

D:\KATHIR\SWF\TCSAMP~1>timer -i
Installing...
Done

D:\KATHIR\SWF\TCSAMP~1>_
```

Impacts: Windows

- PC
 - PC is only as good as its OS
 - PC grew out of DOS into Windows
 - PC popularity -> Windows popularity
- DOS
 - Early Windows built on MS-DOS
 - Early Windows were first graphic shells for DOS
 - Windows 3.x & 9x loaded with DOS

Impacts: FAT

- DOS and Windows made FAT very popular
- Floppy drives in PC
 - PCs made floppy disk popular
 - Removable drive implies inter-system data exchange
 - FAT was the answer to data sharing
- FAT now standard for camera storage
- FAT used in Flash Drives and SD cards
- Most OSs can read FAT drives

Impacts: x86 Architecture

- PC and DOS rose in popularity
 - More hardware and software targeted at PC
 - Intel created better processors with new features
- Backward compatibility is important
 - All x86 processors are backward compatible
 - Consumer can always run old software on new machine
 - Keeps consumers happy, thus reinforcing popularity

Bibliography:

Duncan, Ray. *Advanced MSDOS Programming, Second Edition*. Washington: Microsoft Press, 1988.
<https://www.pcjs.org/pubs/pc/reference/microsoft/mspl13/msdos/advdos/>

Meyers, Michael J. *A+ Certification All in One Exam Guide, Second Edition*, pgs. 49-78, 187-226, 457-462 513-564, 657-713, New York: McGraw Hill, 1999.

Wikipedia contributors, "IBM Personal Computer," *Wikipedia, The Free Encyclopedia*,
https://en.wikipedia.org/w/index.php?title=IBM_Personal_Computer&oldid=925257942

Wikipedia contributors, "Influence of the IBM PC on the personal computer market," *Wikipedia, The Free Encyclopedia*,
https://en.wikipedia.org/w/index.php?title=Influence_of_the_IBM_PC_on_the_personal_computer_market&oldid=918407516

Wikipedia contributors, "List of Intel microprocessors," *Wikipedia, The Free Encyclopedia*,
https://en.wikipedia.org/w/index.php?title=List_of_Intel_microprocessors&oldid=926811813

Wikipedia contributors, "X86," *Wikipedia, The Free Encyclopedia*,
<https://en.wikipedia.org/w/index.php?title=X86&oldid=925812310>

Wikipedia contributors, "DOS," *Wikipedia, The Free Encyclopedia*
<https://en.wikipedia.org/w/index.php?title=DOS&oldid=924819571>

Wikipedia contributors, "DOS memory management," *Wikipedia, The Free Encyclopedia*,
https://en.wikipedia.org/w/index.php?title=DOS_memory_management&oldid=912987044

Wikipedia contributors, "Conventional memory," *Wikipedia, The Free Encyclopedia*,
https://en.wikipedia.org/w/index.php?title=Conventional_memory&oldid=926239031

Wikipedia contributors, "Design of the FAT file system," *Wikipedia, The Free Encyclopedia*,
https://en.wikipedia.org/w/index.php?title=Design_of_the_FAT_file_system&oldid=920681387

Pictures From:

<https://images.computerhistory.org/revonline/images/102716228p-03-01.jpg?w=600>

<https://upload.wikimedia.org/wikipedia/commons/3/3d/Msdos-icon.png>

https://upload.wikimedia.org/wikipedia/commons/thumb/d/de/KL_Intel_TD8088.jpg/270px-KL_Intel_TD8088.jpg

https://upload.wikimedia.org/wikipedia/commons/8/8d/KL_Intel_i286.jpg

https://upload.wikimedia.org/wikipedia/commons/thumb/5/57/IBM_PC_Motherboard_%281981%29.jpg/220px-IBM_PC_Motherboard_%281981%29.jpg

https://upload.wikimedia.org/wikipedia/commons/thumb/2/2c/KL_Quadram_Quadboard.jpg/220px-KL_Quadram_Quadboard.jpg

https://images-na.ssl-images-amazon.com/images/I/41KneyvC84L._AC_.jpg

<http://www.vintage-computer.com/images/xtinterior.jpg>

<http://www.digitalimage4k.com/wp-content/themes/shopperpress/thumbs/s-IBM-CGA-Display-5153-1981-1986-Front-Color-Bars-653x500.jpg>

<https://www.extremetech.com/wp-content/uploads/2011/07/2000px-StartingMsdos2.jpg>