http://itbookshub.com/

Web Technologies Solved

MCQ - Part 2

MCQs

Multiple Choice Questions

Web Technologies Solved MCQ - Part 2

Well formed XML document means

- It contains a root element
- It contain an element.
- It contains one or more elements
- Must contain one or more elements and root element must contain all other elements

Which tags are commonly used by search engines?

- Headings
- Title
- Paragraph
- All of these

XPATH used to

- Address your documents by specifying a location path
- Address the server
- Store the IP of the server
- None of these

DMSP stands for

- Distributed Mail System Protocol
- Distributed Message System Protocol

\circ	Distributed Message System Pool
\circ	Distributed Mail System Pool
Ad	dress 192.5.48.3 belongs to
0	Class A
\circ	Class B
\circ	Class C
\circ	Class D
_	
\circ	P-1, Q-2, R-3, S-4
\circ	P-3, Q-4, R-2, S-1
\circ	P-3, Q-1, R-4, S-2
\circ	P-4, Q-3, R-2, S-1
XM	L is a
0	Imperative language
\circ	Declarative language
\circ	Standard
0	None of these
DO	M is a
0	A parser
0	Specification
0	Coding style
0	None of these

A header in CGI script can specify	
0	Format of the document
O	New locat ion of the document
O	A and B both
0	Start of the document
dod	e is a set of standards that defines how a dynamic web cument should be written, how input data should be supplied to program, and how the output result should be used.
0	Hyper Text Markup Language
0	File Transfer Protocol
0	Hyper Text Transfer Protocol
0	Common Gateway Interface
XM	L uses the features of
0	HTML
0	XHTML
0	VML
0	SGML
Repository of information gathered from multiple sources, storing under unified scheme at a single site is called as	
0	Data mining
0	Meta data
0	Data warehousing
0	Database

Which of the following identifies a specific web page and its computer on the Web?	
0	Web site
О	Web site address
0	URL
0	Domain Name
DT	D definition is used along with XML to specify
0	The data types of the contents of XML document
О	The presentation of XML document
O	The links with other documents
0	The structure of XML document
What is XML?	
0	Subset of SGML,Extensible Markup Language
O	Superset of SGML, Extensible Markup Language
0	Like SGML ,Extended Markup Language
0	None of these
Inte	ernet data is broken up as
0	fixed length packets
О	variable length packets
0	not packetized
0	64 bytes packets
The	e main function of a browser is to

\circ	Compile HTML
О	Interpret HTML
O	De-compile HTML
О	Interpret CGI programs
IP a	addresses are converted to
\circ	a binary string
\circ	alphanumeric string
С	a hierarchy of domain names
С	a hexadecimal string
Ho	w many root element can an XML document have ?
O	One
О	Two
С	Three
О	As many as the memory provides
The	e task of correcting and pre processing data is called as
С	Data streaming
О	Data cleaning
С	Data mining
О	Data storming
The	e most popular way to materialize XML document is to use
0	DTD
0	XSLT

\circ	HTML
0	SOAP
The	e packets of an internet message
0	take a predetermined path
\circ	take a path based on packet priority
\circ	go along different paths based on path availability
\circ	take the shortest path from source to destination
Cha	aracteristic encoding is
0	Method used to represent numbers in a character
0	Method used to represent character in a number
\circ	Not a method
0	None of these
ww	w is based on which model?
0	Local server
\circ	Client server
0	3 tier
O	None of these
Attı	ributes in XML are
0	Elements inXML
0	Child nodes
0	A way of attaching characteristics or properties to elements of a
_	document None of these
О	None of these

The facilities available in the internet are

- (i) electronic mail
- (ii) remote login
- (iii)file transfer
- (iv)word processing
- i, ii
- i, ii, iii
- C i, ii, iv
- ii, iii and iv

The tags in XML are

- Case insensitive
- Case sensitive
- C Browser dependent
- None of these

Internet addresses must always have at least

- (i) a country name or organization type
- (ii) internet service provider's name
- (iii) name of organization
- (iv) name of individual
- (v) type of organization
- O i, ii, iii
- C ii, iii, iv
- O i, iii

0	ii, iii, iv, v
XLI	L definition is used along with XML to specify
0	The data types of the contents of XML document
O	The presentation of XML document
O	The links with other documents
О	The structure of XML document
Wh	ich of them take care of e mail at client side?
0	POP
0	MAP
\circ	IMAP
0	Both a and c
No	de in XML is
С	Any part of the document whether it is elements ,attributes or otherwise
О	Referred only to the attributes
О	Referred to the top element in the document
0	None of these
	e tracing model in Prolog describes program execution in terms of tain events. These events are
0	call and exit
О	call and fail
O	call, exit and redo
\circ	call, exit, redo and fail

Wh	ich Layer is not present in TCP/ IP model?
0	Application Layer
O	Internet Layer
0	Transport Layer
0	Presentation Layer
Wh	ich of the following statement is true?
0	All the statements are true.
C	All XML elements must have closing tag.
О	All XML elements must be lower case.
0	All XML documents must have a DTD.
Wh	ere are cookies stored?
0	On the server
0	Inweb.xml
О	On the client
0	In HTML
Ead	ch list item in an ordered or unordered list has which tag?
O	List tag
О	Is tag
0	Li tag
О	Ol tag
XM	 L

 Can be used as a database Cannot be used as a database XML is not a database ,it is language None of these Among services available on the World Wide Web are (i)Encryption (ii)HTTP (iii)HTML (iv)Firewalls \circ i and ii ii and iii iii and iv i and iv Internet packet data structure consists of (i)source address (ii) destination address (iii)serial number of packets (iv)message bytes (v)Control bits for error checking (vi) Path identification bits C i, ii, iii i, ii, iii, iv

i, ii, iii, iv, v

i, ii, iii, iv, v, vi

HTML (Hyper Text Markup Language) has language elements which permit certain actions other than describing the structure of the web document. Which one of the following actions is NOT supported by pure HTML (without any server or client side scripting) pages? \circ Embed web objects from different sites into the same page \circ Refresh the page automatically after a specified interval Automatically redirect to another page upon download \circ Display the client time as part of the page CIDR stands for Classified Internet Domain Routing **Classless Inter Domain Routing** \circ Classless Internet Domain Routing Classified Inter Domain Routing The XML DOM object is \circ **Entity Entity reference** Comment reference \circ Comment data Which of the following tags below are used for multi line text input control? Textml tag Text tag Textarea tag

Both a and b

By an extranet we mean

- an extra fast computer network
- the intranets of two co-operating organizations interconnected via a secure leased line
- an extra network used by an organization for higher reliability
- an extra connection to internet provided to co-operating organizating

In HTML URI is used to

- Create a frame document
- Create a image map in the webpage
- Customize the image in the webpage
- Identify a name or a resource on the internet

Desirable properties of a website are

(i)a meaningful address

- (ii)Help and search facilities
- (iii) Links to related sites
- (iv)Features to allow users to give feedback
- (v)Hosting on a mainframe

C i, ii, iii

i, ii, iii, iv

i, ii, iii, iv, v

i, ii, iii, v

The term byte stuf fing refers to

- Data stuffing used with character oriented hardware
- Data stuffing used with bit oriented hardware

0	Data stuffing used with both A and B
	•
0	Data stuffing used with byte oriented hardware
_	
Wh	ich type of web document is run at the client site
0	Static
0	Dynamic
0	Active
0	All of the above
_ The	e web standard allows programmers on many different computer
	tforms to dispersed format and display the information
ser	ver.These programs are called
О	Web browsers
0	HTML
0	Internet Explorer
0	None of these
XM	L document can be viewed in
0	IE 3.0
0	IE 2.0
0	IE 6.0
O	IE X.0