SOFTWARE ENGINEER EXAM

Read each question carefully and write your answer in the blank space provided.

____1. Why do bugs and failures occur in software?
a) Because of Developers
b) Because of companies
c) Because of both companies and Developers
d) None of the mentioned

____2. CASE stands for
a) Computer-Aided Software Engineering
b) Control Aided Science and Engineering
c) Cost Aided System Experiments
d) None of the mentioned

____3. Which of the following are CASE tools?
a) Central Repository
b) Integrated Case Tools
c) Upper Case Tools
d) All of the mentioned

____4. What does SDLC stands for?
a) System Design Life Cycle
b) Software Design Life Cycle
c) Software Development Life Cycle
d) System Development Life cycle

____5. Software is defined as _____
a) set of programs, documentation & configuration of data
b) set of programs
c) documentation and configuration of data
d) None of the mentioned

____6. Who is the father of Software Engineering?
a) Margaret Hamilton
b) Watts S. Humphrey
c) Alan Turing
d) Boris Beizer

____7. _____ is not among the eight principles followed by the Software Code of Ethics and Professional Practice.
a) PRODUCT
b) ENVIRONMENT
c) PUBLIC
d) PROFESSION

____8. Software patch is defined as _____
a) Daily or routine Fix
b) Required or Critical Fix
c) Emergency Fix
d) None of the mentioned

____9. Engineers developing software should not
a) be dependent on their colleagues
b) maintain integrity and independence in their professional judgment
c) not knowingly accept work that is outside your competence
d) not use your technical skills to misuse other people's computers

____10. What is system software?
a) computer program
b) Testing
c) AI
d) IOT

____11. What is the full form of the “COCOMO” model?

a) Cost Constructive Estimation Model
c) Constructive Case Estimation Model
b) Constructive Cost Estimation Model
d) Constructive Cost Estimating Model

____12. Which tool is use for structured designing?

a) Program flowchart
c) Data-flow diagram
b) Structure chart
d) Module

____13. Actual programming of software code is done during the _____ step in the SDLC.

a) Maintenance and Evaluation
c) Analysis
b) Design
d) Development and Documentation

____14. Who designs and implement database structures.

a) Programmers
c) Technical writers
b) Project managers
d) Database administrators

____15. Debugging is:

a) creating program code
c) identifying the task to be computerized
b) finding and correcting errors in the program code
d) creating the algorithm

____16. _____ is defined as the process of generating analysis and designing documents?

a) Re-engineering
c) Software re-engineering
b) Reverse engineering
d) Science and engineering

____17. What are agile manifesto principles?

a) Customer satisfaction
c) Changes in requirements are welcome
b) Face-to-face communication within a development team
d) All of the mentioned

____18. Agile Software Development is based on which of the following type?

a) Iterative Development
c) Both Incremental and Iterative Development
b) Incremental Development
d) Linear Development

____19. Which one of the following is not a software process quality?

a) Visibility
c) Productivity
b) Timeliness
d) Portability

____20. Which of the following document contains the user system requirements?

a) SRD
b) DDD
c) SDD
d) SRS

____21. Software Debugging is known as _____

a) identifying the task to be computerized
c) creating the algorithm
b) creating program code
d) finding and correcting errors in the program code

____22. The word which describes the importance of software design is?

a) Complexity
b) Quality
c) Efficiency
d) Accuracy

____23. _____ is an indirect measure of software development process.

a) Cost
b) Effort Applied
c) Efficiency
d) All of the mentioned

____24. According to IBM research, "31% of projects are abandoned before they are completed, 53% exceed their cost projections by an average of 189 percent, and 94 projects are restarted for every 100 projects." What is the significance of these figures?

a) Lack of software ethics and understanding
b) Management issues in the company
c) Lack of adequate training
d) All of the mentioned


____25. The incorrect activity among the following for the configuration management of a software system is _____.

a) Version management
b) System management
c) Change management
d) Internship management

____26. The Unified Modeling Language (UML) has become an effective standard for software modelling.How many different notations does it have ?

a) Three
b) Four
c) Six
d) Nine

____27. Which system model is being depicted by the ATM operations shown below:



a) Structural model
b) Context model
c) Behavioral model
d) Interaction mode

____28. Java packages and Fortran subroutine are examples of_____

a) Functions
b) Modules
c) Classes
d) Sub procedures

____29. Structured Analysis is based on the principles of

a) Top-down decomposition approach
b) Divide and conquer principle
c) Graphical representation of results using DFDs
d) All of the mentioned

____30. Which of the following is golden rule for interface design?

a) Place the user in control
b) Reduce the user's memory load
c) Make the interface consistent
d) All of the mentioned

____31. Which of the following is not a user interface design process?

a) User, task, and environment analysis and modeling
b) Interface design
c) Knowledgeable, frequent users
d) Interface validation

____32. A software might allow a user to interact via

a) keyboard commands
b) mouse movement
c) voice recognition commands
d) all of the mentioned

____33. What combines the outward manifestation of the computer-based system, coupled with all supporting information that describes system syntax and semantics?

a) mental image
b) interface design
c) system image
d) interface validation

____34. Which of the following provides a concise, unambiguous, and consistent method for documenting system requirements?

a) CMM
b) ISO-9001
c) CASE tools
d) Formal method

____35. _____ is a software development activity that is not a part of software processes.

a) Validation
b) Specification
c) Development
d) Dependence

____36. The activity that distributes estimated effort across the planned project duration by allocating the effort to specific software developing tasks is _____

a) Project scheduling
b) Detailed schedule
c) Macroscopic schedule
d) None of the mentioned

____37. What is a Functional Requirement?

a) specifies the tasks the program must complete
b) specifies the tasks the program should not complete
c) specifies the tasks the program must not work
d) All of the mentioned

____38. What does SDLC stands for?

a) System Design Life Cycle
b) Software Design Life Cycle
c) Software Development Life Cycle
d) System Development Life cycle

____39. _____ software development team has no permanent leader.

a) Controlled Centralized (CC)
b) Controlled decentralized (CD)
c) Democratic decentralized (DD)
d) None of the mentioned

____40. Regardless of application area, project size, or complexity, software development work may be divided into three generic phases: the_____ phase, which focuses on what, the_____ phase, which focuses on how, and the_____ phase, which focuses on change.

I. Support
II. Development
III. Definition

a) III, II, I
b) III, I, II
c) I, II, III
d) II, I, III

____41. What are agile manifesto principles?

a) Customer satisfaction
b) Face-to-face communication within a development team
c) Changes in requirements are welcome
d) All of the mentioned

____42. _____ is not a fundamental activity for software processes in software development.

a) Evolution
b) Design and implementation
c) Validation
d) Verification

____43. _____ is not suitable for accommodating any change?

a) RAD Model
b) Waterfall Model
c) Build & Fix Model
d) Prototyping Model

____44. The model which has a major disadvantage in terms of the coding phase of a software life cycle model is _____.

a) Rad Model
b) Spiral Model
c) 4GT Model
d) Waterfall Model

____45. Which one of the following is not a software process quality?

a) Visibility
b) Timeliness
c) Productivity
d) Portability

____46. _____ specification is also known as SRS document.

a) white-box
b) grey-box
c) black-box
d) none of the mentioned

____47. _____ is a software development life cycle model that is chosen if the development team has less experience on similar projects.

a) Iterative Enhancement Model
b) RAD
c) Spiral
d) Waterfall

____48. Attributes of good software is _____

a) Development
b) Maintainability & functionality
c) Functionality
d) Maintainability

____49. A characteristic of a software system that can lead to a system error is known as?

a) Human error or mistake
b) System fault
c) System error
d) System failure

____50. An event that occurs at some point in time when the system does not deliver a service as expected by its users is called _____

a) Human error or mistake
b) System fault
c) System error
d) System failure

ANSWERS KEY:

1. C	11. B	21. D	31. C	41. D
2. A	12. B	22. B	32. D	42. D
3. D	13. D	23. C	33. C	43. B
4. C	14. D	24. C	34. D	44. C
5. A	15. B	25. D	35. D	45. D
6. B	16. B	26. D	36. A	46. C
7. B	17. D	27. B	37. A	47. C
8. C	18. C	28. B	38. C	48. B
9. A	19. D	29. D	39. C	49. B
10. A	20. D	30. D	40. A	50. D