

A. Linear Keyboard

time limit per test: 1 second
 memory limit per test: 256 megabytes
 input: standard input
 output: standard output

You are given a keyboard that consists of 26 keys. The keys are arranged sequentially in one row in a certain order. Each key corresponds to a unique lowercase Latin letter.

You have to type the word s on this keyboard. It also consists only of lowercase Latin letters.

To type a word, you need to type all its letters consecutively one by one. To type each letter you must position your hand exactly over the corresponding key and press it.

Moving the hand between the keys takes time which is equal to the absolute value of the difference between positions of these keys (the keys are numbered from left to right). No time is spent on pressing the keys and on placing your hand over the first letter of the word.

For example, consider a keyboard where the letters from 'a' to 'z' are arranged in consecutive alphabetical order. The letters 'h', 'e', 'l' and 'o' then are on the positions 8, 5, 12 and 15, respectively. Therefore, it will take $|5 - 8| + |12 - 5| + |12 - 12| + |15 - 12| = 13$ units of time to type the word "hello".

Determine how long it will take to print the word s .

Input

The first line contains an integer t ($1 \leq t \leq 1000$) — the number of test cases.

The next $2t$ lines contain descriptions of the test cases.

The first line of a description contains a keyboard — a string of length 26, which consists only of lowercase Latin letters. Each of the letters from 'a' to 'z' appears exactly once on the keyboard.

The second line of the description contains the word s . The word has a length from 1 to 50 letters inclusive and consists of lowercase Latin letters.

Output

Print t lines, each line containing the answer to the corresponding test case. The answer to the test case is the minimal time it takes to type the word s on the given keyboard.

Example

input	Copy
5 abcdefghijklmnopqrstuvwxyz hello abcdefghijklmnopqrstuvwxyz i abcdefghijklmnopqrstuvwxyz codeforces qwertyuiopasdfghjklzxcvbnm qqq qwertyuiopasdfghjklzxcvbnm abacaba	
output	Copy
13 0	

Codeforces Round #753 (Div. 3)

Finished

→ Virtual participation



Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ICPC mode for virtual contests. If you've seen these problems, a virtual contest is not for you - solve these problems in the archive. If you just want to solve some problem from a contest, a virtual contest is not for you - solve this problem in the archive. Never use someone else's code, read the tutorials or communicate with other person during a virtual contest.

Start virtual contest

→ Problem tags

implementation strings *800
 No tag edit access

→ Contest materials

- Announcement 
- Tutorial 



68
0
74

[Codeforces](#) (c) Copyright 2010-2021 Mike Mirzayanov
The only programming contests Web 2.0 platform
Server time: Dec/20/2021 05:34:42^{UTC-5} (h1).
Desktop version, switch to [mobile version](#).
[Privacy Policy](#)

Supported by



ITMO UNIVERSITY