



B. Same Parity Summands

time limit per test: 1 second

memory limit per test: 256 megabytes

input: standard input

output: standard output

You are given two positive integers n ($1 \leq n \leq 10^9$) and k ($1 \leq k \leq 100$). Represent the number n as the sum of k positive integers of the same parity (have the same remainder when divided by 2).

In other words, find a_1, a_2, \dots, a_k such that all $a_i > 0$, $n = a_1 + a_2 + \dots + a_k$ and either all a_i are even or all a_i are odd at the same time.

If such a representation does not exist, then report it.

Input

The first line contains an integer t ($1 \leq t \leq 1000$) — the number of test cases in the input. Next, t test cases are given, one per line.

Each test case is two positive integers n ($1 \leq n \leq 10^9$) and k ($1 \leq k \leq 100$).

Output

For each test case print:

- YES and the required values a_i , if the answer exists (if there are several answers, print any of them);
- NO if the answer does not exist.

The letters in the words YES and NO can be printed in any case.

Example

input	Copy
8 10 3 100 4 8 7 97 2 8 8 3 10 5 3 1000000000 9	
output	Copy
YES 4 2 4 YES 55 5 5 35 NO NO YES 1 1 1 1 1 1 1 NO YES 3 1 1 YES 111111110 111111110 111111110 111111110 111111110 111111110 111111110 111111110 111111120	

Codeforces Round #640 (Div. 4)

Finished

→ Virtual participation

Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ICPC mode for virtual contests. If you've seen these problems, a virtual contest is not for you - solve these problems in the archive. If you just want to solve some problem from a contest, a virtual contest is not for you - solve this problem in the archive. Never use someone else's code, read the tutorials or communicate with other person during a virtual contest.

[Start virtual contest](#)

→ Problem tags

[constructive algorithms](#) [math](#) [*1200](#)

No tag edit access

Supported by



ITMO UNIVERSITY