Advanced Probabilistic Machine Learning

Ralf Herbrich, Rainer Schlosser

Graphical Models

Hasso Plattner Institut
Digital Engineering · Universität Potsdam

Overview

1. Graphical Models
2. Directed Graphical Models: Bayesian Networks
3. Undirected Graphical Models: Markov Random Fields

Overview

1. **Graphical Models**
2. Directed Graphical Models: Bayesian Networks
3. Undirected Graphical Models: Markov Random Fields

Graphical Models

- **Challenge**: How to formulate complex likelihoods/data models & priors for *actual* data?
  - **Example 1**: Match outcomes $y \in \{-1,1\}$ (data) for a head-to-head match between two players
    - **Prior**: $p(\boldsymbol{s}) = \mathcal{N}(s_1; \mu_1, \sigma_1^2) \cdot \mathcal{N}(s_2; \mu_2, \sigma_2^2)$ skill belief
    - **Likelihood**: $p(y|\boldsymbol{s}) = \int \mathcal{N}(p_1; s_1, \beta^2) \cdot \mathcal{N}(p_2; s_2, \beta^2) \cdot \mathbb{I}(y(p_1 - p_2) > 0)\ \mathrm{d}p_1\, \mathrm{d}p_2$ marginalization

      Match outcome

      Player performance
  - **Example 2**: Time series $\boldsymbol{y}$ of temperatures
    - **Prior**: $p(w) = \mathcal{N}(w; \mu, \sigma^2)$ External state mapping parameter belief
    - **Likelihood**: $p(\boldsymbol{y}|w, X) = \int \mathcal{N}(z_1;\, w \cdot x_1, \tau^2) \cdot \mathcal{N}(y_1; z_1, \beta^2) \cdot \mathcal{N}(z_2; z_1 + w \cdot x_2, \tau^2) \cdots \mathrm{d}\boldsymbol{z}$ marginalization

      Dynamics model

      Observed temperature model

      Conditional hidden state model

Graphical Models

- **Observation**: The product structure of the probabilities seems crucial
- **Idea**: Define a graph where each of the variables are nodes and edges indicate factor relationships between variables

$$\mathcal{N}(s_1;\mu_1,\sigma_1^2)\cdot\mathcal{N}(s_2;\mu_2,\sigma_2^2)\cdot\mathcal{N}(p_1;s_1,\beta^2)\cdot\mathcal{N}(p_2;s_2,\beta^2)\cdot\mathbb{I}(y(p_1-p_2)>0)$$



$$\mathcal{N}(w;\mu,\sigma^2)\cdot\mathcal{N}(z_1;\, w\cdot x_1,\tau^2)\cdot\mathcal{N}(y_1;z_1,\beta^2)\cdot\mathcal{N}(z_2;z_1+w\cdot x_2,\tau^2)\cdot\mathcal{N}(y_2;z_2,\beta^2)\cdots$$



- **Advantages**: Simple way to visualize factor structure of the joint probability
  - **Graphical Models**: Conditional independence based on graph properties
  - **Factor Graphs**: Efficient inference and approximation algorithms (next week)

Conditional Independence

- In modelling specific data, domain experts often know whether two (latent) measurements can affect each other or not (i.e., are independent)
  - **Examples**:
    - Skills of two players in a video game are not dependent if they never played before
    - Skills of two players in a video game *are* dependent if they have played many times!

- Graphical models are useful to determine conditional independence.
- **Conditional Independence**. *A random variable X_i is conditionally independent of a random variable X_j given the variable X_k if for all values X_k*

$$p\left(X_i = x_i | X_j = x_j, X_k = x_k\right) = p(X_i = x_i | X_k = x_k)$$

  - Equivalent definition: $p\left(X_i = x_i, X_j = x_j | X_k = x_k\right) = p(X_i = x_i | X_k = x_k) \cdot p\left(X_j = x_j | X_k = x_k\right)$
  - Shorthand notation (Dawid, 1979): $X_i \perp X_j | X_k$

Philip Dawid
(1946–)

Overview

1. Graphical Models
2. **Directed Graphical Models: Bayesian Networks**
3. Undirected Graphical Models: Markov Random Fields

Bayesian Networks

- **Observation**. Any joint distribution $p(x_1, \dots, x_n)$ can be written as

$$p(x_1, \dots, x_n) = \prod_{i=1}^{n} p(x_i | x_1, \dots, x_{i-1})$$

- **Bayesian Network**. *Given a joint distribution*

$$p(x_1, \dots, x_n) = \prod_{i=1}^{n} p\left(x_i | \boldsymbol{x}_{\mathrm{parents}_i}\right)$$

a Bayesian network *is a graph with a node for every variable* X_i*, and a directed edge from every variable* $X_j, j \in \mathrm{parent}_i$ to X_i.

- **Examples**: For 3 variables, we have these four generic Bayesian networks



$p(x_1, x_2, x_3) = p(x_1) \cdot p(x_2|x_1) \cdot p(x_3|x_1, x_2)$

full mesh



$p(x_1, x_2, x_3) = p(x_1) \cdot \prod_{i=2}^{3} p(x_i|x_1)$

star



$p(x_1, x_2, x_3) = p(x_1) \cdot \prod_{i=2}^{3} p(x_i|x_{i-1})$

chain



$p(x_1, x_2, x_3) = p(x_3|x_1, x_2) \cdot \prod_{i=1}^{2} p(x_i)$

sink

Bayesian Network Models

- **Plate.** If a subset of variables has the same relation only differing in their index, we use a ”plate” to collapse them into a single graphical element.
  - Increase readability of models for large amounts of parameters and data
- A Bayesian network must always be a **directed acyclic graph** because only those have a topological order corresponding to a variable order.
- **Observed Variables.** If a subset of variables has been observed (“data”), the variable nodes are usually shaded (“clamped”).
  - **Example**: Discriminatory Models

$$p(\boldsymbol{w}, y_1, \dots, y_n | x_1, \dots, x_n) = \prod_{i=1}^{n} p(y_i | x_i, \boldsymbol{w}) \cdot p(\boldsymbol{w})$$



$$p\big(\boldsymbol{w} | (x_1, y_1), \dots, (x_n, y_n)\big) \propto \prod_{i=1}^{n} p(y_i | x_i, \boldsymbol{w}) \cdot p(\boldsymbol{w})$$

$$p(x_1, x_2, \dots, x_n) = p(x_1) \cdot \prod_{i=2}^{n} p(x_i | x_1)$$



Representation Complexity

- For simplicity, let us assume that $x_i \in \{1, \dots, K\}$



Naive

$$p(x_1, \dots, x_n)$$

x_1	x_2	x_3	x_4	$p(x_1, x_2, x_3, x_4)$
1	1	1	1	p_{1111}
1	1	1	2	p_{1112}
		$\vdots$		
1	1	1	K	p_{111K}
1	1	2	1	p_{1121}
		$\vdots$		
K	K	K	K	$1-\sum$

$K^4 - 1$

Bayesian Network

$$p(x_1) \cdot p(x_2|x_1) \cdot p(x_3|x_1, x_2) \cdot p(x_4|x_1, x_2, x_3)$$

x_1	$p(x_1)$
1	p_1
2	p_2
$\vdots$	
K	$1-\sum$

$K - 1$

x_2	x_1	$p(x_2|x_1)$
1	1	p_{11}
2	1	p_{21}
	$\vdots$	
K	1	$1-\sum$
1	2	p_{12}
	$\vdots$	
K	K	$1-\sum$

$(K-1) \cdot K$

x_3	x_1	x_2	$p(x_3|x_1, x_2)$
1	1	1	p_{111}
2	1	1	p_{211}
	$\vdots$		
K	1	1	$1-\sum$
1	1	2	p_{112}
	$\vdots$		
K	K	K	$1-\sum$

$(K-1) \cdot K^2$

x_4	x_1	x_2	x_3	$p(x_4|x_1, x_2, x_3)$
1	1	1	1	p_{1111}
2	1	1	1	p_{2111}
		$\vdots$		
K	1	1	1	$1-\sum$
1	1	1	2	p_{1112}
		$\vdots$		
K	K	K	K	$1-\sum$

$(K-1) \cdot K^3$

$$(K-1) \cdot (1 + K + K^2 + K^3) = (K + K^2 + K^3 + K^4) - (1 + K + K^2 + K^3)$$
$$= K^4 - 1$$

Sampling a Bayesian Network

- One advantage of a Bayesian network is the ability to *sample* $p(x_1, \ldots, x_n)$

Ancestral Sampling

1. Topologically sort all variables $X_1, \ldots, X_n$ into $X_{(1)}, \ldots, X_{(n)}$
2. Sample each variable $X_{(i)}$ using distribution $p\left(X_{(i)} | X_{(1)}, \ldots, X_{(i-1)}\right)$

- **Assumption**
  1. Sampling from the conditional distributions is simpler than from the joint distribution
  2. There are no clamped nodes, that is, we do not condition on any variable
- **Problems**
  1. Sampling is *sequential* one variable at the time
  2. Conditioning happens only on frequent events because

$$p(x_1, \ldots, x_{n-1} | x_n) = \frac{p(x_1, \ldots, x_n)}{p(x_n)} \approx \frac{\left|\left\{\left(x_{j,1}, \ldots, x_{j,n}\right) \mid x_{j,1} = x_1 \land \cdots \land x_{j,n} = x_n\right\}\right|}{\left|\left\{x_{j,n} = x_n\right\}\right|}$$

≈ 0 for rare events

Sampling a Bayesian Network: Example

```julia
# samples from the TrueSkill graphical model
function sample(; n = 100000, μ1=0.0, σ1=1.0, μ2=0.0, σ2=1.0, β=1.0)
    samples = Vector{Vector{Float64}}(undef, n)
    for i in 1:n
        s1 = rand(Normal(μ1, σ1))
        s2 = rand(Normal(μ2, σ2))
        p1 = rand(Normal(s1, β))
        p2 = rand(Normal(s2, β))
        y = p1 > p2 ? 1.0 : -1.0
        samples[i] = [s1, s2, p1, p2, y]
    end
    return samples
end
```

$$\boxed{\mathcal{N}(s_1;\mu_1,\sigma_1^2)\cdot\mathcal{N}(s_2;\mu_2,\sigma_2^2)\cdot\mathcal{N}(p_1;s_1,\beta^2)\cdot\mathcal{N}(p_2;s_2,\beta^2)\cdot\mathbb{I}(y(p_1-p_2)>0)}$$

$$\mu_1 = \mu_2$$

Without match outcome



With match outcome ($y = 1$)



Sampling a Bayesian Network: Example (ctd)

$$\boxed{\mathcal{N}(s_1;\mu_1,\sigma_1^2)\cdot\mathcal{N}(s_2;\mu_2,\sigma_2^2)\cdot\mathcal{N}(p_1;s_1,\beta^2)\cdot\mathcal{N}(p_2;s_2,\beta^2)\cdot\mathbb{I}(y(p_1-p_2)>0)}$$

$\mu_1 \ll \mu_2$

Without match outcome



With match outcome ($y = 1$)



Conditional Independence: Warm-Up I

- **Tail-to-Tail Node (x_1):** $p(x_1, x_2, x_3) = p(x_1) \cdot p(x_2|x_1) \cdot p(x_3|x_1)$





$$p(x_2, x_3) = \sum_{\{x_1\}} p(x_1) \cdot p(x_2|x_1) \cdot p(x_3|x_1) \neq p(x_2) \cdot p(x_3)$$

not independent

$$p(x_2, x_3|x_1) = \frac{p(x_1) \cdot p(x_2|x_1) \cdot p(x_3|x_1)}{p(x_1)} = p(x_2|x_1) \cdot p(x_3|x_1)$$

conditionally independent

- **Head-to-Tail Node (x_2):** $p(x_1, x_2, x_3) = p(x_1) \cdot p(x_2|x_1) \cdot p(x_3|x_2)$





$$p(x_1, x_3) = p(x_1) \cdot \sum_{\{x_2\}} p(x_2|x_1) \cdot p(x_3|x_2) = p(x_1) \cdot p(x_3|x_1) \neq p(x_1) \cdot p(x_3)$$

not independent

$$p(x_1, x_3|x_2) = \frac{p(x_2|x_1) \cdot p(x_1)}{p(x_2)} \cdot p(x_3|x_2) = p(x_1|x_2) \cdot p(x_3|x_2)$$

conditionally independent

Conditional Independence: Warm-Up II

- **Head-to-Head Node (x_1)**: $p(x_1, x_2, x_3) = p(x_2) \cdot p(x_3) \cdot p(x_1|x_2, x_3)$



$$p(x_2, x_3) = \sum_{\{x_1\}} p(x_1|x_2, x_3) \cdot p(x_2) \cdot p(x_3) = p(x_2) \cdot p(x_3)$$

independent



$$p(x_2, x_3|x_1) = \frac{p(x_1|x_2, x_3) \cdot p(x_2) \cdot p(x_3)}{p(x_1)} \neq p(x_2|x_1) \cdot p(x_3|x_1)$$

not (always) conditionally independent

  - It can be shown that the path between X_2 and X_3 are only independent if *none* of the *descendant* node from X_1 (that can be reached in the directed graph) is observed!

- **Skill Example (ctd)**: Consider the performance of two players



Before match: P_1 and P_2 are independent



After match: P_1 and P_2 are **not** independent

Conditional Independence: d-separation

- **Blocked Node**. *A node in a Bayesian network is said to be blocked if*
  1. *It's a head-to-tail or tail-to-tail node and the node is observed.*
  2. *It's a head-to-head node and neither the node nor any of its descendants are observed.*
- **d-separation**. *Given a Bayesian network and a subset of observed variables, two non-observed variables X_i and X_j are* conditionally independent *(that is, d-separated) if every undirected path between X_i and X_j contains at least one blocked node.*
- **Examples**.

Judea Pearl
(1936–)



X_1 and X_4 are not independent



X_1 and X_4 are independent

Conditional Independence: Skill Example

- **Skill Example (ctd)**: Consider the skills of two players

Before match



S_1 and S_2 are independent

After match



S_1 and S_2 are **not** independent

- Intuitive because
  - Before the match there is no information that "links" the skill of two players
  - After the match, if the skill of the winning player goes down (e.g., due to a loss in a subsequent match) then the skill of the opponent also needs to go down (or otherwise the observed match outcome would not have been possible)

Overview

1. Graphical Models
2. Directed Graphical Models: Bayesian Networks
3. **Undirected Graphical Models: Markov Random Fields**

Conditional Independence Revisited

- **Observation**: Bayesian networks are visual representations of conditional distributions, but conditional independence requires checking a graph property (d-separation) that is
  - based on removing the direction of the arrows
  - not entirely local
- **Idea**: Remove the direction of arrows in a graphical model and define conditional independence by pure connectivity!
- **Conditional Independence** . *Given an undirected graphical model and a subset D of observed variables, two variables X_i and X_j are* conditionally independent *if there is no path between X_i and X_j when removing all variables $X_k \in D$.*
  - This property is also called the *Markov property* of the graph of random variables X_i
  - **Pro**: Very easy to verify conditional independence of variable sets
  - **Con**: Given this conditional independence definition, what is the functional form of the joint probability that satisfies this condition?



X_1 and X_5 are conditionally independent



X_1 and X_5 are **not** conditionally independent

Hammersley-Clifford Theorem

- **Hammersley-Clifford (1971).** Given n random variables $X_1, \dots, X_n$, a density p satisfies the Markov property for an undirected graph G over $X_1, \dots, X_n$ if and only

$$p(\boldsymbol{x}) \propto \prod_{C \in \text{cliques}(G)} \psi_C(\boldsymbol{x}_C)$$

where $\psi_C(\cdot)$ are strictly positive functions and $\boldsymbol{x}_C$ are the values of $\boldsymbol{x}$ indexed by C.

  - Computing the density up to normalization is computationally easy but the normalization constant is computationally hard as it requires sums/integrals of products of potentials!



John Hammersley (1920 – 2004)

Peter Clifford (1943 – 2025)

Advanced Probabilistic Machine Learning

Unit 3 – Graphical Models

Proof of the Hammersley-Clifford Theorem

- Assume that $p(\boldsymbol{x}) \propto \prod_{C \in \mathrm{cliques}(G)} \psi_C(\boldsymbol{x}_C)$ and pick X_i, X_j and D such that removing all variables in D from the graph G separates X_i, X_j. Define $S = V \setminus \left(D \cup \{X_i\} \cup \{X_j\}\right)$
- Then $\mathrm{cliques}(G)$ separates in three disjoint sets

$$\mathcal{C}_{X_i} \coloneqq \left\{C : C \cap \{X_i\} \neq \emptyset \wedge C \cap \{X_j\} = \emptyset\right\}$$
$$\mathcal{C}_{X_j} \coloneqq \left\{C : C \cap \{X_i\} = \emptyset \wedge C \cap \{X_j\} \neq \emptyset\right\}$$
$$\mathcal{C}_T \coloneqq \left\{C : C \cap \{X_i\} = \emptyset \wedge C \cap \{X_j\} = \emptyset\right\}$$

- Thus, the joint density has the following property

$$p(\boldsymbol{x}) \propto \left[\prod_{C \in \mathcal{C}_{X_i}} \psi_C(\boldsymbol{x}_C)\right] \cdot \left[\prod_{C \in \mathcal{C}_{X_j}} \psi_C(\boldsymbol{x}_C)\right] \cdot \left[\prod_{C \in \mathcal{C}_T} \psi_C(\boldsymbol{x}_C)\right]$$

- Because all variables in D separate X_i, X_j we have $S = S_i \cup S_j \cup S_O$ which are disjoint where S_i are the variables in S which are in cliques in $\mathcal{C}_{X_i}$ (and similar for S_j). Thus

$$p(x_i, x_j | \boldsymbol{x}_D) \propto \underbrace{\left[\sum_{\{\boldsymbol{x}_{S_i}\}} \prod_{C \in \mathcal{C}_{X_i}} \psi_C(\boldsymbol{x}_C)\right]}_{q_i(x_i)} \cdot \underbrace{\left[\sum_{\{\boldsymbol{x}_{S_j}\}} \prod_{C \in \mathcal{C}_{X_j}} \psi_C(\boldsymbol{x}_C)\right]}_{q_j(x_j)} \cdot \underbrace{\left[\sum_{\{\boldsymbol{x}_S\}} \prod_{C \in \mathcal{C}_T} \psi_C(\boldsymbol{x}_C)\right]}_{\text{constant}}$$









Sampling an Undirected Graphical Model

- If the X_i are discrete random variables, we can *sample* $p(x_1, \dots, x_n)$ as follows

Gibbs Sampling

1. Initialize all random variables with a value $x_1, \dots, x_n$
2. For all $i \in \{1, \dots, n\}$, $x_i \sim p(X_i | X_1 = x_1, \dots, X_{i-1} = x_{i-1}, X_{i+1} = x_{i+1} \dots, X_n = x_n)$
3. Skip K such generated samples $\boldsymbol{x}$ to remove

- **Assumption**: There are only a few cliques $\mathcal{C}_{x_i} \coloneqq \{C : C \cap \{X_i\} \neq \emptyset\}$ because

$$p(X_i | X_1 = x_1, \dots, X_{i-1} = x_{i-1}, X_{i+1} = x_{i+1} \dots, X_n = x_n) \propto \prod_{C \in \mathcal{C}_{X_i}} \psi_C(\boldsymbol{x}_C)$$

- **Problem**: Step 2 produced highly correlated samples (thus we skip K samples $\boldsymbol{x}$)
- **Advantage**: We can easily condition on observed variables thereby reducing the number of elements of $\boldsymbol{x}$ in step 2!



Josiah W. Gibbs
(1839 – 1903)

Donald Geman
(1943 –)

Sampling an Undirected Graphical Model

- **Ising Model**: Defined on an $L \times L$ grid of binary labels $x_{i,j} \in \{-1,+1\}$ with 4-neighbourhood $\mathfrak{N}(i,j) = \{(i+1,j),(i-1,j),(i,j+1),(i,j-1)\}$



Coupling strength that a pixel has the same label as its neighbours

$$p(\boldsymbol{x}) \propto \exp\left(\sum_{i=1}^{L}\sum_{j=1}^{L}\left[h \cdot x_{i,j} + \sum_{(i',j')\in\mathfrak{N}(i,j)} J \cdot x_{i,j} \cdot x_{i',j'}\right]\right)$$

With zero coupling, $h = \frac{1}{2} \cdot \log\left(\frac{p(x_{i,j}=+1)}{1-p(x_{i,j}=+1)}\right)$

```julia
# update a single bit using Gibbs sampling
function gibbs_update!(model::IsingModel, i::Int, j::Int)
    L, h, J = model.L, model.h, model.J

    # Calculate the local field
    local_field = h + J * (
        model.x[mod1(i+1, L), j] +
        model.x[mod1(i-1, L), j] +
        model.x[i, mod1(j+1, L)] +
        model.x[i, mod1(j-1, L)]
    )

    # Compute the probability of a state being +1
    p_plus = 1 / (1 + exp(-2 * local_field))

    # Update the single bit
    model.x[i, j] = rand() < p_plus ? 1 : -1

    return model
end
```

$J = 0, h = 0$



$J = 0.5, h = 0$



$J = 1.0, h = 0$

Summary

- **Graphical Models**
  - Simple way to visualize the product structure of a joint probability distribution
  - Useful for modelling real-life data generating processes
  - Allows to test for conditional independence
- **Bayesian Networks**
  - A directed acyclic graph where each edge points from a conditioning to a conditioned variable in the model (often easier to formulate for experts)
  - A generative model of the data that can be easily sampled from (ancestral sampling)
  - d-separation is a set of simple rules (”blocking”) to read off conditional independence
- **Markov Random Field**
  - An undirected graph where the probability is proportional to a product of positive potential functions over all cliques
  - A generative model of the data that can be easily sampled from (Gibbs sampling)
  - Connectivity is the graph property to read off conditional independence

Digital Engineering • Universität Potsdam

See you next week!