



24V CONVERTER DC/DC



- H1 MountingHole
- H2 MountingHole
- H3 MountingHole
- H4 MountingHole
- H5 MountingHole

Sheet: head
File: head.sch

Designed by: Marco Torres
IJ Robotics SA de CV

Sheet: /
File: COATBOT_potencia.sch

Title: CoatBot_Head

Size: A4
KiCad E.D.A. kicad (5.1.12)-1

Date: 10/12/2025

Rev: v1.1

Id: 1/5

A circuit diagram showing a series of four 100nF capacitors (C17, C25, C26, C1) connected between +3.3V and GND. The capacitors are connected in series, with C17 connected to +3.3V, C25 connected to C17, C26 connected to C25, and C1 connected to GND.

[illegible][illegible][illegible]

Diagram illustrating the connection for the +5V_CAMERA pin. The circuit shows a +5V input connected to a 200mA fuse (F1) and a 10uF capacitor (C15) to ground. The output is labeled +5V_CAMERA.


Pin	Signal
1	+VCAM1
2	+VCAM2

GY-906
GY-906


A pinout diagram for the GY-906 module. It shows a vertical yellow bar representing the module with four pins. To the right of the pins are labels in red boxes: Pin 1 is labeled '+3.3V', Pin 2 is labeled 'SCL_3.3V', Pin 3 is labeled 'SDA_3.3V', and Pin 4 is labeled 'GND'.

Pin	Label
1	+3.3V
2	SCL_3.3V
3	SDA_3.3V
4	GND


24-5V SWITCHING BUCK REG



LINEAR REGULATOR



24-3.3V SYNC BUCK REG



Sheet: /head/REGULADORES/
File: REGULADORESsch.sch


Title:

Size: A4
KiCad E.D.A. kicad (5.1.12)-1


Date:

Rev:
Id: 3/5


CARDA




PISTONES GDES




Sensor Extra




VALVE CLEANER



EXTRA RELAY



GY-91



Sheet: /head/NEUMATICS_CNTRL/
File: NEUMATICS_CNTRL.sch

Title:

Size: A4


Date:

KiCad E.D.A. kicad (5.1.12)-1


Rev:

Id: 4/5

MOTOR PINTURA



MOTOR ROTACION



Sheet: /head/DRIVERS/
File: DRIVERS.sch

Title:

Size: A4

Date:

KiCad E.D.A. kicad (5.1.12)-1

Rev:

Id: 5/5