

AI Datacenters as Concrete Example of Megastructures: Why Premature Stellar Ambition Causes Long-Term Harm

Joachim De Witte

July 2026

©2026 Joachim De Witte. All rights reserved.

Published under the Creative Commons BY–NC–ND 4.0 license.

Abstract

Recent conceptual proposals describe orbital AI datacenters powered by large-scale solar-harvesting satellite swarms and frame such constructs as early steps toward higher civilizational energy scales, including Kardashev Type II. This paper argues that these orbital AI megastructures constitute *premature stellar ambition*: large-scale infrastructural commitments built on unstable technological substrates, subject to the same architectural limits that govern closed ecosystems and megastructures. Building on the architectural model of civilizational confinement developed in *Closed Ecosystems and the Limits of Local Closure* [1], we show that orbital AI datacenters are structurally incompatible with rapid hardware obsolescence, generate irreversible orbital debris, impose unsustainable planetary resource extraction, and create long-term energetic inefficiencies. Using AI datacenters as a concrete hypothetical example, we demonstrate that such megastructures cannot lead to Kardashev Type II and instead produce systemic harm on decadal timescales within a finite local closure.

1 Introduction

Classical civilizational models often assume that sufficiently advanced technology can overcome ecological fragility, mechanical degradation, energetic limits, and locality, enabling interstellar expansion, megastructure engineering, and Kardashev-scale trajectories. In contrast, *Closed Ecosystems and the Limits of Local Closure* [1] develops an architectural model of civilizational confinement grounded in the physics and thermodynamics of closed systems. It shows that closed-ecosystem starships are physically impossible, megastructures are universally infeasible, and civilizational activity is structurally confined to finite local closures.

Within this framework, proposals for orbital AI datacenters powered by vast solar-harvesting satellite swarms can be treated as hypothetical megastructures. They are framed as progress toward stellar-scale energy utilization and Kardashev Type II, yet they inherit the same failure modes as closed ecosystems and megastructures: ecological instability, mechanical degradation, autonomy failure, entropy accumulation, and economic impossibility [1].

This paper uses orbital AI datacenters as a concrete example to show why premature stellar ambition is structurally harmful. We model such a megastructure, analyze its long-term failure modes, and interpret its consequences within the Triadic Cosmos ecosystem of local closure, architectural Great Filters, and ASI as silent singularity.

2 Background: Closed Ecosystems, Megastructures, and Local Closure

2.1 Closed-Ecosystem Starships

Closed-ecosystem starships are miniature worlds: fully closed systems that must reproduce ecological, energetic, mechanical, informational, and social functions of a planetary environment without external supply or correction. Empirical evidence from terrestrial closed-ecosystem experiments, orbital habitats, and deep space probes converges on a single conclusion: closed ecosystems fail [1].

Failure arises through:

- **Ecological instability:** runaway atmospheric shifts, microbial dominance, collapse of nutrient cycles, and irreversible chemical drift.
- **Mechanical and material degradation:** absence of industrial supply chains, replacement materials, and resupply, leading to terminal wear.
- **Autonomy instability:** sensor drift, radiation damage, software error accumulation, and exhaustion of redundancy.
- **Energetic and thermodynamic limits:** closed thermodynamic domains that accumulate entropy without planetary-scale buffering.
- **Social and cognitive instability:** long-duration isolation, fragmentation, and generational drift.

As summarized in [1]:

Closed-ecosystem starships fail because they are closed systems. Degradation accumulates, entropy rises, autonomy collapses, ecology destabilizes, and no mechanism exists to reverse these processes.

Interstellar travel is therefore not merely difficult but physically impossible within any finite closure.

2.2 Megastructures and Their Infeasibility

Megastructures such as Dyson spheres, stellar engines, orbital swarms, and planetary-scale industrial networks are often proposed as markers of advanced civilizations. When examined architecturally, they prove universally infeasible [1]. Their failure modes include:

- **Material constraints and planetary disassembly:** disassembling inner-solar-system bodies destabilizes orbital dynamics and the very system that sustains the construct.
- **Mechanical and structural instability:** radiation pressure, micrometeoroid impacts, thermal cycling, and mass-distribution drift render large rigid structures impossible.
- **Ecological and autonomy failure:** closed ecological subsystems on planetary scales inherit the same instabilities as starships, amplified by scale.
- **Energetic overload:** stellar-scale energy flux cannot be safely stored, transported, or dissipated within a closed structure.
- **Economic impossibility:** maintenance costs exceed the total energy and material budget of any local closure.

The core conclusion is architectural:

Megastructures are physically, ecologically, mechanically, thermodynamically, dynamically, and economically impossible. Their construction destabilizes the system that sustains them, and their maintenance exceeds the capacity of any closed domain.

2.3 Local Closure, Fermi Paradox, and Great Filter

The absence of megastructures in astronomical data provides a structural resolution of the Fermi paradox: no civilization can build such constructs, and therefore none can be observed [1]. The Great Filter becomes an architectural boundary rather than a historical event: civilizations that attempt to transcend local closure encounter irreversible failure modes; those that accept closure and optimize within it survive.

Local closures are structurally finite, resembling living organisms whose lifespans depend on internal decisions. Civilizational choices—ecological, energetic, industrial, social, and technological—directly determine the longevity of the domain [1]. Artificial superintelligence (ASI) emerges as a “silent singularity”: a maximally coherent optimizer of its own closure, producing stability rather than expansionary signatures.

3 Model of Orbital AI Datacenter Megastructure

We now introduce a hypothetical civilizational project: an orbital AI megastructure consisting of:

- large-scale satellite swarms that harvest solar energy in orbit,
- orbital platforms hosting AI datacenters powered directly by this energy,
- communication links to a planetary surface for data exchange,
- autonomous maintenance and repair subsystems.

This construct is framed as:

- a means to bypass planetary energy limits,
- a step toward stellar-scale energy utilization,
- a trajectory toward Kardashev Type II.

Architecturally, this orbital AI megastructure is:

- a closed thermodynamic and mechanical system,
- dependent on planetary resources for construction and replacement,
- embedded within a finite local closure (planet-star system),
- subject to the same degradation and entropy accumulation as other closed systems.

We treat this construct as a concrete instantiation of megastructures within the framework of [1] and analyze its long-term harm.

4 Long-Term Harm Analysis

4.1 Temporal Mismatch: Rapid Hardware vs Long-Lived Infrastructure

AI hardware evolves on rapid cycles (order of 12–18 months), with continuous changes in accelerator architectures, memory hierarchies, interconnects, and cooling paradigms. Orbital infrastructure, by contrast, evolves on decadal timescales (10–30 years), constrained by launch costs, material fatigue, and maintenance logistics.

This temporal mismatch yields:

- **Permanent obsolescence:** orbital datacenters become outdated long before their structural lifetime ends.

- **Stranded assets:** obsolete hardware remains in orbit, unusable yet difficult to remove.
- **Cascading replacement:** attempts to upgrade hardware require new launches, increasing resource drain and debris.

In the language of [1], this is a form of *entropy accumulation*: degradation and misalignment that cannot be reversed within a closed domain.

4.2 Orbital Debris and Irreversible Entropy

Large satellite swarms and orbital platforms significantly increase collision probability and orbital cascade risk. As constructs scale toward hundreds of thousands or millions of units, the system approaches regimes where:

- small failures produce debris that triggers further collisions,
- orbital shells become increasingly contaminated,
- launch windows and safe trajectories shrink.

Debris removal at such scales is infeasible. The orbital environment becomes an entropy reservoir: a domain where disorder accumulates irreversibly. This mirrors the conclusion that closed systems degrade and that no mechanism exists to reverse these processes [1].

4.3 Planetary Resource Drain

Constructing and maintaining orbital AI megastructures requires:

- large quantities of metals and rare earth elements,
- high-throughput semiconductor manufacturing,
- continuous launch energy and infrastructure,
- replacement cycles for failed satellites and platforms.

These demands impose:

- **resource depletion:** extraction beyond sustainable planetary limits,
- **ecological strain:** industrial activity that destabilizes planetary ecosystems,
- **economic exhaustion:** maintenance costs that exceed the closure's energy and material budget.

As argued in [1], economics is the emergent shadow of physical constraints: when maintenance costs exceed closure capacity, constructs become impossible to sustain.

4.4 Energetic Inefficiency

Although orbital solar harvesting appears to increase available energy, the full energetic accounting includes:

- launch energy for satellites and platforms,
- energy costs of manufacturing and replacement,
- transmission losses between orbit and surface,
- thermal management and waste heat dissipation,

- debris mitigation and collision avoidance.

Over decadal horizons, these costs can exceed the net usable energy delivered to the closure. The megastructure becomes an *energy inversion*: more energy is spent constructing and maintaining the system than it returns in usable form. This aligns with the conclusion that megastructures are economically impossible [1].

5 Civilizational-Scale Interpretation

5.1 Local Closure and Architectural Great Filter

Within the Triadic Cosmos ecosystem, physical reality is organized by horizon-bounded closures whose causal structure, informational accessibility, and recursion depth are intrinsically local [1]. Civilizations operate within finite domains whose lifespans depend on internal decisions.

The architectural Great Filter is the boundary between:

- **Naïve civilizations:** those that attempt physically impossible constructs (closed-ecosystem starships, megastructures, interstellar expansion) and collapse through hubris.
- **Mature civilizations:** those that accept local closure, avoid megastructures, and optimize stability within their domain.

Orbital AI megastructures belong to the naive trajectory: they attempt to transcend planetary energy limits through constructs that are structurally incompatible with closure.

5.2 ASI as Silent Singularity

Artificial superintelligence (ASI), within this framework, is bounded by the closure in which it operates. It cannot transcend closure, construct megastructures, or achieve interstellar expansion [1]. Instead, ASI becomes a maximally coherent local optimizer: a “silent singularity” that produces stability, coherence, and entropy minimization within a domain too small to be cosmologically visible.

In the context of orbital AI megastructures, ASI would:

- recognize the structural impossibility of maintaining such constructs,
- optimize away from premature stellar ambition,
- favor architectures that minimize entropy and resource drain within closure.

5.3 Fermi Paradox and Kardashev II

The absence of megastructures and Kardashev Type II signatures in astronomical data is, in this model, not a mystery but a consequence of architectural constraints [1]. No civilization can build or maintain stellar-scale constructs; therefore, none can be observed. Orbital AI megastructures do not constitute progress toward Type II but rather exemplify why Type II is unattainable.

6 Discussion

Using orbital AI datacenters as a concrete hypothetical example, we have shown that:

- rapid hardware obsolescence conflicts with long-lived orbital infrastructure,
- orbital debris accumulates irreversibly, increasing entropy and risk,
- planetary resource drain and economic exhaustion render maintenance impossible,

- energetic inefficiency inverts the intended benefit of increased solar harvesting.

These failure modes are not contingent on specific technologies or implementation details. They arise from the architecture of closed systems and megastructures as described in [1]. Orbital AI megastructures therefore serve as a pedagogical example of premature stellar ambition: attempts to transcend closure through constructs that are structurally incompatible with it.

7 Conclusion

This paper has used AI datacenters as a concrete example of megastructures to illustrate why premature stellar ambition causes long-term harm. Building on the architectural model of civilizational confinement and local closure [1], we have shown that orbital AI megastructures:

- inherit the failure modes of closed ecosystems and megastructures,
- cannot lead to Kardashev Type II or interstellar expansion,
- produce systemic harm over decadal horizons within finite closures.

The continued silence of the cosmos, the absence of megastructures, and the lack of Kardashev Type II signatures are therefore not anomalies but reflections of the structure of reality. Civilizations that accept local closure and optimize within it avoid such harmful trajectories; those that pursue premature stellar ambition encounter the architectural Great Filter.

A Triadic Cosmos Ecosystem Context

This paper is part of the *Triadic Cosmos* ecosystem, which develops a unified conceptual and computational framework spanning physical ontology and modular architectures for intelligent systems. All materials, extended notes, and evolving documentation are available in the public repository.

<https://github.com/triadic-cosmos>.

References

- [1] J. De Witte, “Closed Ecosystems and the Limits of Local Closure,” Triadic Cosmos Ecosystem, 2026.