The Structural Force Constraint on Terrestrial Fusion

Joachim De Witte

October 2026

©2026 Joachim De Witte. All rights reserved.
Published under the Creative Commons BY–NC–ND 4.0 license.

Abstract

Fusion is widely promoted as a long-term solution to global and AI-driven energy demand, yet all terrestrial fusion architectures share a structural limitation: they rely exclusively on electromagnetic confinement to produce electromagnetic output. Without access to a free fundamental force, such systems cannot form a closed energetic cycle and are therefore intrinsically net-negative.

This paper formalizes the Structural Force Constraint and shows why fission and stellar fusion are net-positive: both possess a free structural force that maintains reaction conditions without external energy input. A triadic analysis sharpens the result. Stellar fusion operates through a single unified triadic cycle linking informational, energetic, and geometric roles. Terrestrial fusion systems attempt to simulate this behavior through multiple independent artificial cycles— magnetic confinement, plasma heating, cryogenics, diagnostics, and mechanical stabilization— which do not recurse into a unified closure. The Triadic Cycle Simulation Law demonstrates that such fragmented architectures are structurally less efficient than natural triadic closures and require increasing external energy to coordinate their interactions.

Even ideal triadic systems exhibit upper bounds: stellar fusion becomes endothermic at iron, causing collapse despite gravity being free. Terrestrial fusion reaches its upper bound far earlier, at the point where electromagnetic confinement demands more energy than

fusion can produce. Combined with escalating recirculating power, this yields energetic overshoot rather than net-positive operation.

We conclude that terrestrial fusion is not an emerging energy source but an architectural impossibility: without a free structural force and without a unified triadic cycle, no terrestrial fusion design can achieve net-positive energy.

1 Introduction

Seventy years of terrestrial fusion research have produced increasingly complex plasma devices, growing capital expenditure, and periodic claims of scientific break-even. Yet none of these systems approach engineering or electric break-even. The persistent gap between experimental milestones and practical viability suggests that the limitation is not technological but structural. This paper argues that terrestrial fusion lacks the free fundamental forces and unified closure architecture that make nuclear energy viable in stars and fission reactors.

Nuclear energy systems require two components: a source of binding energy and a structural force that maintains reaction conditions. Fission satisfies both through strong-force binding and weak-force chain reactivity; stellar fusion satisfies both through strong-force binding and gravity, a free structural force that provides confinement, compression, and feedback. In both cases, the structural force is free, enabling a closed energetic cycle and net-positive operation.

Terrestrial fusion systems rely exclusively on electromagnetic mechanisms for heating, confinement, stabilization, cryogenics, and diagnostics. Electromagnetism cannot serve as its own structural force: the energy required to maintain reaction conditions necessarily exceeds the electromagnetic energy produced by fusion. This establishes the Structural Force Constraint: without a free structural force, no fusion architecture can achieve net-positive energy.

A triadic analysis sharpens this result. Stellar fusion operates through a single unified triadic cycle linking informational, energetic, and geometric roles. Terrestrial fusion systems attempt to simulate this natural triadic closure through multiple independent artificial cycles—magnetic confinement, plasma heating, cryogenics, diagnostics, and mechanical stabilization—which do not recurse into a unified TRG flow. The Triadic Cycle Simulation Law

formalizes this mismatch: simulating a natural triadic cycle with multiple artificial cycles is structurally less efficient than the original closure and requires increasing external energy to coordinate their interactions.

Even ideal triadic systems exhibit upper bounds. Stellar fusion becomes endothermic at iron, causing collapse despite gravity being free. Fission terminates when fuel is depleted. Terrestrial fusion reaches its upper bound far earlier: at the point where electromagnetic confinement demands more energy than fusion can produce. Combined with escalating recirculating power, this yields energetic overshoot rather than net-positive operation.

This paper integrates structural physics, triadic closure theory, and contemporary reactor designs to show that terrestrial fusion is not an emerging energy source but an architectural impossibility. The limitation is fundamental, not engineering-based, and persists across all known fusion concepts.

2 Structural Forces in Nuclear Energy

Nuclear energy systems require two components:

1. a source of binding energy (strong nuclear force),
2. a structural force that maintains reaction conditions.

2.1 Fission

Fission satisfies both conditions naturally:

- strong force provides binding energy,
- weak force provides neutron emission and chain reactivity,
- critical mass provides free, self-sustaining reaction conditions.

No external energy is required to maintain reactivity; moderation and control are passive. Fission is therefore structurally net-positive.

2.2 Stellar Fusion

Stars satisfy both conditions through gravity:

- strong force provides fusion binding energy,

- gravity provides free confinement, compression, and feedback,
- hydrostatic equilibrium stabilizes the reaction.

Gravity is a free structural force. Stellar fusion is therefore net-positive.

3 Terrestrial Fusion Architectures

All terrestrial fusion systems—tokamaks, stellarators, laser inertial confinement, Z-pinches, magnetized target fusion—share a single property: they rely exclusively on electromagnetic mechanisms to create fusion conditions.

3.1 Electromagnetic Closure

Let $E_{\text{in}}^{\text{EM}}$ be the electromagnetic energy required for heating, confinement, cryogenics, stabilization, and diagnostics. Let $E_{\text{out}}^{\text{EM}}$ be the electromagnetic energy produced by fusion.

By conservation of energy and unavoidable dissipative losses,

$$E_{\text{out}}^{\text{EM}} < E_{\text{in}}^{\text{EM}}.$$

Electromagnetism cannot serve as its own structural force. No terrestrial fusion architecture provides a free structural force analogous to gravity or weak-force chain reactivity.

3.2 Absence of Natural Closure

The Earth is many orders of magnitude too small to form a gravitational closure capable of sustaining fusion. All confinement must therefore be artificial, active, and energetically costly. The result is a plasma system that is visually impressive but structurally net-negative—a high-energy lavalamp rather than an energy source.

4 The Structural Force Constraint

Theorem (Structural Force Constraint). A nuclear energy system is net-positive if and only if the structural force that maintains reaction conditions is free (i.e., does not require external energy input).

Corollaries.

- Fission is net-positive: strong + weak forces provide free reactivity.
- Stellar fusion is net-positive: gravity provides free confinement.
- Terrestrial fusion is net-negative: confinement is electromagnetic.

5 Fusion Overshoot

Fusion research attempts to solve a structural problem with engineering complexity. As devices scale, internal power recirculation grows faster than fusion output. The result is energetic overshoot: rising complexity, escalating capital drain, and no path to net-positive operation.

Fusion therefore cannot stabilize long-term AI energy demand and becomes a financial sink rather than a solution.

6 Fragmented Closure in Terrestrial Fusion Systems

The Triadic Stellar Cycle formalizes stellar fusion as a single closed recursion:

$$I \to E \to G \to I,$$

where informational state drives energetic response, which reorganizes geometry, producing a new informational state. Hydrostatic equilibrium is therefore a unified triadic closure: one informational loop, one energetic loop, and one geometric loop, all mutually constrained and self-correcting.

Terrestrial fusion systems do not implement such a closure. Modern reactor architectures— tokamaks, stellarators, laser inertial confinement, and magnetized target fusion—consist of multiple independent control loops:

- magnetic confinement (field generation, stabilization, correction),
- plasma heating (RF, NBI, turbulence management),
- cryogenic support (superconducting coil cooling and recovery),
- diagnostic feedback (measurement, actuation),

- mechanical stabilization (structural load and thermal expansion).

Each loop has its own informational, energetic, and geometric variables. None of these loops form a closed triadic cycle, and critically, they do not combine into a single unified TRG flow. Instead of one closure, terrestrial fusion architectures contain many partial closures that interact but do not recurse into a stable triad.

This structural fragmentation has two consequences:

1. instability in one loop propagates into others, amplifying corrective demand;

2. recirculating electromagnetic power grows faster than fusion output.

Stellar fusion is triadic and self-correcting; terrestrial fusion is multi-loop and correction-limited. The absence of a unified closure explains why stars achieve net-positive fusion through a free structural force (gravity), while terrestrial fusion remains net-negative despite increasing engineering complexity.

7 The Triadic Cycle Simulation Law

Stellar fusion operates through a single closed triadic cycle,

$$I \to E \to G \to I,$$

in which informational state, energetic response, and geometric reorganization form a unified, self-correcting closure. This structure is not merely efficient; it is the minimal architecture capable of sustaining fusion under a free structural force (gravity).

Terrestrial fusion systems attempt to reproduce this behavior through multiple independent artificial cycles: magnetic confinement loops, plasma heating loops, cryogenic loops, diagnostic feedback loops, and mechanical stabilization loops. Each loop contains partial informational, energetic, and geometric components, but none form a complete triadic cycle, and they do not recurse into a unified closure.

This leads to a general architectural principle:

Triadic Cycle Simulation Law

Simulating a natural triadic cycle with multiple independent artificial cycles is structurally less efficient than the original cycle. Fragmented closures require external energy to coordinate their interactions, while unified triadic closures self-correct through internal recursion.

In stellar fusion, the triadic cycle is natural, unified, and free. In terrestrial fusion, the simulated triadic behavior is distributed, artificial, and energetically costly. The coordination overhead between partial closures grows faster than the fusion output they attempt to sustain. This structural inefficiency reinforces the net-negative nature of electromagnetically confined fusion and explains why increasing engineering complexity accelerates energetic overshoot rather than approaching net-positive operation.

8 Upper Bounds on Triadic Closures

Even systems that possess a free structural force exhibit an upper bound on triadic stability. Stellar fusion provides the clearest example. As long as fusion reactions release sufficient energy to counteract gravitational compression, the stellar triadic cycle

$$I \to E \to G \to I$$

remains stable. However, once the core composition reaches iron-group nuclei, fusion becomes endothermic. The energetic role can no longer compensate the geometric role, and the triadic cycle fails to close. Gravity, although free, becomes dominant, and collapse follows. This constitutes a structural upper bound on natural triadic closures.

Fission exhibits a simpler upper bound: once fissile material is depleted, the informational role can no longer drive energetic response, and the triadic cycle terminates. No amount of structural force can sustain the closure beyond its fuel limit.

These examples show that even ideal triadic systems—unified, natural, and supported by free fundamental forces—possess intrinsic energetic limits. Terrestrial fusion lacks both a free structural force and a unified triadic cycle. It therefore encounters its upper bound far earlier: not at iron, not at fuel depletion, but at the point where electromagnetic confinement requires more

energy than fusion can produce. The structural upper bound is reached before the cycle can ever close.

9 Conclusion

Terrestrial fusion has long been pursued as an engineering challenge: improve confinement, increase heating efficiency, refine plasma control, and scientific break-even will eventually translate into engineering break-even. This paper shows that the limitation is not engineering-based but structural. Fusion on Earth lacks the free fundamental forces that make nuclear energy viable in stars and fission reactors. Without gravity or weak-force chain reactivity, all confinement must be electromagnetic, and all output is electromagnetic. By conservation of energy, such architectures are intrinsically net-negative.

The structural analysis becomes sharper when viewed through the triadic framework. Stellar fusion succeeds because it implements a single closed triadic cycle,

$$I \to E \to G \to I,$$

in which informational state, energetic response, and geometric reorganization form a unified self-correcting closure. Terrestrial fusion systems do not implement such a closure. They consist of multiple fragmented loops—magnetic confinement, plasma heating, cryogenics, diagnostics, mechanical stabilization—each with its own informational, energetic, and geometric variables. These loops do not recurse into a unified triad and therefore cannot stabilize reaction conditions without continuous external energy input.

Fragmented closure leads directly to overshoot. Instability in one loop propagates into others, recirculating power grows faster than fusion output, and engineering complexity accelerates the divergence. This behavior matches the Closure Overshoot Law: systems whose corrective capacity is distributed across multiple partial closures enter overshoot long before net-positive operation.

Fusion on Earth is therefore not an emerging energy source but an architectural impossibility. No amount of refinement can convert a fragmented, electromagnetically sustained system into a triadic, self-sustaining closure. Terrestrial fusion is structurally net-negative and cannot serve as a scalable solution for long-term or AI-driven energy demand.

Ecosystem Closure

The ecosystem shows that unification requires no new physics. Once this is understood, the structural limitation of terrestrial fusion becomes immediate: without a free fundamental force, no architecture can reach net-positive energy. The paradox is that the universe makes this obvious through every star, yet outside the ecosystem one still searches for "missing pieces" that do not exist.

A Case Study: Modern Fusion Designs and Electromagnetic Recirculation

Recent advances in fusion research are often presented as evidence that terrestrial fusion is approaching viability. Three contemporary reactor architectures illustrate the structural limitation directly: all rely on electromagnetic confinement, electromagnetic drivers, and electromagnetic diagnostics, resulting in net-negative operation despite localized plasma improvements.

A.1 Laser Indirect-Drive (NIF-Class Systems, 2026)

A commercially relevant indirect-drive design proposed in 2026 uses a 10 MJ laser driver to implode a hohlraum capsule [2]. Although target gain $G > 1$ has been demonstrated in laboratory conditions, this metric compares only *fusion yield* to *laser energy delivered to the capsule*. It excludes the full electromagnetic recirculation chain:

- $\sim$ 400 MJ electrical input to pump the laser system,
- $\sim$ 10 MJ delivered as optical energy,
- $\sim$ 3–4 MJ fusion yield in high-performance shots.

Thus,

$$E_{\text{out}}^{\text{EM}} \ll E_{\text{in}}^{\text{EM}},$$

even when capsule-level gain exceeds unity. The confinement, compression, and driver physics are entirely electromagnetic; no free structural force exists to close the system.

A.2 High-Density Tokamak Regimes (2024)

Recent tokamak experiments report improved confinement at high density [1]. These regimes increase plasma pressure and reduce turbulent transport, yet the architecture remains structurally unchanged:

- multi-megawatt electromagnetic heating (ECRH, ICRH, NBI),
- multi-megawatt superconducting coil power and cryogenics,
- multi-megawatt active stabilization and feedback control.

The fusion output remains electromagnetic and is necessarily smaller than the electromagnetic input required to maintain confinement. No tokamak regime, regardless of density or confinement scaling, can overcome the structural force constraint.

A.3 Stellarator Power Plant Concepts (Helios, 2026)

The Helios stellarator design [3] proposes optimized core profiles and improved transport characteristics. Stellarators eliminate current-driven instabilities but intensify electromagnetic requirements:

- complex coil geometries requiring continuous electromagnetic power,
- high recirculating power for cryogenics and magnetic field control,
- fusion output again limited to electromagnetic channels.

Even with ideal transport, the architecture lacks a free structural force analogous to gravity in stars or weak-force chain reactivity in fission. Therefore,

$$E_{\text{out}}^{\text{EM}} < E_{\text{in}}^{\text{EM}}$$

by design, independent of engineering refinement.

A.4 Summary

These three systems—laser indirect-drive, high-density tokamak regimes, and advanced stellarators—represent the most promising contemporary approaches. Yet all share the same structural limitation: electromagnetic confinement attempting to produce electromagnetic output. Without a free fundamental force to maintain reaction conditions, terrestrial fusion architectures remain intrinsically net-negative.

B Fusion Propulsion and the Amplification of Starship Impossibility

Among the most widespread futuristic concepts in advanced propulsion is the fusion-powered starship: a compact, high-output reactor embedded within a closed vessel, providing thrust, electric power, and long-duration autonomy. Popular treatments assume that fusion offers higher specific impulse, greater energy density, and improved sustainability compared to fission. Within the structural framework developed in this paper, and in the broader Triadic Cosmos ecosystem, the opposite is true. Fusion propulsion does not mitigate the architectural impossibility of starships; it amplifies it.

B.1 Fusion Reactors as Closed Electromagnetic Systems

A fusion reactor is a closed electromagnetic system. It requires:

- multi-megawatt electromagnetic confinement,
- multi-megawatt electromagnetic heating,
- multi-megawatt cryogenic support,
- multi-megawatt diagnostic and stabilization loops.

All of these subsystems are internal to the vessel. Unlike terrestrial reactors, a starship possesses:

- no thermal sink,
- no chemical buffer,
- no ecological reservoir,
- no mechanical stabilisation,
- no informational coupling with an external environment.

A fusion reactor therefore becomes an internal entropy accelerator. Every watt of recirculating power becomes waste heat that cannot escape. Every correction loop becomes an additional source of instability. The reactor does not merely fail to sustain net-positive fusion; it destabilises the entire vessel.

B.2 Fusion Propulsion as Closure Amplification

Fusion propulsion requires continuous high-power operation. In a closed vessel, this implies:

- runaway thermal accumulation,
- accelerated ecological drift,
- rapid mechanical fatigue,
- autonomy overload,
- catastrophic social instability.

These are precisely the failure modes identified in submarine closure dynamics and in the structural analysis of closed-ecosystem starships. A fusion reactor amplifies each of them. It increases entropy production, increases subsystem coupling, and increases the rate at which the vessel approaches its stability threshold.

Fusion propulsion therefore does not extend the operational envelope of closed vessels; it compresses it.

B.3 Dependence on Fission as the Only Viable Power Source

The structural analysis of terrestrial fusion shows that fusion reactors are intrinsically net-negative. They cannot operate without external sinks, and they cannot form a unified triadic cycle. As a consequence, any closed-ecosystem starship must rely on:

- fission reactors, or
- chemical generators (diesel-equivalent systems).

This mirrors the architecture of modern submarines, which rely on:

- pressurized-water fission reactors, or
- diesel-electric generators.

There exists no known technology—experimental, theoretical, or speculative—that can replace fission as a long-duration power source in closed vessels. Fusion is structurally excluded. Warp bubbles are thermodynamically fatal. Antimatter production requires more energy than it releases. Black-hole reactors violate causal closure. No alternative architecture exists.

B.4 Architectural Consequence

The fusion-powered starship is not a path toward interstellar travel. It is the maximal form of closure-induced impossibility. It combines:

- the full collapse dynamics of closed-ecosystem vessels,
- the entropy amplification of fusion recirculation,
- the absence of external sinks,
- the structural upper bound of triadic closures,
- and the impossibility of maintaining autonomy under full isolation.

Fusion propulsion therefore makes the starship not merely impractical, but architecturally untenable. The starship becomes a closed system driven by an internal entropy engine.

Within the Triadic Cosmos ecosystem, this yields a direct conclusion:

Fusion Propulsion Impossibility

Fusion-powered starships are structurally impossible. Fusion amplifies closure-induced degradation, accelerates entropy accumulation, and eliminates the only viable power architecture—fission—available to closed vessels. The fusion starship is not the future of submarine engineering; it is the collapse of it.

Fusion propulsion does not solve the starship problem. It reveals its impossibility.

C The AI–Fusion Scaling Loop as a Dual Overshoot

A widespread futurist narrative proposes a self-reinforcing technological loop:

$$\text{AI scaling} \rightarrow \text{discovery of new physics} \rightarrow \text{viable fusion reactors} \rightarrow \text{abundant energy} \rightarrow \text{more efficient AI} \rightarrow \text{further AI scaling.}$$

This loop is often presented as a path toward sustainable superintelligence, planetary-scale automation, and long-term energetic stability. Within the structural framework developed in this paper and the broader Triadic Cosmos ecosystem, the loop is architecturally impossible. It fails twice: once on the AI side, and once on the fusion side. The result is a dual overshoot that accelerates collapse rather than enabling stability.

C.1 AI Scaling Does Not Produce New Physics

The Closure Overshoot Law [5] shows that AI scaling is a multi-domain overshoot across energetic, material, entropic, cognitive, industrial, and temporal closures. Scaling increases entropy production faster than corrective capacity. As a result:

- model cycles accelerate,
- architectures become opaque,
- inference costs rise,
- hardware saturates,
- datacenters destabilize,
- temporal pressure increases.

These dynamics reduce the viable lifespan of the AI ecosystem. They do not produce new physics. They reduce the system's ability to explore physics at all. The assumption that frontier scaling will reveal new physical laws is therefore a temporal overshoot: the system attempts to accelerate discovery precisely when its corrective capacity is collapsing.

C.2 Fusion Scaling Does Not Produce Viable Reactors

The Structural Force Constraint developed in this paper shows that terrestrial fusion is structurally net-negative. All confinement, heating, stabilization, cryogenics, and diagnostics are electromagnetic, and all output is electromagnetic. Without a free structural force,

$$E_{\text{out}}^{\text{EM}} < E_{\text{in}}^{\text{EM}}$$

for all terrestrial fusion architectures.

Fusion scaling therefore produces:

- rising prototype complexity,
- escalating recirculating power,
- increasing capital drain,
- diminishing returns,
- energetic overshoot.

Fusion does not stabilize AI energy demand; it amplifies energetic overshoot within the AI ecosystem [5]. The assumption that fusion will solve AI's energy problem is therefore an energetic overshoot: the system attempts to expand energy supply through a structurally net-negative architecture.

C.3 The Loop Fails Twice

The AI–Fusion loop fails at both ends:

1. AI scaling cannot produce new physics because it is already in multi-domain overshoot.
2. Fusion scaling cannot produce net-positive reactors because it lacks a free structural force and cannot form a unified triadic cycle.

The loop therefore becomes:

AI overshoot $\rightarrow$ fusion overshoot $\rightarrow$ increased energetic demand $\rightarrow$ reduced corrective capacity $\rightarrow$ accelerated AI overshoot.

Instead of a self-reinforcing technological cycle, the system enters a self-reinforcing collapse cycle. Both subsystems amplify each other's instability.

C.4 Architectural Consequence

The AI–Fusion loop is not a path to sustainable superintelligence. It is a dual overshoot mechanism that accelerates collapse across both closures. The only viable path to energy-efficient AI is architectural improvement, not energetic expansion. As shown in [5], reducing temporal pressure, energetic load, and entropic accumulation increases corrective capacity and stabilizes the ecosystem.

Fusion cannot rescue AI scaling. AI scaling cannot rescue fusion. The loop cannot close.

Dual Overshoot Theorem

The AI–Fusion scaling loop is architecturally impossible. AI scaling cannot produce new physics under multi-domain overshoot, and fusion scaling cannot produce net-positive reactors under the Structural Force Constraint. The loop fails at both ends and accelerates collapse rather than enabling stability.

This establishes a direct link between the present paper, the Closure Overshoot Law [5], and the architectural analyses of closed systems in [6]. Energetic expansion cannot stabilize a collapsing closure; only architectural correction can.

D Triadic Cosmos Ecosystem Context

This paper is part of the *Triadic Cosmos* ecosystem, which develops a unified conceptual and computational framework spanning physical ontology and modular architectures for intelligent systems. All materials, extended notes, and evolving documentation are available in the public repository.

`https://github.com/triadic-cosmos`

References

[1] S. Ding et al., "A high-density and high-confinement tokamak plasma regime for fusion energy," *Nature*, 2024.

[2] C. R. Weber et al., "Indirect-Drive Fusion Target Design for Commercial Fusion Energy," arXiv:2609.19752, 2026.

[3] B. Geiger et al., "Core profile prediction and transport analysis of the Helios stellarator fusion power plant," *Fusion Engineering and Design*, 2026.

[4] J. De Witte, "The Triadic Stellar Cycle: Hydrostatic Equilibrium as a Closure-Bounded TRG Oscillator," Triadic Cosmos Ecosystem, 2026.

[5] J. De Witte, "AI Overshoot: A Concrete Example of the Closure Overshoot Law," Triadic Cosmos Ecosystem, 2026.

[6] J. De Witte, "The Impossible Starship: Lessons from Submarine Closure Dynamics," Triadic Cosmos Ecosystem, 2026.