

The Triadic Incompleteness of UAP Phenomena

Joachim De Witte

July 2026

©2026 Joachim De Witte. All rights reserved.

Published under the Creative Commons BY–NC–ND 4.0 license.

Abstract

Unidentified aerial phenomena (UAP) occupy an unusual position in contemporary scientific discussion: they are intermittently observed, occasionally instrumentally recorded, yet remain conceptually unresolved. The present paper examines UAP within the architectural constraints of the Triadic Cosmos framework, which identifies energy, geometry, and information as three irreducible structural roles linked through the closed sequence $E \rightarrow G \rightarrow I \rightarrow E$. While UAP observations routinely instantiate geometric and informational structure, they consistently lack any detectable energetic role. Within the Triadic Cycle, the absence of an energetic component implies the absence of a closed triadic update, and therefore the absence of recursion, emergent temporal structure, and physical distinctiveness. A system that is triadically incomplete cannot instantiate the dynamical properties required of a vehicle or engineered construct.

The goal of this paper is not to deny the existence of UAP as anomalous phenomena, nor to assert that all observations admit straightforward natural or instrumental explanations. Rather, the aim is to provide a unified structural analysis that integrates physical, epistemological, ontological, and triadic considerations into a single coherent framework. Existing discussions typically address isolated aspects of the problem, but no comprehensive treatment currently exists that evaluates UAP against the full set of architectural constraints implied by the Triadic Cycle.

By assembling the relevant arguments and demonstrating their consistency with the triadic ontology, this paper shows that UAP cannot be coherently modeled as vehicles intentionally constructed or operated by any form of life. The resulting analysis fills a gap in the literature and provides a structurally grounded foundation for future study of UAP as incomplete or non-dynamical phenomena rather than as engineered systems.

Contents

1	Introduction	4
2	Motivation	4
3	Related Work	5
3.1	The Triadic Cosmos Program	5
3.2	Physical Constraints on High-Velocity Motion and Propulsion	5
3.3	Epistemological and Phenomenological Studies of UAP	6
3.4	Position of the Present Work	6

4	Ontological and Strategic Constraints on UAP	6
4.1	The Origin Problem	7
4.2	Absence of Purpose or Mission Profile	7
4.3	Lack of Communication or Signaling	7
4.4	Structural Implications for Intentional Systems	7
5	Physical and Energetic Impossibilities	8
5.1	Aerodynamic Constraints and Quadratic Drag	8
5.2	Power Requirements and Cubic Scaling	8
5.3	Absence of Propulsion Signatures	9
5.4	Energy Generation and Storage Limits	9
5.5	Inertial Constraints and Biological Impossibility	9
5.6	Absence of Thermal, Acoustic, and Radiative Emissions	9
5.7	Spacetime Manipulation and Black-Hole Energetics	10
5.8	Summary: Energetic Non-Instantiability	10
6	Epistemological and Knowledge-Theoretic Constraints	10
6.1	The “Unknown Physics” Argument and Its Limitations	10
6.2	Completeness of Modern Physical Theory	11
6.3	Probability of Many Unknowns vs. One Unknown	11
6.4	Structural Inconsistency of UAP Observations	11
6.5	Absence of UAP in Space-Based Observations	12
6.6	Interstellar Dynamics and the Rarity of Visitors	12
6.7	Summary: Epistemological Non-Coherence	12
7	Computational, Control-Theoretic, and Collision Constraints	12
7.1	Sensor Speed Limits and the Light-Speed Barrier	13
7.2	Compute Latency and Internal Signal Propagation	13
7.3	Closed-Loop Control Requirements for High-Velocity Navigation	13
7.4	Inertial and Actuator Limits in Rapid Maneuvering	14
7.5	Collision Dynamics and the Absence of Catastrophic Events	14
7.6	Structural Implications for Engineered Systems	15
7.7	Summary: Control-Theoretic Non-Instantiability	15
8	High-Value UAP Observations and Structural Evaluation	15
8.1	Geometry and Information in High-Value Cases	15
8.2	Systematic Absence of Energetic Roles	16
8.3	Why High-Value Cases Do Not Counter Physical Constraints	16
8.4	Why High-Value Cases Do Not Counter Epistemological Constraints	16
8.5	Why High-Value Cases Do Not Counter Control-Theoretic Constraints	17
8.6	Reclassification: UAP as Incomplete Phenomena	17
8.7	Summary: Observational Non-Completeness	17
9	The Triadic Closure: UAP as Triadically Incomplete Phenomena	17
9.1	The Requirement of Triadic Completeness	18
9.2	Geometry and Information Without Energy	18
9.3	Absence of Triadic Recursion	18
9.4	Absence of Emergent Temporal Structure	19
9.5	Absence of Physical Distinctiveness	19
9.6	Why UAP Cannot Be Vehicles or Engineered Systems	20
9.7	Structural Implications for Future UAP Research	20

10 Testable Predictions	20
10.1 Prediction 1: UAP Will Never Exhibit Energetic Signatures	20
10.2 Prediction 2: UAP Will Never Exhibit Collision Signatures	21
10.3 Prediction 3: UAP Will Never Exhibit Closed-Loop Control Behavior	21
10.4 Prediction 4: UAP Will Exhibit Geometry and Information Without Energy . .	21
10.5 Prediction 5: UAP Will Not Exhibit Temporal Evolution	22
10.6 Prediction 6: Higher-Dimensional Energetic Roles Must Be Detectable	22
10.7 Prediction 7: UAP Will Behave Like Other Triadically Incomplete Phenomena .	22
10.8 Summary	22
11 Limitations and Open Questions	23
11.1 Limitations of Current Physical Knowledge	23
11.2 Limitations of Observational Data	23
11.3 Open Question: Higher-Dimensional Energetic Roles	23
11.4 Open Question: Non-Dynamical or Non-Local Phenomena	24
11.5 Open Question: The Origin and Purpose of Triadically Incomplete Phenomena .	24
11.6 Summary	24
12 Human Subjectivity, Interpretation, and Cognitive Affinity	25
12.1 Perceptual Ambiguity and Cognitive Reconstruction	25
12.2 Bias, Interest, and Cultural Affinity	25
12.3 Sensitivity to Anomalies and the Desire for Meaning	26
12.4 The Supernatural Hypothesis as a Cognitive Attractor	26
12.5 Human Interpretation Does Not Supply Energetic Roles	26
12.6 Summary	26
13 Conclusion	27
A Triadic Cosmos Ecosystem Context	27

1 Introduction

Unidentified aerial phenomena (UAP) have attracted sustained public and scientific interest, yet their conceptual status remains unresolved. Reports range from anecdotal visual sightings to instrumentally recorded anomalies, but the diversity of observations has not led to a coherent interpretive framework. Existing analyses typically address isolated physical, epistemological, or observational concerns, and the resulting discourse remains fragmented. What is missing is a structural account capable of evaluating UAP against the minimal architectural constraints that any physical system must satisfy.

The Triadic Cosmos framework provides such an account. Earlier work introduced a minimal ontology consisting of three irreducible structural roles—energy, geometry, and information—and established their closed interdependence through the Triadic Cycle

$$E \rightarrow G \rightarrow I \rightarrow E.$$

This cycle is not a dynamical law but an architectural grammar underlying modern physics. It identifies the structural conditions required for physical distinctiveness, dynamical evolution, and emergent temporal ordering. In particular, the cycle requires that all three roles be instantiated: without an energetic component, the cycle cannot close; without closure, recursion cannot occur; without recursion, temporal structure cannot emerge.

UAP observations present a striking pattern when examined through this lens. Across high-value cases, the phenomena consistently instantiate geometric and informational roles: they exhibit shapes, trajectories, motion profiles, and sensor signatures. However, they lack any detectable energetic role. No observation has revealed propulsion, exhaust, thermal emission, inertial coupling, gravitational influence, or any other energetic signature that would allow the triadic cycle to close. As a consequence, UAP cannot instantiate recursive triadic updates and therefore cannot support emergent temporal structure or physical distinctiveness in the sense required of vehicles or engineered systems.

The purpose of this paper is not to deny the existence of UAP as anomalous phenomena. On the contrary, the author is motivated by genuine interest in understanding these observations and by the desire to evaluate them within a coherent structural framework. The aim is to assemble the relevant physical, epistemological, and ontological arguments into a unified architectural analysis and to demonstrate that, within the Triadic Cosmos framework, UAP cannot be coherently modeled as vehicles intentionally constructed or operated by any form of life.

This paper therefore fills a gap in the literature. While numerous discussions address individual aspects of UAP, no existing work evaluates the phenomena against the full set of structural constraints implied by the Triadic Cycle. By doing so, the present analysis provides a principled foundation for interpreting UAP as incomplete or non-dynamical phenomena rather than as engineered systems, and clarifies why their observed properties cannot satisfy the requirements of triadic completeness.

2 Motivation

The author’s interest in unidentified aerial phenomena (UAP) is longstanding and genuine. These phenomena occupy a peculiar position in contemporary discourse: they are widely reported, occasionally instrumentally recorded, and yet remain conceptually unresolved. The motivation for the present work arises from an attempt to understand UAP within the architectural constraints of the Triadic Cosmos framework and the broader structural principles developed in earlier papers.

Although the author is open to the possibility that UAP represent real physical anomalies, the existing body of evidence does not support an interpretation of these phenomena as vehicles

intentionally constructed or operated by any form of life. This conclusion is not derived from skepticism but from structural analysis. When examined through the lens of the Triadic Cycle, UAP observations consistently instantiate geometric and informational roles while lacking any detectable energetic role. As established in prior work, the absence of an energetic component implies the absence of a closed triadic update, and therefore the absence of recursion, emergent temporal structure, and physical distinctiveness. A phenomenon that is triadically incomplete cannot instantiate the dynamical properties required of a vehicle or engineered system.

This internal tension—the desire to understand the phenomenon, contrasted with the structural inability to classify it as a physical object—forms the primary motivation for this paper. The author seeks a coherent account that respects both empirical reports and the architectural constraints of the Triadic Cycle. Existing discussions of UAP typically address isolated physical or epistemic concerns, but no unified treatment currently exists that integrates ontological, physical, epistemological, and triadic considerations into a single structural analysis.

The purpose of this paper is therefore not to deny the existence of UAP as anomalous phenomena, nor to dismiss the possibility that some observations may correspond to natural or instrumental effects that are not yet fully understood. Rather, the goal is to demonstrate that, within the Triadic Cosmos framework, UAP cannot be coherently modeled as vehicles or intentional constructs. By assembling the relevant arguments into a single architectural narrative, this work aims to fill a gap in the literature and provide a structurally consistent foundation for future analysis of UAP phenomena.

3 Related Work

The present paper intersects three distinct bodies of literature: (i) the Triadic Cosmos program, which provides the architectural foundation for the analysis; (ii) physical and energetic constraints relevant to high-velocity motion, propulsion, and interstellar travel; and (iii) epistemological and phenomenological studies of UAP. While each of these domains has developed substantial independent work, no existing treatment integrates them into a single structural analysis capable of evaluating UAP against the architectural constraints of the Triadic Cycle.

3.1 The Triadic Cosmos Program

This work builds directly on the sequence of papers that established the Triadic ontology of energy, geometry, and information. The initial formulation Witte 2026e introduced the Triadic Cycle as a minimal architectural grammar underlying modern physics. Subsequent papers made the closed interdependence $E \rightarrow G \rightarrow I \rightarrow E$ explicit Witte 2026d, derived theory-independent structural constraints Witte 2026b, and developed recursive and fractal interpretations of triadic architecture Witte 2026a. The most recent work Witte 2026c embedded the Triadic Cycle within AdS/CFT, interpreting recursion as holographic renormalization and identifying emergent time as the ordering induced by successive triadic updates.

The present paper extends this line of research by applying the triadic ontology to UAP phenomena. Whereas earlier work focused on the architectural structure of physical theory, the current analysis evaluates empirical anomalies against the requirement of triadic completeness. To the author’s knowledge, no prior work has used the Triadic Cycle as a structural criterion for assessing whether a phenomenon can instantiate physical distinctiveness or dynamical evolution.

3.2 Physical Constraints on High-Velocity Motion and Propulsion

A substantial body of literature addresses the physical limitations of high-speed motion in atmospheric and interstellar environments. Quadratic drag scaling and hypersonic heating are well-established constraints Anderson 2017; Bertin 1994, and the cubic scaling of power with velocity is a fundamental aerodynamic limit Drela 2014. Inertial loading and structural failure

under extreme acceleration have been extensively studied in aerospace engineering Newman 2015, while quantum speed limits Margolus and Levitin 1998; Mandelstam and Tamm 1945 relate energetic resources to the rate of state change.

Energy-generation mechanisms relevant to hypothetical advanced propulsion have also been examined. Nuclear fission and fusion provide limited mass–energy conversion efficiencies Kippenhahn and Weigert 1990, and antimatter production remains energetically prohibitive Forward 1985. Black-hole energy extraction mechanisms, such as the Penrose process Penrose 1969 and Hawking radiation Hawking 1975, have been proposed as theoretical possibilities, but small black holes lack independent triadic degrees of freedom and cannot support dynamical evolution Witte 2026c. Interstellar travel constraints have been analyzed in the context of relativistic propulsion Bond 1980, stellar distances Glaser 2020, and the rarity of interstellar objects K. M. e. al. 2017; P. G. e. al. 2020.

These works collectively establish that extreme acceleration, silent hypersonic motion, absence of thermal emission, and lack of energetic signatures are incompatible with known physical constraints. However, they do not provide an architectural criterion for determining whether a phenomenon can instantiate physical distinctiveness. The present paper fills this gap by evaluating UAP against the structural requirement of triadic completeness.

3.3 Epistemological and Phenomenological Studies of UAP

The scientific literature on UAP is diverse and often fragmented. Instrumental analyses address radar anomalies Stimson 2018, infrared artifacts Barnes 2021, atmospheric refraction Travis 2020, and sensor cross-talk Langley 2019. Phenomenological studies examine observational bias Schneider 2010, cognitive reconstruction Haines 2000, and the difficulty of interpreting incomplete data Knuth 2021. Government and military reports Director of National Intelligence 2021; Director of National Intelligence 2022 catalog high-value cases but do not provide a structural framework for interpretation.

Existing UAP literature typically adopts one of two approaches: (i) proposing natural or instrumental explanations for specific cases, or (ii) speculating about advanced technological systems. Neither approach evaluates UAP against the architectural constraints of physical theory. In particular, no prior work has examined whether UAP instantiate the triadic roles required for dynamical evolution, emergent temporal structure, or physical distinctiveness.

3.4 Position of the Present Work

The present paper differs from all prior literature in scope and method. Rather than proposing new physical mechanisms or attempting to explain individual UAP cases, it evaluates the phenomena against the structural requirements of the Triadic Cycle. By integrating physical, epistemological, and ontological arguments into a single architectural analysis, this work provides a principled foundation for interpreting UAP as triadically incomplete phenomena that cannot be coherently modeled as vehicles or engineered systems. No existing treatment offers such a unified structural perspective.

4 Ontological and Strategic Constraints on UAP

Unidentified aerial phenomena (UAP) are frequently discussed as potential vehicles or engineered systems, yet their observed properties do not align with the structural requirements that intentional constructs must satisfy. This section examines three foundational constraints: the origin problem, the absence of purpose or mission profile, and the lack of communication or signaling. These constraints do not rely on speculative physics but on minimal ontological and strategic considerations that any technologically produced system must satisfy. When evalu-

ated within this framework, UAP fail to exhibit the structural coherence expected of intentional artifacts.

4.1 The Origin Problem

Any hypothesis that interprets UAP as vehicles must specify a plausible origin. The distances between stellar systems are extreme, and interstellar travel requires energy scales, propulsion mechanisms, and temporal resources far beyond known physical limits. The Fermi paradox Glaser 2020 highlights the absence of detectable extraterrestrial technological activity despite the vast age and size of the galaxy. If UAP were interstellar vehicles, they would represent a profound exception to this pattern.

A conceivable alternative is that UAP originate from a technological civilization that once existed within the Solar System. However, no geological, astronomical, or archaeological evidence supports the existence of prior advanced civilizations on Earth, the Moon, Mars, or any other Solar System body. No megastructures, technosignatures, or anomalous planetary features have been identified K. M. e. al. 2017; P. G. e. al. 2020. The origin problem therefore remains unresolved: no known astrophysical or historical context provides a plausible source for engineered UAP.

4.2 Absence of Purpose or Mission Profile

Technological systems exhibit intentionality: they are designed to perform tasks, achieve goals, or execute missions. Across all high-value UAP observations, no consistent purpose is detectable. The phenomena do not engage in exploration, communication, resource collection, surveillance, or any other recognizable activity. Their behavior is inconsistent, non-strategic, and lacks any discernible operational pattern.

Even highly advanced systems must exhibit some form of mission coherence. Military aircraft, drones, and spacecraft are optimized for specific roles and therefore show limited design variability and predictable operational behavior. In contrast, UAP observations display a wide range of shapes, trajectories, and behaviors without any unifying functional motivation. If UAP were engineered systems, the absence of a mission profile would be structurally anomalous.

4.3 Lack of Communication or Signaling

Communication is a universal feature of intelligent systems. Vehicles, probes, and autonomous agents exchange information through radio signals, optical signaling, acoustic emissions, encoded motion patterns, or other structured channels. No UAP observation has revealed any form of communication, either with external observers or between multiple UAP.

Instrumental analyses show no radio carriers, modulation patterns, telemetry, or structured optical pulses Stimson 2018; Barnes 2021. Motion trajectories do not encode repeatable patterns or semantically meaningful structures. The absence of communication is not merely a missing feature but a structural inconsistency: intentional systems require signaling to coordinate behavior, maintain stability, and interact with their environment.

4.4 Structural Implications for Intentional Systems

Taken together, the origin problem, the absence of purpose, and the lack of communication form a coherent ontological argument. Any system interpreted as a vehicle must satisfy minimal structural criteria: it must have a plausible origin, a functional purpose, and a communication architecture. UAP satisfy none of these requirements. Their observed properties are inconsistent with intentional design and do not align with the structural constraints that engineered systems must satisfy.

These ontological and strategic considerations do not rely on detailed physical models. They follow from minimal assumptions about technological systems and therefore provide a robust foundation for evaluating UAP. The next section examines the physical and energetic constraints that further challenge the interpretation of UAP as vehicles.

5 Physical and Energetic Impossibilities

While ontological and strategic considerations already challenge the interpretation of UAP as intentional vehicles, the physical constraints are even more prohibitive. Across all high-value observations, UAP exhibit motion profiles, accelerations, and environmental interactions that are incompatible with known physical limits. This section examines aerodynamic constraints, energetic requirements, inertial loading, the absence of emissions, and the impossibility of space-time manipulation or exotic energy sources. Taken together, these constraints show that UAP cannot instantiate the energetic role required for triadic completeness.

5.1 Aerodynamic Constraints and Quadratic Drag

Motion through an atmosphere is governed by quadratic drag scaling Anderson 2017; Bertin 1994. Drag force increases as v^2 , and hypersonic motion produces extreme compression heating, shock waves, and plasma formation. UAP observations routinely report rapid acceleration, instantaneous changes in velocity, and silent hypersonic motion without any of the aerodynamic signatures that must accompany such behavior.

No observation has revealed:

- shock cones or sonic booms,
- plasma trails or ionization signatures,
- aerodynamic heating or thermal bloom,
- condensation trails or pressure discontinuities.

The absence of these effects is not merely anomalous; it is physically incompatible with motion through a dense medium. Any vehicle operating at such velocities must interact with the surrounding air in ways that are instrumentally detectable. UAP do not.

5.2 Power Requirements and Cubic Scaling

The power required to sustain high-speed atmospheric motion scales as v^3 Drela 2014. Even modest hypersonic velocities require enormous energy expenditure. Known propulsion systems—chemical, nuclear, electric, or plasma-based—cannot achieve silent, emission-free operation at such power levels.

UAP exhibit:

- rapid acceleration without thrust,
- sustained high-speed motion without exhaust,
- hovering without energy expenditure,
- transitions between hover and hypersonic flight without intermediate signatures.

These behaviors violate basic energetic constraints. No known or hypothesized propulsion mechanism can produce such motion without detectable emissions.

5.3 Absence of Propulsion Signatures

All propulsion systems produce observable signatures: thermal emission, exhaust, acoustic output, electromagnetic interference, or ionization. UAP exhibit none of these. Instrumental analyses reveal no infrared bloom Barnes 2021, no radio-frequency carriers Stimson 2018, no plasma discharge, and no acoustic shock.

The absence of emissions implies either:

1. a propulsion mechanism that violates conservation laws, or
2. the absence of propulsion altogether.

Within the Triadic Cycle, this corresponds to the absence of an energetic role. Without energetic instantiation, the cycle cannot close.

5.4 Energy Generation and Storage Limits

Even if UAP possessed an unknown propulsion mechanism, they would still require an energy source. Known energy-generation processes have strict limits:

- chemical reactions: $\sim 10^{-3}$ mass-energy efficiency,
- nuclear fission: $\sim 10^{-4}$,
- nuclear fusion: $\sim 10^{-3}$,
- antimatter annihilation: 100% efficiency but not producible at scale Forward 1985.

UAP exhibit energy expenditures comparable to small stars, yet show no evidence of fuel, reactors, heat dissipation, or mass loss. No known energy source can support such behavior.

5.5 Inertial Constraints and Biological Impossibility

Extreme acceleration produces inertial loads that destroy biological and mechanical structures Newman 2015. UAP motion profiles imply accelerations of hundreds to thousands of g . Such forces would:

- liquefy biological tissue,
- fracture structural components,
- destroy onboard systems,
- destabilize any engineered vehicle.

If UAP were piloted or contained biological entities, these accelerations would be fatal. Even autonomous systems cannot withstand such inertial loads without structural deformation, which is never observed.

5.6 Absence of Thermal, Acoustic, and Radiative Emissions

High-energy systems produce detectable emissions across multiple spectra. UAP do not exhibit:

- infrared radiation,
- ultraviolet emission,

- acoustic shock,
- gravitational waves,
- radioactivity,
- electromagnetic interference.

The complete absence of emissions is incompatible with any known physical process capable of producing the observed motion.

5.7 Spacetime Manipulation and Black-Hole Energetics

Some speculative accounts propose that UAP manipulate spacetime or use exotic energy sources such as micro black holes. However, spacetime curvature requires stellar-scale energies Penrose 1969, and black-hole interiors lack independent triadic degrees of freedom Witte 2026c. As shown in prior work, small black holes cannot support dynamical evolution, energy extraction, or temporal structure.

Thus, exotic energy sources do not resolve the physical impossibilities; they exacerbate them.

5.8 Summary: Energetic Non-Instantiability

Across all physical constraints—aerodynamic, energetic, inertial, thermal, acoustic, radiative, and gravitational—UAP fail to instantiate the energetic role required for triadic completeness. They exhibit geometry and information but no detectable energy. Without an energetic role, the Triadic Cycle cannot close, recursion cannot occur, and emergent temporal structure cannot be supported.

The next section examines epistemological constraints that further challenge the interpretation of UAP as engineered systems.

6 Epistemological and Knowledge-Theoretic Constraints

Beyond ontological and physical considerations, UAP also present deep epistemological difficulties. Even if one were to assume that current physical theory is incomplete, the structure of UAP observations does not align with the kinds of gaps that scientific progress typically reveals. Modern physics is highly constrained, internally coherent, and empirically validated across a vast range of scales. The hypothesis that UAP represent engineered vehicles requires not one unknown physical principle but dozens of simultaneous and mutually incompatible gaps. This section examines the epistemological structure of UAP claims and shows that they cannot be reconciled with the known architecture of scientific knowledge.

6.1 The “Unknown Physics” Argument and Its Limitations

A common response to the physical impossibilities associated with UAP is that our understanding of physics may be incomplete. While scientific theories do evolve, such evolution typically involves the refinement of specific domains rather than the wholesale replacement of multiple foundational principles. The interpretation of UAP as vehicles requires simultaneous revisions to:

- aerodynamics,
- thermodynamics,
- inertial mechanics,

- energy generation and storage,
- spacetime structure,
- material science,
- biological limits,
- information theory.

Scientific progress rarely introduces multiple independent revolutions at once. The hypothesis that UAP rely on “unknown physics” is therefore epistemologically implausible.

6.2 Completeness of Modern Physical Theory

Modern physics exhibits a high degree of empirical completeness. Quantum mechanics, quantum field theory, general relativity, thermodynamics, and plasma physics have been validated across scales ranging from subatomic particles to cosmological structures. These theories are mutually constrained by consistency conditions, symmetry principles, and observational data.

The absence of any physical signature associated with UAP—thermal, acoustic, electromagnetic, gravitational, or inertial—is inconsistent with the completeness of these frameworks. If UAP instantiated new physics, such physics would need to be compatible with all existing constraints while simultaneously violating them in observable ways. No such theory exists.

6.3 Probability of Many Unknowns vs. One Unknown

Scientific anomalies typically indicate a single missing principle or an unmodeled effect. Examples include the ultraviolet catastrophe, Mercury’s perihelion shift, or the Lamb shift. In each case, the anomaly pointed to one conceptual gap.

UAP, by contrast, require dozens of gaps simultaneously. The probability that a single phenomenon reveals many independent unknowns is extremely low. The probability that these unknowns all conspire to produce silent hypersonic motion, instantaneous acceleration, absence of emissions, and biological impossibility is lower still.

From an epistemological perspective, UAP do not resemble historical scientific anomalies. They resemble incomplete or misinterpreted observations.

6.4 Structural Inconsistency of UAP Observations

Engineered systems exhibit design coherence. Aircraft, drones, spacecraft, and autonomous vehicles show limited variability because design constraints enforce optimization. UAP observations, however, display extreme variability:

- disks, spheres, triangles, cigars, orbs, diamonds,
- erratic motion profiles,
- inconsistent acceleration patterns,
- incompatible geometries.

If UAP were engineered systems, such variability would be structurally anomalous. Even across multiple civilizations, convergent design pressures would produce recognizable patterns. No such patterns exist.

6.5 Absence of UAP in Space-Based Observations

Space is the ideal environment for detecting anomalous motion: there is no drag, no atmospheric interference, and no thermal bloom. Yet no UAP have ever been observed by:

- astronauts,
- the International Space Station,
- Hubble or JWST,
- deep-space probes,
- ground-based telescopes.

If UAP were interstellar vehicles, they would be most visible in space. Their complete absence from space-based observations is epistemologically decisive.

6.6 Interstellar Dynamics and the Rarity of Visitors

Interstellar objects such as 1I/‘Oumuamua and 2I/Borisov are extremely rare K. M. e. al. 2017; P. G. e. al. 2020. Their trajectories indicate that interstellar visitors are statistical outliers. The Solar System is surrounded by the heliopause, a barrier that makes entry and exit difficult. Any vehicle capable of traversing these boundaries would require energetic and structural capabilities far beyond known physics.

The rarity of interstellar objects therefore supports the conclusion that UAP do not originate from outside the Solar System. Combined with the absence of evidence for prior local civilizations, this leaves no plausible origin for engineered UAP.

6.7 Summary: Epistemological Non-Coherence

Epistemologically, UAP do not resemble scientific anomalies that point to new physics. They resemble incomplete, inconsistent, or misinterpreted observations. Their properties require not one unknown principle but dozens of simultaneous and mutually incompatible unknowns. Their variability, lack of design coherence, absence from space-based observations, and implausible origins collectively undermine the hypothesis that they are engineered systems.

The next section turns to computational and control-theoretic constraints, showing that UAP cannot instantiate the informational and energetic roles required for closed-loop control, obstacle detection, or collision avoidance, even under highly speculative assumptions.

7 Computational, Control-Theoretic, and Collision Constraints

Even if one were to assume that UAP possess unknown propulsion mechanisms or exotic materials, their observed motion profiles introduce a further class of impossibilities that are independent of physics and arise from computation, control theory, and signal propagation. Any engineered vehicle must instantiate a closed-loop control system capable of detecting obstacles, processing sensor data, computing corrective actions, and actuating control surfaces or field configurations. These processes are universally constrained by the speed of signal propagation, the latency of computation, and the inertial limits of actuators. UAP observations violate all such constraints. This section examines these limitations and shows that UAP cannot instantiate the informational and energetic roles required for closed-loop control.

7.1 Sensor Speed Limits and the Light-Speed Barrier

All sensing systems are limited by the speed of light. Optical, infrared, radar, lidar, and quantum sensors cannot detect environmental features faster than c . At hypersonic or superluminal velocities, the time available for obstacle detection becomes vanishingly small. A vehicle traveling at velocity v has a detection horizon of approximately

$$t_{\text{detect}} \approx \frac{d}{c},$$

where d is the distance to the nearest obstacle. For high velocities, t_{detect} is orders of magnitude smaller than the time required for safe maneuvering.

UAP observations report instantaneous acceleration, abrupt trajectory changes, and silent hypersonic motion without any evidence of collision avoidance. If UAP were vehicles, they would require sensors capable of detecting obstacles faster than c , which is physically impossible.

7.2 Compute Latency and Internal Signal Propagation

Even if sensors could detect obstacles at the speed of light, internal computation must still process this information. All known computational substrates—biological neurons, silicon electronics, optical circuits, and quantum processors—are constrained by finite signal propagation speeds. Internal communication cannot exceed c , and practical systems operate far below this limit.

The time required for:

- sensor fusion,
- trajectory prediction,
- collision avoidance,
- stabilization,
- actuator control,

is bounded by compute latency. UAP exhibit motion profiles that would require computation at speeds exceeding physical limits. No known or hypothesized computational architecture can support such behavior.

7.3 Closed-Loop Control Requirements for High-Velocity Navigation

A closed-loop control system requires four sequential steps:

1. sensing,
2. computation,
3. transmission,
4. actuation.

Each step introduces latency. The total latency t_{loop} must be smaller than the time available for corrective action:

$$t_{\text{loop}} < t_{\text{maneuver}}.$$

For hypersonic or superluminal motion, t_{maneuver} approaches zero. No closed-loop control system can operate under such conditions. Even autonomous systems with perfect prediction cannot compensate for inertial limits or actuator constraints.

UAP exhibit trajectory changes that would require closed-loop control systems operating orders of magnitude faster than physically possible.

7.4 Inertial and Actuator Limits in Rapid Maneuvering

Even if sensing and computation were instantaneous, actuators must still apply forces to change the vehicle's trajectory. Actuators—mechanical, electromagnetic, plasma-based, or field-based—are constrained by:

- inertial mass,
- momentum transfer,
- structural elasticity,
- energy availability,
- mechanical response time.

Rapid changes in velocity require forces that scale with acceleration:

$$F = ma.$$

UAP exhibit accelerations of hundreds to thousands of g . No actuator can generate such forces without catastrophic structural failure. Even hypothetical field-based actuators cannot circumvent inertial limits without violating conservation laws.

7.5 Collision Dynamics and the Absence of Catastrophic Events

At extreme velocities, collisions with even microscopic particles produce catastrophic effects. A vehicle traveling at hypersonic or superluminal speeds would experience:

- explosive impacts with dust particles,
- plasma formation from atmospheric molecules,
- shock waves detectable over kilometers,
- thermal signatures comparable to small nuclear events.

Yet no UAP observation has ever reported:

- collisions,
- debris,
- shock waves,
- thermal flares,
- atmospheric disturbances.

The absence of collisions is physically impossible. Even highly advanced systems cannot avoid every particle in the atmosphere or interstellar medium. The complete lack of collision signatures indicates that UAP do not instantiate the geometric, energetic, or informational roles required for physical interaction.

7.6 Structural Implications for Engineered Systems

Taken together, sensor limits, compute latency, closed-loop control requirements, actuator constraints, and collision dynamics form a coherent argument: UAP cannot instantiate the informational and energetic roles required for navigation. Without closed-loop control, a vehicle cannot maintain stability, avoid obstacles, or execute intentional motion.

These constraints are independent of propulsion, materials, or exotic physics. They follow from minimal assumptions about computation, signal propagation, and control theory. UAP observations violate all such constraints.

7.7 Summary: Control-Theoretic Non-Instantiability

From a control-theoretic perspective, UAP cannot be engineered systems. Their observed motion profiles require sensing, computation, transmission, and actuation capabilities that exceed physical limits. The absence of collisions further indicates that UAP do not interact with their environment in a physically meaningful way.

The next section evaluates high-value UAP observations directly and shows that even the best cases fail to instantiate the structural roles required for physical distinctiveness.

8 High-Value UAP Observations and Structural Evaluation

High-value UAP observations—those supported by multiple sensors, trained observers, or instrumental recordings—are often cited as the strongest evidence for engineered or intentional systems. These cases include radar–infrared correlations, multi-platform detections, and observations by military pilots. While such cases are more reliable than anecdotal reports, they nonetheless fail to instantiate the structural roles required for physical distinctiveness. This section evaluates high-value observations through the lens of the Triadic Cycle and the physical, epistemological, and control-theoretic constraints developed in previous sections.

8.1 Geometry and Information in High-Value Cases

High-value UAP observations consistently instantiate geometric and informational roles. Instrumental data reveal:

- well-defined shapes or silhouettes,
- coherent motion trajectories,
- radar cross-sections,
- infrared signatures of limited intensity,
- multi-angle visual recordings.

These features correspond to the G and I components of the Triadic Cycle. Geometry is present in the form of spatial structure and motion, while information is present in the form of sensor data and distinguishable patterns. However, the presence of G and I alone is insufficient for physical distinctiveness. The energetic role E must also be instantiated for the triadic cycle to close.

8.2 Systematic Absence of Energetic Roles

Across all high-value cases, energetic signatures are conspicuously absent. No observation has revealed:

- thermal emission consistent with propulsion,
- exhaust plumes or ionization trails,
- acoustic shock waves,
- electromagnetic interference,
- gravitational perturbations,
- inertial coupling with the surrounding medium.

Even in cases where UAP exhibit rapid acceleration or abrupt changes in velocity, no corresponding energetic footprint is detected. This absence is structurally incompatible with any known or hypothesized propulsion mechanism. Without an energetic role, the triadic cycle cannot close, and the phenomenon cannot instantiate dynamical evolution.

8.3 Why High-Value Cases Do Not Counter Physical Constraints

High-value observations are often interpreted as evidence of advanced technology capable of circumventing known physical limits. However, the data do not support this interpretation. The motion profiles observed in these cases violate:

- aerodynamic constraints (quadratic drag, hypersonic heating),
- energetic constraints (cubic power scaling),
- inertial constraints (structural failure at extreme acceleration),
- emission constraints (absence of thermal, acoustic, or radiative signatures).

If UAP were engineered systems, these constraints would need to be circumvented through unknown physics. As shown in Section 6, this would require dozens of simultaneous and mutually incompatible revisions to established theory. High-value observations therefore do not counter physical impossibilities; they highlight them.

8.4 Why High-Value Cases Do Not Counter Epistemological Constraints

Epistemologically, high-value cases do not resemble scientific anomalies that point to new physics. They resemble incomplete or partially interpreted sensor data. Radar returns may reflect clutter, multipath interference, or atmospheric effects Stimson 2018. Infrared signatures may reflect sensor artifacts or thermal blooming Barnes 2021. Visual observations may be influenced by cognitive reconstruction Haines 2000.

The variability of UAP shapes, trajectories, and behaviors across high-value cases further undermines the hypothesis of engineered systems. No consistent design pattern emerges, and no mission profile can be inferred. High-value observations therefore do not counter epistemological constraints; they reinforce them.

8.5 Why High-Value Cases Do Not Counter Control-Theoretic Constraints

Section 7 demonstrated that UAP motion profiles violate fundamental constraints on sensing, computation, signal propagation, and actuation. High-value cases exhibit:

- instantaneous acceleration,
- abrupt trajectory changes,
- silent hypersonic motion,
- absence of collision avoidance,
- absence of environmental interaction.

These behaviors require closed-loop control systems operating faster than the speed of light, which is physically impossible. Even hypothetical advanced technologies cannot circumvent sensor latency, compute latency, or actuator inertia. High-value observations therefore do not counter control-theoretic constraints; they exemplify them.

8.6 Reclassification: UAP as Incomplete Phenomena

Given the absence of energetic roles, the violation of physical constraints, the epistemological implausibility of unknown physics, and the impossibility of closed-loop control, high-value UAP observations must be reclassified. They instantiate geometry and information but lack energy. In the Triadic Cycle, this corresponds to triadic incompleteness.

A triadically incomplete phenomenon cannot:

- support recursion,
- generate emergent temporal structure,
- instantiate physical distinctiveness,
- behave as a vehicle or engineered system.

High-value UAP observations therefore represent incomplete or non-dynamical phenomena rather than intentional constructs.

8.7 Summary: Observational Non-Completeness

High-value UAP observations provide geometry and information but no energy. They violate physical, epistemological, and control-theoretic constraints and cannot instantiate the triadic roles required for dynamical evolution. The next section integrates these findings into a structural argument based on the Triadic Cycle, showing that UAP are triadically incomplete and therefore cannot be vehicles or engineered systems.

9 The Triadic Closure: UAP as Triadically Incomplete Phenomena

The preceding sections established ontological, physical, epistemological, and control-theoretic constraints that challenge the interpretation of UAP as engineered systems. Each class of constraints reveals a different structural inconsistency, yet all converge on the same conclusion: UAP instantiate geometry and information but lack energy. Within the Triadic Cosmos framework, this absence is decisive. The Triadic Cycle requires that all three roles—energy (E), geometry (G), and information (I)—be instantiated for a phenomenon to exhibit physical distinctiveness, dynamical evolution, and emergent temporal structure. This section integrates the findings of the paper into a single architectural argument based on triadic completeness.

9.1 The Requirement of Triadic Completeness

The Triadic Cycle is defined by the closed sequence

$$E \rightarrow G \rightarrow I \rightarrow E,$$

which expresses the minimal interdependence required for physical systems to remain structurally coherent. Geometry constrains information, information constrains energy, and energy constrains geometry. These roles are irreducible and mutually dependent. A system that fails to instantiate any one of them cannot complete the cycle.

Triadic completeness is therefore a necessary condition for:

- dynamical evolution,
- physical interaction,
- temporal ordering,
- structural stability,
- distinctiveness as a physical object.

A phenomenon that lacks an energetic role cannot participate in the cycle and therefore cannot exhibit any of these properties.

9.2 Geometry and Information Without Energy

Across all high-value UAP observations, geometry (G) and information (I) are present. UAP exhibit shapes, trajectories, radar returns, and sensor signatures. These features provide geometric structure and informational distinguishability. However, no observation has ever revealed an energetic role (E). UAP do not exhibit:

- thermal emission,
- exhaust or ionization,
- acoustic shock,
- electromagnetic interference,
- inertial coupling,
- gravitational perturbation.

The absence of E is not a missing detail; it is a structural impossibility. Without energy, the cycle cannot close.

9.3 Absence of Triadic Recursion

The Triadic Cycle is not merely a static relation; it is a recursive update scheme. Each iteration reorganizes the triadic roles:

$$X_{n+1} = R(X_n),$$

where R is the triadic update operator. Recursion requires the presence of all three roles. If any role is absent, the update cannot proceed.

UAP lack the energetic role required for the $I \rightarrow E$ transition. As a result:

- the triadic update cannot occur,
- recursion terminates,
- no new triadic state is generated.

A phenomenon that cannot undergo triadic recursion cannot evolve.

9.4 Absence of Emergent Temporal Structure

In the Triadic Cosmos framework, time is not fundamental. It emerges from the ordering of recursive triadic states:

$$\text{time} = \text{ordering of } \{X_0, X_1, X_2, \dots\}.$$

If recursion terminates, temporal structure cannot emerge. A phenomenon without an energetic role cannot generate successive triadic states and therefore cannot instantiate time. It becomes a non-dynamical shadow rather than a physical object.

This interpretation parallels the structural analysis of black-hole interiors developed in Witte 2026c, where the absence of independent triadic degrees of freedom implies the absence of emergent time. UAP exhibit the same structural incompleteness.

9.5 Absence of Physical Distinctiveness

Physical distinctiveness requires:

- geometric structure (G),
- informational capacity (I),
- energetic instantiation (E),
- recursive evolution (R),
- emergent temporal ordering.

UAP exhibit only the first two. Without energy, they cannot:

- interact with their environment,
- undergo dynamical evolution,
- maintain structural stability,
- avoid collisions,
- execute intentional motion,
- behave as vehicles.

They are therefore not physically distinct objects. They are triadically incomplete phenomena.

9.6 Why UAP Cannot Be Vehicles or Engineered Systems

The hypothesis that UAP are vehicles requires that they instantiate all three triadic roles. However:

- ontological constraints show no plausible origin or purpose,
- physical constraints show no possible propulsion or energy source,
- epistemological constraints show no coherent theoretical gap,
- control-theoretic constraints show no possible navigation system,
- observational constraints show no energetic signatures.

All lines of evidence converge on the same structural conclusion: UAP lack the energetic role required for triadic completeness. Without E , the cycle cannot close. Without closure, recursion cannot occur. Without recursion, time cannot emerge. Without time, physical distinctiveness cannot be instantiated. Without distinctiveness, a vehicle cannot exist.

9.7 Structural Implications for Future UAP Research

The triadic closure argument does not deny the existence of UAP as phenomena. It clarifies their structural status. UAP are geometric–informational anomalies that lack energetic instantiation. They are triadically incomplete and therefore non-dynamical. Future research should focus not on propulsion or engineering hypotheses but on understanding how geometric–informational phenomena can arise without energetic roles.

This architectural perspective provides a coherent foundation for interpreting UAP and resolves the inconsistencies that arise when they are treated as vehicles or engineered systems.

10 Testable Predictions

The structural analysis developed in this paper yields several testable predictions. These predictions do not concern the existence of UAP as geometric–informational phenomena, but the triadic completeness required for physical distinctiveness. Because the Triadic Cycle provides an architectural criterion for dynamical evolution, any phenomenon that fails to instantiate the energetic role (E) must exhibit specific observable limitations. Conversely, any observation that contradicts these limitations would falsify the triadic interpretation presented here.

10.1 Prediction 1: UAP Will Never Exhibit Energetic Signatures

If UAP are triadically incomplete, they must lack the energetic role required for the $I \rightarrow E$ transition. Therefore:

- no thermal emission consistent with propulsion,
- no exhaust, ionization, or plasma formation,
- no acoustic shock waves,
- no electromagnetic interference,
- no gravitational perturbations,
- no inertial coupling with the surrounding medium

should ever be observed. Any future observation of a UAP exhibiting a clear energetic footprint would falsify the triadic incompleteness hypothesis.

10.2 Prediction 2: UAP Will Never Exhibit Collision Signatures

A triadically incomplete phenomenon cannot instantiate dynamical evolution and therefore cannot interact with its environment in a physically meaningful way. As a result:

- no collisions with aircraft, birds, drones, or atmospheric particles,
- no debris fields,
- no shock waves,
- no thermal flares,
- no explosive impacts

should ever be observed. A single confirmed collision at hypersonic velocity would release energy comparable to a small nuclear event and would therefore be trivially detectable. The absence of such events is a testable prediction of triadic incompleteness.

10.3 Prediction 3: UAP Will Never Exhibit Closed-Loop Control Behavior

Closed-loop control requires the energetic role (E) and recursive triadic updates. A triadically incomplete phenomenon cannot instantiate:

- obstacle detection,
- trajectory prediction,
- collision avoidance,
- stabilization,
- intentional navigation.

Therefore, UAP should never exhibit behavior consistent with closed-loop control. Any future observation of anticipatory motion or obstacle avoidance would contradict the triadic interpretation.

10.4 Prediction 4: UAP Will Exhibit Geometry and Information Without Energy

Triadic incompleteness predicts that UAP will consistently instantiate:

- geometric structure (shapes, trajectories),
- informational signatures (radar returns, sensor data),

while systematically lacking energetic instantiation. This pattern should persist across all future high-value cases. The presence of G and I without E is a direct prediction of the Triadic Cycle.

10.5 Prediction 5: UAP Will Not Exhibit Temporal Evolution

Emergent time arises from the ordering of recursive triadic states. Without the energetic role, recursion cannot occur, and temporal structure cannot emerge. Therefore, UAP should not exhibit:

- consistent long-term behavior,
- stable mission profiles,
- structured communication,
- persistent trajectories,
- reproducible dynamical patterns.

Their behavior should remain sporadic, inconsistent, and non-evolving.

10.6 Prediction 6: Higher-Dimensional Energetic Roles Must Be Detectable

If UAP were to instantiate the energetic role in a higher-dimensional space (as in string theory or brane-world models), the $I \rightarrow E$ transition would still produce detectable effects through triadic coupling. Therefore, any hypothesis invoking higher-dimensional energy must predict:

- gravitational leakage,
- geometric distortion,
- anomalous lensing,
- perturbations in local inertial frames.

The absence of such effects is a testable prediction of triadic incompleteness.

10.7 Prediction 7: UAP Will Behave Like Other Triadically Incomplete Phenomena

Black-hole interiors provide a known example of triadic incompleteness: they lack independent energetic degrees of freedom and therefore lack emergent time. UAP should exhibit analogous structural properties:

- absence of internal dynamics,
- absence of temporal ordering,
- absence of physical interaction,
- absence of distinctiveness.

This parallel provides a direct test of the triadic interpretation.

10.8 Summary

The Triadic Cycle yields clear, falsifiable predictions. If UAP are triadically incomplete, they must exhibit geometry and information without energy, cannot interact with their environment, cannot navigate, cannot evolve, and cannot instantiate time. Any future observation that contradicts these predictions would falsify the structural interpretation developed in this paper.

11 Limitations and Open Questions

The structural analysis presented in this paper relies on the Triadic Cycle as a minimal architectural framework for physical distinctiveness. While the arguments developed here are consistent with known physics and with the triadic ontology introduced in earlier work, several limitations and open questions remain. These do not undermine the central conclusion that UAP are triadically incomplete, but they clarify the scope of the analysis and identify directions for future research.

11.1 Limitations of Current Physical Knowledge

Modern physics is highly constrained and empirically validated across a wide range of scales, yet it remains incomplete. Quantum gravity is not fully understood, the nature of dark matter and dark energy is unresolved, and the unification of quantum field theory with general relativity is still an open problem. It is therefore possible that future theoretical developments may reveal new forms of energetic instantiation or new mechanisms for interaction that are not captured by current models.

However, even substantial gaps in physical knowledge do not automatically resolve the structural inconsistencies associated with UAP. Unknown physics might explain *how* certain behaviors occur, but it does not explain *why* such systems would exist, *where* their energy originates, *how* they maintain stability, or *what* purpose they serve. The triadic incompleteness identified in this paper is architectural rather than mechanistic: it concerns the absence of the energetic role required for recursion, time, and physical distinctiveness. Unknown physics would need to supply not only new mechanisms but new structural roles, which is a far stronger requirement.

11.2 Limitations of Observational Data

UAP observations are often incomplete, noisy, or ambiguous. Sensor artifacts, atmospheric effects, and cognitive reconstruction may influence the data. While the analysis in this paper focuses on high-value cases, even these cases may contain unmodeled effects or partial information. It is therefore possible that future observations may reveal energetic signatures that are currently undetected.

Nevertheless, the systematic absence of energetic roles across all high-value cases suggests that this limitation is not merely instrumental. If UAP instantiated the energetic role required for triadic completeness, at least some observations should reveal thermal emission, acoustic shock, ionization, or inertial coupling. The consistent absence of such signatures across decades of observations indicates that the limitation lies not in the data but in the phenomena themselves.

11.3 Open Question: Higher-Dimensional Energetic Roles

One open question concerns the possibility that UAP instantiate the energetic role in a higher-dimensional space, as in string theory or brane-world models. If energy were stored or expressed in a higher-dimensional manifold, it might be invisible in four-dimensional observations. However, higher-dimensional energetic roles would still couple to geometry and information through the triadic transitions. Such coupling would produce detectable effects, including:

- gravitational lensing,
- inertial perturbations,
- geometric distortion,

- anomalous acceleration profiles.

No such effects have been observed. The higher-dimensional hypothesis therefore remains speculative and currently unsupported by empirical data.

11.4 Open Question: Non-Dynamical or Non-Local Phenomena

Another open question concerns the possibility that UAP represent non-dynamical or non-local phenomena that instantiate geometry and information without energy. Such phenomena might arise from:

- non-local quantum effects,
- emergent geometric structures,
- informational projections,
- boundary phenomena in spacetime.

If UAP are non-dynamical, their behavior may not correspond to physical motion but to geometric–informational anomalies. This interpretation is consistent with triadic incompleteness but requires further theoretical development.

11.5 Open Question: The Origin and Purpose of Triadically Incomplete Phenomena

Even if UAP are triadically incomplete, their origin and purpose remain open questions. Triadic incompleteness explains *how* UAP behave but not *why* they exist. Possible interpretations include:

- emergent artifacts of complex atmospheric or electromagnetic systems,
- geometric projections of non-local processes,
- informational anomalies arising from sensor fusion,
- boundary effects in spacetime or quantum fields.

None of these possibilities currently provide a complete account. The origin and purpose of triadically incomplete phenomena therefore remain open areas for future research.

11.6 Summary

The limitations and open questions identified in this section do not undermine the central argument of the paper. They clarify the scope of the analysis and identify areas where future work may refine or extend the triadic interpretation. While gaps in physical knowledge may exist, they do not explain the systematic absence of energetic roles in UAP observations. Triadic incompleteness remains the most coherent structural interpretation of UAP given current empirical and theoretical constraints.

12 Human Subjectivity, Interpretation, and Cognitive Affinity

Although the structural analysis developed in this paper focuses on physical, epistemological, and architectural constraints, the prevalence of UAP reports also reflects human cognitive factors. Human observers do not perceive the world as neutral recording instruments. They interpret ambiguous stimuli through layers of expectation, bias, cultural affinity, and narrative framing. These factors do not constitute evidence for engineered systems, but they do provide a coherent explanation for why geometric–informational anomalies are frequently interpreted as vehicles or intentional constructs. This section examines the role of human subjectivity in UAP interpretation and clarifies why such phenomena persist even in the absence of energetic instantiation.

12.1 Perceptual Ambiguity and Cognitive Reconstruction

Human perception is reconstructive rather than literal. Visual stimuli are interpreted through context, prior experience, and expectation. Under conditions of limited visibility, rapid motion, or incomplete sensory input, the brain fills gaps using heuristics that favor coherent objects and intentional motion. This process can transform:

- atmospheric reflections,
- sensor artifacts,
- distant aircraft,
- astronomical objects,
- geometric projections,

into structured phenomena that appear to exhibit agency or purpose. Cognitive reconstruction therefore contributes to the interpretation of geometric–informational anomalies as vehicles.

12.2 Bias, Interest, and Cultural Affinity

Human observers possess strong cultural narratives surrounding extraterrestrial visitation, advanced technology, and supernatural phenomena. These narratives influence interpretation even when observers are trained professionals. Interest, curiosity, and cultural affinity can shape the perceived significance of ambiguous stimuli. In particular:

- confirmation bias favors interpretations consistent with existing beliefs,
- narrative bias favors explanations involving agency or intention,
- technological affinity favors interpretations involving advanced vehicles,
- supernatural affinity favors interpretations involving non-human intelligence.

These biases do not invalidate observations, but they influence how observations are framed and understood.

12.3 Sensitivity to Anomalies and the Desire for Meaning

Humans are highly sensitive to anomalies. Unexpected or unexplained phenomena attract attention and invite interpretation. This sensitivity is adaptive in many contexts but can lead to overinterpretation of geometric–informational anomalies. The desire for meaning further amplifies this effect. Ambiguous stimuli are often interpreted as intentional constructs because intentionality provides a coherent narrative framework.

This desire for meaning does not constitute evidence for engineered systems. It explains why non-dynamical phenomena are frequently interpreted as vehicles even when they lack the energetic role required for triadic completeness.

12.4 The Supernatural Hypothesis as a Cognitive Attractor

Supernatural or extraordinary explanations function as cognitive attractors. They provide simple, emotionally salient narratives that unify disparate observations. In the context of UAP, supernatural interpretations offer:

- agency where none is present,
- purpose where none is detectable,
- origin where none is plausible,
- coherence where none exists.

These interpretations persist because they satisfy psychological needs rather than structural requirements. They do not provide evidence for triadic completeness.

12.5 Human Interpretation Does Not Supply Energetic Roles

The cognitive factors discussed above explain why UAP are frequently interpreted as vehicles, but they do not supply the energetic role required for triadic closure. Human subjectivity can shape perception and interpretation, but it cannot create:

- thermal emission,
- inertial coupling,
- propulsion signatures,
- dynamical evolution,
- emergent temporal structure.

Thus, while human subjectivity explains the prevalence and persistence of UAP narratives, it does not resolve the structural incompleteness identified in this paper.

12.6 Summary

Human subjectivity, bias, cultural affinity, and the desire for meaning contribute to the interpretation of geometric–informational anomalies as engineered systems. These factors provide a coherent psychological explanation for UAP narratives but do not supply the energetic role required for triadic completeness. The structural argument developed in this paper therefore remains intact: UAP are triadically incomplete phenomena whose perceived intentionality arises from human interpretation rather than physical instantiation.

13 Conclusion

This paper developed a structural analysis of unidentified aerial phenomena (UAP) using the Triadic Cycle as an architectural framework for physical distinctiveness. Across ontological, physical, epistemological, control-theoretic, and observational domains, UAP consistently instantiate geometry and information while lacking the energetic role required for triadic completeness. This absence is decisive: without energy, the triadic cycle cannot close; without closure, recursion cannot occur; without recursion, emergent temporal structure cannot arise; and without temporal structure, a phenomenon cannot instantiate dynamical evolution or physical distinctiveness.

The analysis showed that UAP violate aerodynamic, energetic, inertial, and emission constraints; cannot satisfy the requirements for closed-loop control or collision avoidance; and do not exhibit the temporal coherence or mission structure characteristic of engineered systems. Epistemologically, the hypothesis that UAP rely on “unknown physics” would require dozens of simultaneous and mutually incompatible revisions to established theory. Even if future physics reveals new mechanisms, such mechanisms would still need to instantiate the energetic role in a way that couples to geometry and information through the triadic transitions. No current observation provides evidence for such coupling.

High-value UAP cases, often cited as the strongest evidence for advanced technology, were shown to be triadically incomplete. They exhibit geometric and informational signatures but no energetic footprint. Their motion profiles violate physical constraints, their variability undermines design coherence, and their absence of collisions contradicts the requirements of navigation at extreme velocities. These observations are consistent with geometric–informational anomalies rather than intentional constructs.

The paper also examined human subjectivity, bias, cultural affinity, and the desire for meaning as contributing factors in UAP interpretation. These cognitive influences explain why geometric–informational anomalies are frequently perceived as vehicles or engineered systems, but they do not supply the energetic role required for triadic completeness. Human interpretation can shape perception, but it cannot create thermal emission, inertial coupling, propulsion signatures, or dynamical evolution.

Taken together, the findings of this paper support a coherent structural conclusion: UAP are triadically incomplete phenomena. They instantiate geometry and information without energy, and therefore cannot undergo triadic recursion, cannot instantiate time, cannot interact with their environment, and cannot behave as vehicles or engineered systems. This interpretation resolves the inconsistencies that arise when UAP are treated as physical objects and provides a principled foundation for future research.

Rather than seeking propulsion mechanisms, exotic materials, or advanced engineering concepts, future work should focus on understanding how geometric–informational anomalies can arise without energetic instantiation. The Triadic Cycle offers a minimal architectural framework for such investigation and provides falsifiable predictions that can guide empirical study. UAP remain an intriguing class of phenomena, but their structural incompleteness indicates that they belong not to the domain of advanced technology, but to the broader category of non-dynamical or non-local anomalies whose physical interpretation requires further theoretical development.

A Triadic Cosmos Ecosystem Context

This paper is part of the *Triadic Cosmos* ecosystem, which develops a unified conceptual and computational framework spanning physical ontology and modular architectures for intelligent systems. All materials, extended notes, and evolving documentation are available in the public repository: <https://github.com/triadic-cosmos>.

References

- al., Karen Meech et (2017). “A Brief Visit from a Red and Extremely Elongated Interstellar Asteroid”. In: *Nature* 552, pp. 378–381.
- al., Przemek Guzik et (2020). “3I/2020 Q4 (Borisov): A Second Interstellar Visitor”. In: *Nature Astronomy* 4, pp. 53–57.
- Anderson, John D. (2017). *Hypersonic and High-Temperature Gas Dynamics*. AIAA.
- Barnes, Jonathan (2021). “Infrared Sensor Artifacts in High-Speed Tracking”. In: *Optical Engineering*.
- Bertin, John J. (1994). *Hypersonic Aerothermodynamics*. AIAA.
- Bond, Andrew (1980). “Interstellar Travel: Energy and Propulsion Requirements”. In: *Journal of the British Interplanetary Society* 33, pp. 95–104.
- Director of National Intelligence, Office of the (2021). *Preliminary Assessment: Unidentified Aerial Phenomena*. Tech. rep. ODNI.
- (2022). *Annual Report on Unidentified Aerial Phenomena*. Tech. rep. ODNI.
- Drela, Mark (2014). *Flight Vehicle Aerodynamics*. MIT Press.
- Forward, Robert L. (1985). “Antiproton Annihilation Propulsion”. In: *Journal of Spacecraft and Rockets* 22, pp. 345–350.
- Glaser, Alexander (2020). “Constraints on Relativistic Interstellar Flight”. In: *Acta Astronautica* 170, pp. 1–10.
- Haines, Richard (2000). “Pilot Perception and Anomalous Aerial Phenomena”. In: *Aviation, Space, and Environmental Medicine*.
- Hawking, Stephen (1975). “Particle Creation by Black Holes”. In: *Communications in Mathematical Physics* 43, pp. 199–220.
- Kippenhahn, Rudolf and Alfred Weigert (1990). *Stellar Structure and Evolution*. Springer.
- Knuth, Kevin (2021). “Challenges in the Interpretation of Incomplete UAP Data”. In: *Entropy*.
- Langley, Peter (2019). “Sensor Cross-Talk in Multi-Modal Tracking Systems”. In: *Aerospace Science and Technology*.
- Mandelstam, Leonid and Igor Tamm (1945). “The Uncertainty Relation Between Energy and Time”. In: *Journal of Physics USSR* 9, pp. 249–254.
- Margolus, Norman and Lev B. Levitin (1998). “The Maximum Speed of Dynamical Evolution”. In: *Physica D* 120, pp. 188–195.
- Newman, David J. (2015). *Biomechanics of Human Motion Under Acceleration*. Springer.
- Penrose, Roger (1969). “Gravitational Collapse: The Role of Angular Momentum”. In: *Rivista del Nuovo Cimento* 1, pp. 252–276.
- Schneider, Susan (2010). “Cognitive Bias in Visual Anomaly Reports”. In: *Cognition*.
- Stimson, Mark (2018). “Radar Anomalies and Atmospheric Effects”. In: *IEEE Transactions on Aerospace and Electronic Systems*.
- Travis, David (2020). “Atmospheric Refraction and Misinterpretation of Aerial Phenomena”. In: *Applied Optics*.
- Witte, Joachim De (2026a). “Recursive and Fractal Interpretations of Triadic Architecture”. In: *Triadic Cosmos Papers*.
- (2026b). “Structural Principles of the Triadic Cosmos”. In: *Triadic Cosmos Papers*.
- (2026c). “The Triadic Cycle with AdS/CFT Recursion, Emergent Time, and Holographic Structure”. In: *Triadic Cosmos Papers*.
- (2026d). “The Triadic Cycle: Closed Interdependence in Modern Physics”. In: *Triadic Cosmos Papers*.
- (2026e). “Unified Framework: The Triadic Ontology of Energy, Geometry, and Information”. In: *Triadic Cosmos Papers*.