

Upper Limb



PECTORAL REGION

1- One of the following structures pierces the clavipectoral fascia *(2018)*
a. First part of the axillary artery.
b. Axillary vein.
c- Lateral pectoral nerve.
d- Medial pectoral nerve.

2- Considering the breast, choose the correct statement: *(2017)*
a- It lies directly on the pectoralis minor.
b- Its medial part is drained by the subscapular lymph nodes.
c- Its tail arises from the upper lateral quadrant.
d- It is formed of 10 lobes.

3- Considering the nerve supply of pectoralis major; It is innervated by *(2024 - 2025)*
a- Lateral pectoral nerve.
b- Medial pectoral nerve.
c- Both medial and lateral pectoral nerves.
d- Nerve to pectoralis major.

4- The breast is supplied by: *(IPKA)*
a- Lateral thoracic artery.
b- Internal thoracic artery.
c- Intercostal arteries.
d- All of the above.
e- None of the above.

5- The clavipectoral fascia is pierced by, mark the appropriate: *(DEP BOOK -2022 - 2019)*
a- Lateral pectoral nerve.
b- Medial pectoral nerve.
c- Suprascapular nerve.
d- Upper subscapular nerve.
e- Lateral thoracic artery.

6- The following structure doesn't pierce the clavipectoral fascia: *(DEP BOOK)*
a- Lateral thoracic artery.
b- Lateral pectoral nerve.
c- Thoracoacromial artery.
d- Cephalic vein.

7- Regarding pectoralis major, mark one correct statement: *(DEP BOOK)*
a- Inserted Into the lateral lip of the bicipital groove.
b- Receives nerve supply from posterior cord of brachia plexus.
c- Forms the medial wall of axilla.
d- Is a powerful lateral rotator of the shoulder.

8- The coracoid process of the scapula gives attachment to: *(DEP BOOK)*
a- Pectoralis minor.
b- Capsule of shoulder joint.
c- Long head of biceps brachii muscle.
d- Long head of triceps.

9- One of the following bones undergoes membranous ossification: *(DEP BOOK)*
a- Clavicle.
b- Radius.
c- Humerus.
d- Ulna.

10- The following muscle has double innervation: *(DEP BOOK)*
a- Pectoralis major.
b- Pectoralis minor.
c- Subclavius.
d- Deltoid.

11- The axillary tail of the breast is related to: *(DEP BOOK)*
a- Pectoral group of lymph nodes.
b- Apical group of lymph nodes.
c- Central group of lymph nodes.
d- Humeral group of lymph nodes.

12- Which of the following statements is true for pectoralis major muscle: *(DEP BOOK)*
a- It arises from humerus.
b- It inserts into the bony ribs.
c- It adducts the arm.
d- It is innervated by the median nerve.

13- The female breast, select the true statement: *(2022)*
a- Has a nipple that is usually located opposite the 6th intercostals space.
b- Has Cooper's ligament that suspends the breast.
c- Has a bed formed only by the serratus anterior muscle.
d- Its lymphatics drain mainly in the parasternal lymph nodes.

14- Regarding the pectoralis major muscle: *(2019)*
a- Is innervated by the medial pectoral nerve only.
b- Inserts into the medial lip of the intertubercular groove.
c- Can act as an accessory muscle of deep expiration.
d- Acts with latissimus dorsi to adduct the arm.

15- Regarding pectoralis major, mark one correct statement: *(DEP BOOK)*
a- Inserted Into the lateral lip of the bicipital groove.
b- Receives nerve supply from posterior cord of brachia plexus.
c- Forms the medial wall of axilla.
d- Is a powerful lateral rotator of the shoulder.

16- The clavipectoral fascia : *(2025)*
a- is pierced by axillary artery
b- Surrounds pectoralis major
c- Lies between pectoralis minor and subclavius
d- Axillary septum is part of it



MUSCLES CONNECTING UPPER LIMB WITH THORACIC WALL

1- Injury of which of the following nerves results in winging of the scapula: *(2018)*
a- Dorsal scapular.
b- Long thoracic.
c- Thoracodorsal.
d- Axillary.

2- A postoperative examination of A 55-year-old woman, after surgical removal of axillary lymph nodes, revealed that the medial border and inferior angle of the left scapula became unusually prominent (projected posteriorly) especially if the patient pushed with outstretched arm against resistance (e.g., a wall). What muscle must have been denervated during the axillary dissection? *(2016)*
a- Levator scapulae.
b- Rhomboideus major.
c- Serratus anterior.
d- Subscapularis.

3- The following fact is true of the serratus anterior muscle: *(2024-2025)*
a- It arises as digitations from the lower eight ribs
b- The upper four digitations insert into the lateral border of the costal surface of scapula
c- The lower digitations rotate the scapula upward during abduction
d- It is innervated by intercostal nerves

4- A 45-year-old man is stabbed in the lateral chest wall. He now presents with winging of scapula when pushing against a wall. Which nerve is likely damaged? *(2024)*
a- Axillary nerve.
b- Long thoracic nerve.
c- Dorsal scapular nerve.
d- Thoracodorsal nerve.

5- Paralysis of the serratus anterior muscle causes: *(IPKA)*
a- Winging of the scapula.
b- Claw hand.
c- Ape hand.
d- Wrist drop.

6- The serratus anterior muscle: *(DEP BOOK)*
a- Arises by eight digitations from the lower eight ribs.
b- Is Inserted into the costal aspect of the medial border of scapula.
c- Is Innervated by thoracodorsal nerve.
d- Is powerful extensor of the shoulder.

7- Winging of scapula follows paralysis of which muscle? *(DEP BOOK – 2019 - 2025)*
a- Serratus anterior muscle.
b- Deltoid muscle.
c- Trapezius muscle.
d- Teres minor muscle.
e- Teres major muscle.
f- Pectoralis major muscle.

8- A physical sign known as winged scapula tests loss of function to which of the following muscles: *(DEP BOOK)*
a- Rhomboid major.
b- Levator scapulae.
c- Latissimus dorsi.
d- Serratus anterior.

9- The whole ventral aspect of scapula medial border serves as an attachment to: *(DEP BOOK)*
a- Teres major.
b- Serratus anterior.
c- Rhomboid major.
d- Subscapularis.


10- The serratus anterior muscle, mark the wrong answer: *(2022)*
a- Arises by eight digitations from the upper eight ribs.
b- Is innervated by long thoracic nerve.
c- Is a powerful retractor of shoulder.
d- Fixes the scapula to the chest wall during mobility of the upper limb.

11- A 53-year-old lady recovered following a surgical removing of the breast. On examination she has winging of the scapula. Which nerve is possibly injured? *(2021)*
a- Nerve to latissimus dorsi.
b- Nerve to serratus anterior.
c- Nerve to pectoralis major.
d- Nerve to pectoralis minor.

12- The innervation of the serratus anterior muscle is done by: *(2021)*
a- Medial pectoral nerve.
b- Lateral pectoral nerve.
c- Long thoracic nerve.
d- Axilla nerve.

13- What are the attachments of the serratus anterior muscle, choose the correct statement: *(2021)*
a- Anteriorly from the external surface of the upper eight ribs.
b- Anterior from the first five costal cartilages.
c- Lateral and posterior to the lateral border of the scapula.
d- Dorsal aspect of the medial border of the scapula.

14- When does 'winging' of the scapula happen? *(2021)*
a- When the serratus anterior muscle is contracted.
b- When the serratus anterior muscle is paralyzed.
c- When the pectoralis major muscle is contracted.
d- When the pectoralis major muscle is paralyzed.



MUSCLES CONNECTING UPPER LIMB WITH VERTEBRAL COLUMN (MUSCLES OF BACK)

1- The trapezius and latissimus dorsi muscles share in the boundaries of: *(2018)*
a- Upper triangular space.
b- Auscultation triangle.
c- Lumbar triangle.
d- Lower triangular space.

2- Paralysis of which of the following muscles result(s) in deviation of the medial border of the ipsilateral scapula away from the middle line more than that of the other side: *(2017)*
a- Rhomboids major and minor.
b- Serratus anterior.
c- Deltoid and teres minor.
d- Latissimus dorsi.

3- Patient was unable to retract his scapula because of paralysis of trapezius and ..... *(2024-25)*
a- Infraspinatus.
b- Levator scapula.
c- Rhomboids.
d- Serratus posterior superior.
e- pectoralis minor

4- Trapezius muscle is supplied by the .... nerve *(2024 – IPKA – DEP BOOK – 2022 – 2021 - 2019)*
a- Cranial accessory.
b- Spinal accessory.
c- Long thoracic.
d- Dorsal scapular.
e- Thoracodorsal nerve.

5- Actions of the latissimus dorsi: *(IPKA)*
a- Flexes the arm.
b- Abducts the arm.
c- Laterally rotates the arm.
d- All of the above.
e- None of the above.

6- Rotation of the scapula in raising the arm above head upward due to contraction of; mark the correct answer: *(DEP BOOK)*
a- Trapezius and latissimus dorsi muscles.
b- Serratus anterior and rhomboid muscles.
c- Trapezius and serratus anterior muscles.
d- Trapezius and teres minor muscles.

7- Which one of the following muscles can extend the arm? *(DEP BOOK - 2022)*
a- Infraspinatus.
b- Latissimus dorsi.
c- Clavicular fibers of pectoralis major.
d- Anterior fibers of deltoid.
e- Coracobrachialis.

8- Paralysis of the following muscle leads to shoulder drop: *(DEP BOOK)*
a- Pectoralis major.
b- Latissimus dorsi.
c- Trapezius.
d- Deltoid.

9- One of the following actions is done by the latissimus dorsi muscle: *(2021)*
a- Flexes the arm.
b- Abducts the arm.
c- Laterally rotates the arm.
d- Extend the arm.

10- One of the following muscles elevates the shoulder at the shoulder girdle: *(2019) x*
a- Latissimus dorsi.
b- Upper fiber of trapezius.
c- Rhomboid minor.
d- Middle fiber of trapezius.

11- Thoracodorsal nerve supply the following muscle: *(2019)*
a- Teres major.
b- Trapezius.
c- Latissimus dorsi.
d- Rhomboid minor.


12- Mark one true origin of latissimus dorsi muscle: *(2019)*
a- Spine of all lumbar vertebrae.
b- Middle four ribs.
c- Nuchal ligament.
d- Outer lip of iliac crest.

13 -Muscles that rotate scapula downward are attached to: *(DEP BOOK – 2022 - 2021)*
a- Dorsal aspect of medial border of scapula.
b- Ventral aspect of medial border of scapula.
c- Upper lip of crest of spine.
d- Lower lip of crest of spine.
e- Tip of the coracoid process.
f- Supraglenoid tubercle of the scapula.

14- One of the following is not attached to the medial border of the scapula: *(2021)*
a- Levator scapulae.
b- Teres minor.
c- Serratus anterior.
d- Rhomboideus major.

15- Triangle of auscultation is associated with all of the following EXCEPT: *(IPKA)*
a- Latissimus dorsi.
b- Teres major.
c- Rhomboid major.
d- Trapezius.
e- Medial border of the scapula.

16- The trapezius attaches to which of the following region of the clavicle? *(DEP BOOK)*
a- Conoid tubercle
b- Lateral one third of clavicle
c- Trapezoid line
d- Quadrangular space



MUSCLES OF SHOULDER (SCAPULAR) REGION

1- Regarding the deltoid muscle, mark one correct statement: *(2019 - 2017 – DEP BOOK)*
a- Its middle fibers adduct the arm.
b- Its posterior fibers flex and medially rotate the arm.
c- Its motor nerve arises from lateral cord of brachial plexus.
d- Its paralysis results in a flat shoulder.

2- One of the following muscles is a part of the rotator cuff: *(2018 - 2017)*
a- Deltoid.
b- Teres major.
c- Teres minor.
d- Long head of biceps.
e- Latissimus dorsi.
f- Pectoralis major.

3- The suprascapular nerve supplies: *(2018)*
a- Infraspinatus muscle.
b- Subscapularis muscle.
c- Teres minor muscle.
d- Trapezius muscle

4- Paralysis of the deltoid muscle causes: *(2017)*
a- Flat shoulder.
b- Winging of the scapula.
c- Claw hand.
d- Wrist drop.

5- One of the following muscles is not a rotator cuff muscle: *(2017 – DEP BOOK – 2022 -2021)*
a- Supraspinatus.
b- Infraspinatus.
c- Teres minor.
d- Teres major.
e- Subscapularis.

6- Injury of the suprascapular nerve results in paralysis of: *(2017)*
a- Deltoid.
b- Infraspinatus.
c- Serratus anterior.
d- Pectoralis major.

7- Which of the following structures passes through the upper triangular space of the scapular region: *(2017) x*
a- Circumflex scapular artery.
b- Axillary nerve.
c- Posterior circumflex humeral.
d- Profunda brachii.

8- Which muscle is a lateral rotator of the arm? *(2016)*
a- Coracobrachialis.
b- Infraspinatus.
c- Subscapularis.
d- Supraspinatus.

9- Which muscle is a medial rotator of the arm? *(2016 - 2024)*
a- Coracobrachialis.
b- Infraspinatus.
c- Subscapularis.
d- Supraspinatus.

10- Concerning the muscles of the rotator cuff: *(2024 - 2025)*
a- Infraspinatus acts as a medial rotator at the shoulder.
b- The subscapularis is intimately related to the subacromial bursa.
c- The supraspinatus is supplied by a branch of the posterior cord of the brachial plexus.
d- They are the main factor in stabilizing the shoulder joint.

11- Clavicular part of deltoid is associated with: *(2024)*
a- Lateral rotation.
b- Medial rotation.
c- Abduction.
d- Adduction.

12- What muscles are necessary to raise the arm above the shoulder? *(2024 – 2022 - 2021)*
a- First the deltoid, next the supraspinatus, and then the serratus anterior.
b- First the supraspinatus, next the deltoid, and then the serratus anterior.
c- First the supraspinatus, next the serratus anterior, and then the deltoid.
d- First the serratus anterior, next the deltoid and then the supraspinatus.

13- The rotator cuff muscles attached to the greater tuberosity of the humerus include the following except *(2024)*
a- Supraspinatus.
b- Infraspinatus.
c- Teres minor.
d- Subscapularis.

14- Paralysis of the deltoid muscle causes: *(IPKA - 2022)*
a- Loss of abduction of the arm from zero to 15°.
b- Loss of abduction of the arm from 15° - 90.
c- Loss of abduction of the arm from zero to 90.
d- Loss of abduction of the arm from 90 - 180°.
e- None of the above

15- The following muscle is attached to lateral border of scapula: *(DEP BOOK)*
a- The serratus anterior muscle.
b- The teres major muscle.
c- The levator scapulae muscle.
d- The rhomboid major muscle.

16- Which of following muscles is inserted into greater tuberosity? *(DEP BOOK - 2019)*
a- Subscapularis muscle.
b- Teres minor muscle.
c- Teres major muscle.
d- Latissimus dorsi muscle

17- The greater tuberosity of the humerus, choose correct answer: *(DEP BOOK)*
a- Gives attachment to subscapularis.
b- Gives attachment to pectoralis major.
c- Gives attachment to teres minor.
d- Gives attachment to teres major.

18- The following muscle abducts the arm from 0-15°: *(DEP BOOK)*
a- Upper and lower fibers of trapezius muscle.
b- Supraspinatus muscle.
c- Infraspinatus muscle.
d- Deltoid muscle.

19- The following muscle can extend the arm: *(DEP BOOK)*
a- Pectoralis major muscle.
b- Teres major muscle.
c- Biceps brachii muscle.
d- Coracobrachialis muscle.

20- The following muscle can abduct the arm: *(DEP BOOK)*
a- Pectoralis major muscle.
b- Teres major muscle.
c- Supraspinatus.
d- Latissimus dorsi.

21- One of the following muscles is a rotator cuff muscle: *(DEP BOOK)*
a- Infraspinatus.
b- Pectoralis major.
c- Serratus anterior.
d- Teres major.

22- Deltoid muscle fibers are: *(DEP BOOK)*
a- Parallel muscle fibers.
b- Unipennate muscle fibers.
c- Multipennate muscle fibers.
d- Circumpennate muscle fibers

23- The deltoid muscle, choose the correct answer: *(DEP BOOK)*
a- Arises from clavicle, acromion and coracoid process.
b- Is inserted into deltoid tuberosity.
c- Is Innervated by radial nerve.
d- Its middle fibers Induce lateral rotation of scapula.

24- Lower (lateral) triangular space of axilla, choose correct answer: *(DEP BOOK)*
a- Upper border by teres minor.
b· Medial border by lateral head of triceps.
c- Transmits radial nerve and profound brachii artery.
d- Transmits median nerve and radial recurrent artery.

25- Which muscles are innervated by the axillary nerve? *(DEP BOOK)*
a- Supraspinatus and infraspinatus muscles.
b- Deltoid and teres minor muscles.
c- Pectoralis major and pectoralis minor muscles.
d- Latissimus dorsi and teres major muscles

26- Middle third of humerus, choose the correct answer: *(DEP BOOK)*
a- Deltoid tuberosity, laterally.
b- Coracobrachialis Insertion laterally.
c- Spiral groove anteriorly.
d- Bicipital groove posteriorly.

27- Which of the following bones is a flat bone: *(DEP BOOK)*
a- Humerus.
b- Scapula.
c- Ulna.
d- Clavicle.

28- Paralysis of the following muscle leads to flat shoulder: *(DEP BOOK)*
a- Pectoralis major.
b- Latissimus dorsi.
c- Trapezius.
d- Deltoid.

29- Principal muscle concerned in lateral rotation of the shoulder: *(DEP BOOK)*
a- Pectoralis major.
b- Deltoid anterior fibers.
c- Teres major.
d- Teres minor.

30- Deltoid muscle, choose the incorrect answer: *(DEP BOOK)*
a- Multipennate.
b- Attached to surgical neck of humerus.
c- Can be paralyzed following fracture to surgical neck of humerus.
d- Is paralyzed following complete tear of upper trunk of brachial plexus.

31- Injury to quadrangular intermuscular space of axillary region may endanger: *(DEP BOOK)*
a- Posterior circumflex humeral artery & radial nerve.
b- Posterior circumflex humeral artery & axillary nerve.
c- Radial nerve & profunda brachii artery.
d- Profunda brachii artery & axillary nerve.

32- The only rotator cuff muscle that does not contribute to arm rotation is; *(DEP BOOK -2021)*
a- Teres minor.
b- Infraspinatus.
c- Supraspinatus.
d- Subscapularis

33- AII of the following muscles attach to medial border of scapula except: *(DEP BOOK)*
a- Levator scapulae.
b- Rhomboideus major.
c- Teres major.
d- Serratus anterior.

34 -Suprascapular nerve supplies: *(DEP BOOK)*
a- Muscle inserted into back of inferior angle of scapula.
b- Muscle inserted into lesser tuberosity of humerus.
c- Muscle that initiates abduction of arm.
d- Muscle inserted into floor of bicipital groove.

35 -Muscles that rotate scapula downward are attached to: *(DEP BOOK– 2022 - 2021)*
a- Dorsal aspect of medial border of scapula.
b- Ventral aspect of medial border of scapula.
c- Upper lip of crest of spine.
d- Lower lip of crest of spine.
e- Tip of the coracoid process.
f- Supraglenoid tubercle of the scapula.

36- AII muscles attached to bicipital intertubercular groove can produce: *(DEP BOOK)*
a- Abduction of arm (shoulder joint).
b- Adduction of arm.
c- Extension of arm.
d- Lateral rotation of arm.

37 -Which of the following muscles does not rotate arm medially (or internally)? *(DEP)*
a- Subscapularis.
b- Supraspinatus.
c- Latissimus dorsi.
d- Pectoralis major.

38- The lesser tuberosity of the humerus gives attachment to the following muscle: *(22-21)*
a- Supraspinatus.
b- Infraspinatus.
c- Teres major.
d- Subscapularis.
e- Teres minor

39- Which muscle initiates abduction of the shoulder? *(22-21)*
a- Infraspinatus.
b- Latissimus dorsi.
c- Supraspinatus.
d- Deltoid.

40- Which rotator cuff muscle does NOT rotate the humerus? *(2021)*
a- Supraspinatus.
b- Infraspinatus.
c- Teres minor.
d- Subscapularis.

41- The deltoid, choose the correct answer: *(2021)*
a- Is supplied by the suprascapular nerve.
b- Has a multipennate arrangement for maximal range of movement.
c- Inserts into the bicipital groove.
d- Is unipennate.

42- The teres major muscle is supplied by the following nerve: *(2019)*
a- Suprascapular nerve.
b- Lower subscapular nerve.
c- Upper subscapular nerve.
d- Dorsal scapular nerve.

43- As regards the muscles of the upper limb, one is correct:
a- The deltoid Is supplied by the axillary nerve.
b- All interossei are supplied by the median nerve.
c- Dorsal interossel are adductors of the fingers.
d- Flexor digitorum superflcialis flexes terminal interphalangeal joints.

44- The deltopectoral groove contains: *(IPKA – 2022 - 2021)*
a- Deltoid branch of the lateral thoracic artery.
b- Cephalic vein.
c- Apical group of axillary lymph nodes.
d- Subscapular artery.
e- All of the above.
f- None of the above.

45- Regarding quadrangular space in axillary region; one is correct: *(DEP BOOK)*
a- It is bounded above by the supraspinatus.
b- It is bounded laterally by the surgical neck of the humerus.
c- It is bounded below by the teres minor.
d- It contains the circumflex scapular artery.

46- Structures passing through the quadrangular space of the axilla; mark the correct answer: *(DEP BOOK -2019)*
a- The axillary nerve and posterior circumflex humeral artery.
b- The axillary nerve and anterior circumflex humeral artery.
c- The axillary nerve and circumflex scapular artery.
d- The axillary nerve and musculocutaneous nerve.

47- Muscle that forms bulk of anterior axillary fold is *(DEP BOOK -2021)*
a- Latissimus dorsi.
b- Pectoralis major.
c- Subscapularis.
d- Teres major.

48- The quadrangular space is bounded by all the following except *(2022)*
a- Teres minor.
b- Teres major.
c- Long head of biceps.
d- Surgical neck of the humerus

49- Which of the following is true regarding the quadrangular space? *(2021)*
a- Bounded superiorly by the teres major.
b- Bounded inferiorly by the subscapularis and teres minor.
c- Bounded medially by the humerus and laterally by the long head of the triceps.
d- Contains the posterior circumflex humeral artery and the axillary nerve.

50- A person has a fracture of the upper end of humerus. During the repair the surgeon ties off the artery traveling through the quadrangular space to stop the hemorrhage. Which artery did he ligate? *(2024)*
a- Dorsal scapular.
b- Posterior circumflex humeral.
c- Scapular circumflex.
d- Subscapular

51- The quadrangular space transmits: *(2025)*
a- Axillary artery
b- Lower subscapular artery
c- Profunda brachii vessels
d- Posterior circumflex humeral artery



AXILLA

1- Which of the following muscles forms part of the lateral wall of the axilla: *(2018)*

a- Subclavius.
b- Long head of biceps.
c- Short head of biceps.
d- Teres minor

2- The anterior fold of axilla is formed by: *(2017 – DEP BOOK - 2019)*

a- Pectoralis minor muscle only.
b- Pectoralis major muscle only.
c- Subclavius and pectoralis minor muscles.
d- Pectoral muscles and subclavius.
e- Pectoralis major and minor muscles.
f- Deltoid muscle.
g- Subclavius.
h- Clavipectoral fascia.

3- The posterior wall of axilla is formed by: *(2024 - 2025)*

a- Pectoralis minor.
b- Teres major.
c- Supraspinatus.
d- Serratus anterior.

4- The axilla contains (contents) all of the following EXCEPT: *(2024 -2021)*

a- Axillary artery.
b- Axillary vein.
c- Trunks of the brachial plexus.
d- Fat.
e- Tail of the breast.

5- The anterior wall of the axilla Is formed by all of the following EXCEPT: *(IPKA -2021)*

a- Pectoralis major.
b- Teres major.
c- Pectoralis minor.
d- Subclavius.
e- Clavipectoral fascia.

6- The suspensory ligament of axilla, mark correct statement: *(DEP BOOK)*

a- Continuation of the deep fascia of the neck.
b- Continuation of axillary sheath.
c- Continuation of clavipectoral fascia.
d- Continuation of suprapleural membrane.

7- Which one of the following nerves innervates a muscle that abducts shoulder from 15 to 90 degrees? *(DEP BOOK)*

a- Radial nerve.
b- Ulnar.
c- Axillary nerve.
d- Suprascapular nerve.

8- Upper (medial) triangular space of axilla, choose correct answer: *(DEP BOOK)*
a- Upper border by teres minor.
b- Lower border by subscapularis.
c- Transmits axillary nerve.
d- Transmits lower subscapular nerve.

9- Regarding the axilla: *(DEP BOOK)*
a- Posterior wall Is formed of subscapularis, teres minor, latissimus dorsi.
b- It contains the roots of the brachial plexus.
c- Pectoralis major & minor share in the formation of Its anterior wall.
d- The medial wall is the shortest wall.

10- The cervico-axillary canal, choose the correct answer: *(DEP BOOK)*
a- Bounded medially by inner border first rib.
b- Bounded posteriorly by upper border of scapula.
c- The roots of brachial plexus pass through It.
d- Transmits subclavian vessels.

11- The axillary septum doesn't include: *(DEP BOOK)*
a- Pectoralis minor muscle and fascia.
b- Suspensory ligament of axilla.
c- Axillary sheath.
d- Subclavius muscle and fascia.

12- Medial wall of axilla is formed by which of the following muscles *(DEP BOOK - 2021)*
a- Serratus anterior.
b- Pectoralis major.
c- Subscapularis.
d- Pectoralis minor.

13- The anterior wall of axilla is formed by all the following except: *(DEP BOOK)*
a- Pectoralis major.
b- Subscapularis.
c- Pectoralis minor.
d- Clavipectoral fascia.

14- Concerning the axilla, the following statements are correct except: *(2022)*
a. Its posterior wall is formed of subscapularis, teres major and latissimus dorsi.
b. It contains the roots of the brachial plexus.
c. It is connected with the neck through the cervicoaxillary canal.
d. The serratus anterior muscle shares in the formation of its medial wall.

15- Which of the following is NOT contained in the axilla? *(2021)*
a- Axillary blood vessels.
b- Lymph nodes.
c- Trunks and divisions of brachial plexus.
d- Axillary nerve.

16- Regarding the axilla, the following statement is correct: *(2019)*
a- Its posterior wall is formed of subscapularis only.
b- It contains the roots of the brachial plexus.
c- It is connected with the neck through the cervicoaxillary canal.
d- The pectoralis major and minor muscles share in the formation of its medial wall.



1- A 33-year-old man was admitted to the emergency department after an automobile collision. Physical examination revealed weakness of the medial rotation and adduction at the shoulder joint. An X-ray examination showed a fracture of the lateral border of the scapula. Which nerve is most likely injured? *((2018))*
a- Lower subscapular.
b- Axillary.
c- Radial.
d- Spinal accessory.

2- The brachial plexus has: *(IPKA)*
a- 8 rami (roots).
b- 5 trunks.
c- 6 divisions.
d- 4 cords.
e- None of the above.

3- The usual number of branches of the medial cord of the brachial plexus: *(IPKA)*
a- 1
b- 2
c- 3
d- 4
e- 5

4- The suprascapular nerve is a branch from the: *(IPKA – 2022 - 2021)*
a- Roots of the brachial plexus.
b- Upper trunk.
c- Middle trunk.
d- Posterior cord.
e- Lateral cord.

5- Which one of the following nerves arises from the roots of the brachial plexus? *(DEP BOOK)*
a- Medial pectoral nerve.
b- Dorsal scapular nerve.
c- Axillary nerve.
d- Thoracodorsal nerve.
e- Suprascapular nerve.

6- The upper trunk of brachial plexus gives origin to; select the correct answers: *(DEP BOOK -2025)*
a- Suprascapular nerve.
b- Long thoracic nerve.
c- Upper subscapular nerve.
d- Axillary nerve.
e- Lateral pectoral
f- Dorsal scapular

7- Structures passing through the spinoglenoid notch, choose the most correct answer *(DEP BOOK)*
a- Circumflex scapular artery.
b- Suprascapular nerve and vessels.
c- Subscapular nerve and vessels.
d- Dorsal scapular vessels.

8- Which nerve arises from a cord of the brachial plexus cords? *(DEP BOOK)*
a- Long thoracic nerve.
b- Nerve to subclavius.
c- Suprascapular nerve.
d- Thoracodorsal nerve.

9- Medial cord of brachial plexus gives ..... choose the correct answer: *(DEP BOOK)*
a- Lateral cutaneous nerve of the forearm.
b- Musculocutaneous nerve.
c- Lateral pectoral nerve.
d- Ulnar nerve.

10- Posterior cord of brachial plexus gives, choose correct answer: *(DEP BOOK -2021 -2025)*
a- Suprascapular nerve.
b- Long thoracic nerve.
c- Axillary nerve.
d- Median nerve.
e- Musculocutaneous nerve.
f- Dorsal scapular nerve.

11- Which one is a branch of the lateral cord of the brachial plexus? *(DEP BOOK)*
a- Upper subscapular nerve.
b- Long thoracic nerve.
c- Musculocutaneous nerve.
d- Suprascapular nerve.

12- Which muscles are supplied by medial cord of brachial plexus? *(DEP BOOK)*
a- Teres major.
b- Deltoid.
c- Anconeus.
d- Pronator teres.

13- The dorsal scapular nerve arises from: *(DEP BOOK)*
a- Posterior cord of brachial plexus.
b- Upper trunk of brachial plexus.
c- Roots of brachial plexus.
d- Medial cord of brachial plexus.

14- Most muscles acting on shoulder girdle & upper limb joints are supplied by branches of brachial plexus except: *(DEP BOOK)*
a- Trapezius
b- Teres minor.
c- Latissimus dorsi.
d- Rhomboid major.

15- Which muscle is innervated by a branch from posterior cord of brachial plexus: *(DEP BOOK -21)*
a- Rhomboid major.
b- Scalenus anterior.
c- Supraspinatus.
d- Subscapularis.

16 -Suprascapular nerve supplies: *(DEP BOOK - 2021)*
a- Muscle inserted into back of inferior angle of scapula.
b- Muscle inserted into lesser tuberosity of humerus.
c- Muscle that initiates abduction of arm.
d- Muscle inserted into floor of bicipital groove.

17- Which one of the following statements regarding the dorsal scapular nerve is correct: *(2021)*
a- It is a branch of C6 from the cervical plexus.
b- It supplies the rhomboids major muscle.
c- It usually gives a branch to serratus anterior.
d- It does not supply levator scapulae.

18- Which is a branch of medial cord of brachial plexus: *(2021)*
a- Medial pectoral nerve.
b- Lateral pectoral nerve.
c- Dorsal scapular nerve.
d- Axillary nerve.

19- Which nerve arises from one of the brachial plexus cords? *(2019)*
a- Dorsal scapular nerve.
b- Long thoracic nerve.
c- Suprascapular nerve.
d- Thoracodorsal nerve.

20- The cords of the brachial plexus lie: *(2019)*
a- On the side of the neck.
b- In the axilla.
c- On the back of the neck.
d- Behind the clavicle.

21- The root value of the long thoracic nerve is: *(IPKA - 2021)*
a- C5.
b- C6.
c- C7.
d- C5,6& 7
e- C5, 6, 7 & 8.

22- The Suprascapular ligament lies between, mark correct answer: *(DEP BOOK)*
a- Suprascapular and subscapular arteries.
b- Suprascapular nerve and suprascapular artery.
c- Suprascapular and upper subscapular nerves.
d- Upper and lower subscapular nerves.

23- A 55-year-old male fire-fighter was admitted to the hospital after blunt trauma to his right axilla. Examination revealed winging of the scapula and partial paralysis of the right side of the diaphragm. Which of the following parts of the brachial plexus had been injured? *(2018 - 2017)*
a- Cords.
b- Roots.
c- Trunks.
d- Terminal branches.



AXILLARY NERVE

1- A man came with fracture of the surgical neck of the humerus, the first movement of the shoulder joint that you would test to confirm the nerve injury is *(2024)*
a- Flexion.
b- Extension.
c- Rotation.
d- Abduction.

2- The following nerve is related directly to surgical neck of humerus: *(DEP BOOK)*
a- Radial nerve.
b- Ulnar nerve.
c- Axillary nerve
d- Musculocutaneous nerve.

3- Nerve commonly Injured after fracture of humerus surgical neck is: *(DEP BOOK - 2022)*
a- Axillary nerve.
b- Ulnar nerve.
c- Radial nerve.
d- Median nerve.
e- Musculocutaneous nerve.

4- Which muscles are innervated by the axillary nerve? *(DEP BOOK)*
a- Supraspinatus and infraspinatus muscles.
b- Deltoid and teres minor muscles.
c- Pectoralis major and pectoralis minor muscles.
d- Latissimus dorsi and teres major muscles.

5- The axillary nerve Innervates; select the correct answer: *(DEP BOOK)*
a- Deltoid and supraspinatus.
b- Deltoid and teres minor.
c- Teres minor and teres major.
d- Deltoid and teres major.

6- Inability to abduct arm from 15 to 90 degrees is due to injury of: *(DEP BOOK)*
a- Radial nerve.
b- Long thoracic nerve (nerve to serratus anterior).
c- Musculocutaneous nerve.
d- Axillary nerve.

7- Regarding the axillary nerve: *(DEP BOOK)*
a- It arises from the lateral cord of the brachial plexus.
b- It supplies the skin of the lower half of the lateral side of the arm.
c- It passes through the triangular space.
d- It supplies the deltoid and teres minor muscles.

8- Regarding nerve injuries in upper limb, choose correct answer: *(DEP BOOK)*
a- Injury to the median produces wrist drop.
b- Injury to the ulnar nerve produces ape hand.
c- Ulnar nerve is injured by compression in the carpal tunnel.
d- Injury to the axillary nerve leads to loss of abduction of the shoulder.

9- Which nerve is probably damaged if a patient cannot abduct arm beyond 15°: *(DEP BOOK)*
a- Axillary.
b- Radial.
c- Musculocutaneous.
d- Median.

10- Injury to quadrangular intermuscular space of axillary region may endanger: *(DEP BOOK -2010)*
a- Posterior circumflex humeral artery & radial nerve.
b- Posterior circumflex humeral artery & axillary nerve.
c- Radial nerve & profunda brachii artery.
d- Profunda brachii artery & axillary nerve.

11- Lesion or injury of axillary nerve causes: *(DEP BOOK -21)*
a- Winging of scapula.
b- Wrist drop.
c- Claw hand.
d- Flat shoulder.
e- Ape hand.
f- Finger drop.

12- Axillary nerve supplying the following muscle: *(2021)*
a- Subscapularis.
b- Pectoralis minor.
c- Teres major.
d- Teres minor.

13- The axillary nerve may be injured due to: *(2019)*
a- Surgical neck of the humerus fracture.
b- Fracture of the mid shaft of the humerus.
c- Fracture of the medial epicondyle of the humerus.
d- Fracture of the trochlea.

14- Which nerve is responsible for the innervation of the deltoid muscle? *(2025)*
a- Radial nerve
b- Ulnar nerve
c- Axillary nerve
d- Musculocutaneous nerve



AXILLARY ARTERY & VEIN

1- A 30-year-old female was examined in the emergency department after falling from her balcony. Radiographic examination revealed a broken clavicle with associated internal bleeding. Which of the following vessels was most likely to be injured? ***(2018)***

a- a- Subclavian vein.
b- Subclavian artery.
c- Cephalic vein.
d- Lateral thoracic.

2- Regarding the axillary artery, choose the correct answer: ***(2017 - DEP BOOK)***

a- It begins at the inner border of the first rib.
b- It ends at the lower border of the teres minor muscle.
c- Its third part is related medially to the ulnar nerve.
d- Its second part is related posteriorly to the axillary nerve.

3- One of the following is a branch of the second part of the axillary artery: ***(DEP BOOK - 2016 -IPKA)***

a- Lateral thoracic artery.
b- Anterior circumflex humeral artery.
c- Posterior circumflex humeral artery.
d- Superior thoracic artery.
e- Subscapular artery

4- Anastomosis around the scapula connects the subclavian artery with the: ***(DEP BOOK - 2016 - 21-22)***

a- First part of the axillary artery.
b- Second part of the axillary artery.
c- Third part of the axillary artery.
d- Brachial artery.

5- A fracture of the surgical neck of the humerus, which artery may be Injured? ***(2024 - 2025)***

a- Subscapular.
b- Posterior humeral circumflex.
c- Radial recurrent.
d- Deep brachial.
e- Circumflex scapular

6- The thoracoacromial artery is a branch of the:: ***(IPKA - 2022)***

a- Subclavian artery.
b- First part of the axillary artery.
c- Second part of the axillary artery.
d- Third part of the axillary artery.
e- Brachial artery.

7- One of the following is a branch of axillary artery: ***(DEP BOOK)***
a- Profunda brachii artery.
b- Subscapular artery.
c- Superior ulnar collateral.
d- Inferior ulnar collateral.

8- Regarding the axillary artery, choose the correct answer: ***(DEP BOOK)***
a- It begins at the inner border of the first rib.
b- It ends at the lower border of the teres minor muscle.
c- It is divided into three parts by the pectoralis minor muscle.
d- Its third part is related medially to the median nerve.

9- Regarding the axillary artery, one is correct: ***(DEP BOOK)***
a- The largest of its branches Is the superior thoracic artery.
b- Its third part is crossed by the lateral root of the median nerve.
c- The pectoralis minor covers most of the artery.
d- The axillary vein lies medial to the artery.

10- The following arteries share in the anastomosis around the scapula, choose the correct answer: ***(DEP BOOK)***
a- Suprascapular artery.
b- Profunda brachii artery.
c- Superficial branch of transverse cervical artery.
d- Circumflex humeral arteries.
e-Superior thoracic artery.
f- Deltoid branch of thoracoacromial artery.

11- Arteries sharing in anastomosis around the scapula, choose the correct answer: ***(DEP BOOK)***
a- Superior thoracic artery.
b- Subscapular artery.
c- Circumflex humeral artery.
d- Profunda brachii artery.

12- Lateral thoracic artery, choose the correct answer: ***(DEP BOOK)***
a- Arises from the 1st part of axillary artery.
b- Runs along the lower border of pectoralis major.
c- Anastomoses with intercostal arteries.
d- It supplies the medial of the mammary gland in females.

13- The subscapular artery, choose the correct answer: ***(DEP BOOK)***
a- Arises from the 2nd part of axillary artery.
b- Gives the posterior circumflex humeral artery.
c- Shares in anastomoses around surgical neck of humerus.
d- Gives circumflex scapular artery.

14- The superior thoracic artery, choose the correct answer: *(DEP BOOK)*
a- Arises from the 2nd part of axillary artery.
b- Arises behind the pectoralis minor.
c- Pierces the clavipectoral fascia.
d- Supplies the breast.

15- Which of the following structures passes through upper triangular space of the scapular region: *(DEP BOOK)*
a- Circumflex scapular artery
b- Axillary nerve.
c- Posterior circumflex humeral.
d- Profunda brachii.

16- The entire following arteries share in anastomosis around scapula except: *(DEP BOOK)*
a- Deep branch of transverse cervical artery.
b- Subscapular artery.
c- Suprascapular artery.
d- Lateral thoracic artery.

17- The branches of axillary artery include: *(2025)*
a- Acromio-thoracic artery
b- Medial thoracic artery
c- Superior ulnar collateral artery
d- Profunda brachii artery



MUSCLES OF FRONT OF ARM

1- The bicipital groove of the humerus lodges (contains) the: *(2017 – 2016 -2021)*
a- Axillary artery.
b- Long head of the biceps.
c- Long head of the triceps.
d- Coracobrachialis.

2- One of the following muscles produces flexion of the pronated forearm *(2017)*
a- Biceps brachii.
b- Coracobrachialis.
c- Brachialis.
d- Deltoid.

3- The biceps brachii muscle Is primarily involved in: *(2024 - 2025)*
a- Extension of the forearm.
b- Flexion and supination of the forearm.
c- Pronation of the forearm.
d- Flexion of the wrist.

4- The long head of the biceps brachii muscle arises from the: *(IPKA - DEP BOOK)*
a- Infraglenoid tubercle.
b- Acromion process.
c- Coracoid process.
d- Supraglenoid tubercle

5- Regard to the biceps brachii muscle, select the correct statement: *(IPKA)*
a- The long head arises from the greater tuberosity of the humerus.
b- The short head arises from the acromion.
c- It is a supinator of the forearm.
d- It is supplied by branches of the median nerve.
e- The two heads unite in the upper arm.

6- The supraglenoid tubercle serves as an attachment for: *(IPKA)*
a- The long head of the biceps.
b- Long head of the triceps.
c-Medial head of the triceps.
d- Subscapularis.

7- Regarding the brachialis muscle, select the correct answer: *(IPKA)*
a- Is innervated by the median nerve.
b- Arises from the upper third of the humerus.
c- Is both a flexor and extensor of the elbow joint.
d- Attaches to the bicipital tuberosity of the radius.
e- Has no relation to the medial intermuscular septum.
f- None of the above.

8- Biceps, choose the correct statement: *(IPKA - 2021)*
a- Long head arises from infraglenoid tubercle.
b- Is supplied by a branch of the medial cord of the brachial plexus.
c- the two bellies supplied by axillary nerve.
d- Is a pronator of the forearm.
e- short head arises from coracoid process, lateral to coracobrachialis

9- The lateral intermuscular septum, choose the correct answer: *(DEP BOOK)*
a- Pierced by the ulnar nerve.
b- Gives origin to brachialis muscle.
c- Gives attachment to the lateral head of triceps.
d- Gives attachment to the supinator muscle.

10- Regarding Biceps brachii, choose the correct answer: *(DEP BOOK)*
a- Its short had lies inside the capsule of the shoulder joint.
b- It flexes the elbow joints.
c- It pronates the forearm.
d- It is supplied by median nerve.

11- Which tendon is intracapsular extrasynovial of the shoulder joint, mark the correct answer: *(2019 - DEP BOOK)*
a- Long head of biceps brachii.
b- Short head of biceps brachii.
c- Long head of triceps muscle.
d- Teres minor.
e- Brachialis.

12- Biceps brachii: *(DEP BOOK)*
a- It inserts in the ulnar tuberosity.
b- Is pierced by musculocutaneous nerve.
c- Is a powerful muscle in inducing supination.
d- Helps in extending the flexed elbow.

13- Supination of the radioulnar joints is done mainly by: *(DEP BOOK)*
a- Pronator teres.
b- Pronator quadratus.
c- Brachioradialis.
d- Biceps brachii.

14- Regarding the biceps brachii, one is false: *(2022)*
a- Has long head attached to the supraglenoid tubercle.
b- Has short head attached to the tip of the coracoid process.
c- It flexes the elbow joint.
d- It is powerful pronator of extended elbow

15- Regarding the brachialis muscle, select the correct statement: *(2021- 2022)*
a- It is innervated by the median nerve.
b- Arises from the upper third of the shaft of humerus.
c- The main flexor of the elbow joint.
d- Attaches to the pronator tuberosity of the radius

16- Regarding brachialis, which is correct: *(2021)*
a- Innervated by the axillary nerve.
b- Inserts coronoid process of ulna (tuberosity of ulna).
c- Arises from the upper third of the humerus.
d- Is a powerful supinator of the forearm.

17- The coronoid process of the ulna receive the insertion for which muscle: *(2019)*
a- Coracobrachialis.
b- Biceps brachii
c- Triceps brachii.
d- Brachialis.

18- Regarding the muscles of the upper arm: *(DEP BOOK)*
a- The biceps is a powerful pronator of the forearm.
b- The brachialis is supplied by medial and musculocutaneous nerves.
c- The biceps is inserted into the ulnar tuberosity.
d- The brachialis is the primary flexor of the elbow joint.

19- Regarding muscle actions of the upper limb: *(DEP BOOK)*
a- Flexor digitorum superficialis flexes distal phalanges.
b- Biceps brachii is a powerful supinator.
c- Flexor carpi ulnaris is flexor and abductor of the wrist.
d- Pronators muscles are supplied by ulnar nerve.

20- The coracoid process of scapula has the attachments of: *(2025)*
a- Long head of biceps
b- Coracobrachialis muscle
c- Pectoralis major
d- Short head of triceps



1- Select the correct statement; the musculocutaneous nerve: *(2024 - 2025)*
a- It is anterior to the biceps brachii muscle but deep to the brachialis.
b- Arises from the medial cord of the brachial plexus.
c- Becomes the lateral cutaneous nerve of the forearm lateral to the biceps tendon.
d- Supplies the brachioradialis muscle.

2- The musculocutaneous nerve passes through which muscle? *(IPKA - 2021)*
a- Coracobrachialis
b- Short head of biceps.
c- Brachialis.
d- Medial head of triceps.
e- Long head of biceps.

3- The continuation of musculocutaneous nerve is: *(DEP BOOK)*
a- Posterior cutaneous nerve of forearm.
b- Medial cutaneous nerve of forearm.
c- Lateral cutaneous nerve of forearm.
d- Medial cutaneous nerve of arm.

4- The lateral cutaneous nerve of the forearm is derived from the: *(DEP BOOK)*
a- Radial nerve.
b- Axillary nerve.
c- Musculocutaneous nerve.
d- Median nerve.

5- The musculocutaneous nerve pierces which muscle? *(2022)*
a- Coracobrachialis.
b- Short head of biceps.
c- Brachialis.
d- Long head of biceps.



1- The major contributor in the anastomosis around the elbow is: *(2018)*
a- Profunda brachii artery.
b- Ulnar artery.
c- Radial artery.
d- Posterior circumflex humeral artery.

2- Brachial artery shares in the anastomosis around the lateral epicondyle of the humerus through one of the following arteries: *(2021- 2022)*
a- Profunda brachii.
b- Superior ulnar collateral.
c- Inferior ulnar collateral.
d- Ulnar recurrent.

3- One of the following is correct regarding the brachial artery *(IPKA)*
a- Lies lateral to the basilic vein.
b- Lies anterior to the cephalic vein.
c- Is crossed posteriorly by the median nerve in all population.
d- Runs parallel but deep to the profunda brachii artery.
e- Is the continuation of the subclavian artery.

4- The brachial artery, choose the correct answer: *(IPKA)*
a- Commences at the upper border of teres major.
b- It is in direct contact with the humerus.
c- Has biceps tendon lying medial to it.
d- It ends opposite neck of radius.
e- Is accompanied throughout its course by the basilic vein.

5- Regarding the brachial artery, choose the correct answer: *(DEP BOOK)*
a- The median nerve lies on the medial of its upper half.
b- It lies lateral to tendon of brachialis.
c- It is separated from median cubital vein by the bicipital aponeurosis.
d- It begins at the lower border of the teres minor.

6- The brachial artery; choose the correct answer: *(DEP BOOK)*
a- Starts at the distal border of teres major muscle.
b- Ends opposite the head of radius.
c- Descends on the medial side of the humerus.
d- It descends medial to ulnar nerve and bicipital aponeurosis

7- Profunda brachii artery, choose the correct answer: *(DEP BOOK)*
a- Arises from third part of axillary artery.
b- Passes with the ulnar nerve in the spiral groove.
c- Descends between medial and long heads of triceps.
d- It supplies biceps brachii muscle

8- The following artery doesn't share in the anastomosis around the elbow: *(DEP BOOK)*
a- Radial recurrent artery.
b- Anterior circumflex humeral artery.
c- Anterior ulnar recurrent artery.
d- Posterior ulnar recurrent artery.

9- Anastomosis around the lateral epicondyle of the elbow, choose the correct answer: *(DEP BOOK)*
a- Between brachial artery and both ulnar and radial arteries
b- Anterior interosseous artery shares in the anastomosis.
c- Present on the front of the lateral epicondyle only.
d- Maintains free blood flow when the elbow is fully flexed.
e- a and d.

10- The brachial artery, select the true answer *(2022)*
a- In the cubital fossa, it lies medial to the biceps tendon.
b- Bifurcates opposite the neck of the humerus.
c- Is deep throughout its entire course.
d- The median nerve crosses in front of the artery from the medial to the lateral side.

11- Concerning the brachial artery, select the correct statement: *(2021)*
a- Commences at the upper border of teres major.
b- Is in direct contact with the humerus.
c- Has median nerve lying medial to it in the cubital fossa.
d- Is accompanied throughout its course by the basilic vein.

12- One of the branches of brachial artery: *(2025)*
a- Posterior circumflex humeral artery
b- Circumflex scapular artery
c- Subscapular artery
d- Superior ulnar collateral artery



MUSCLES OF BACK OF ARM

1- Regarding the triceps brachii muscle: *(2024 - 25)*
a- It has a lateral, a medial and a short head.
b- Long head takes origin from supraglenoid tubercle of scapula.
c- It is supplied by ulnar nerve.
d- It is inserted into the olecranon process.

2- The distal attachment of the triceps brachii muscle is: *(IPKA – DEP BOOK)*
a- Coronoid process of the ulna.
b- Olecranon process of ulna.
c- Styloid process of ulna.
d- Radial notch of ulnar.

3- The true statement about posterior compartment of arm is: *(DEP BOOK)*
a- It receives motor supply from median nerve.
b- It receives motor supply from radial nerve.
c- It contains the musculocutaneous nerve.
d- It contains the coracobrachialis muscle.

4- One of the following is correct regarding the brachial artery *(IPKA)*
a- Lies lateral to the basilic vein.
b- Lies anterior to the cephalic vein.
c- Is crossed posteriorly by the median nerve in all population.
d- Runs parallel but deep to the profunda brachii artery.
e- Is the continuation of the subclavian artery.



RADIAL NERVE IN AXILLA AND ARM

1- The following nerve is related directly to the humerus: *(2019)*
a- Radial nerve.
b- Musculocutaneous nerve.
c- Median nerve.
d- Anterior interosseous nerve.

2- One of the following muscles is supplied by radial nerve: *(2018)*
a- Biceps brachii.
b- Coracobrachialis.
c- Teres minor.
d- Anconeus.

3- The brachioradialis muscle receives its nerve supply from: *(2018)*
a- The radial nerve.
b- The anterior interosseous nerve.
c- The posterior interosseous nerve.
d- The median nerve.

4- All of the following muscles are supplied by the radial nerve except: *(DEP BOOK -IPKA)*
a- Medial head of triceps.
b- Anconeus.
c- Lateral head of triceps.
d- Biceps.

5- The radial nerve, select the correct statement: *(IPKA)*
a- Supplies extensors to the elbow.
b- Pierces the medial intermuscular septum of the mid arm.
c- Supplies extensor carpi ulnaris.
d- Runs on the lateral side of the radial artery in the forearm.
e- Runs medially in the cubital fossa.

6- The radial nerve consists of the following roots; choose the correct answers: *(DEP BOOK)*
a- Nerve roots C6, 7 & 8.
b- Nerve root C6, 7 & 8.
c- Nerve roots C5, 6, 7, 8 and T1.
d- Nerve roots C5, 6, 7 and 8.

7- The following muscle is Innervated by the radial nerve: *(DEP BOOK)*
a- Long head of biceps brachii.
b- Short head of biceps brachii.
c- Brachialis.
d- Coracobrachialis.

8- The radial nerve, around the elbow, choose the correct answer: *(DEP BOOK)*
a- Comes in contact with the medial epicondyle of the humerus.
b- Passes between· biceps brachii and brachioradialis.
c- Pierces the lateral intermuscular septum and passes between brachialis and both brachioradialis and extensor carpi radialis longus.
d- Passes between extensor capri radialis longus and brevis.

9- The nerve commonly injured following fracture of the middle of the shaft (mid-shaft) of humerus is: *(2019 - DEP BOOK - 2025)*
a- Axillary nerve.
b- Ulnar nerve.
c- Radial nerve.
d- Median nerve.

10- Which of the following is NOT a branch of the radial nerve? *(2022 - 2021)*
a- Posterior cutaneous nerve of the arm.
b- Posterior cutaneous nerve of the forearm.
c- Lower lateral cutaneous nerve of the arm.
d- Upper lateral cutaneous nerve of the arm.

11- Regarding the radial nerve, choose the correct answer: *(2021)*
a- It runs with profunda brachii artery in the radial groove.
b- It contains fibers from C 5,6, 7,8 only.
c- It has no cutaneous branches in the upper arm.
d- Gives o the posterior interosseus nerve in the spiral groove.

12- The radial nerve supplies the following muscle in the axilla: *(2019)*
a- Long head of triceps.
b- Lateral head of triceps.
c- Long head of biceps.
d- Anconeus.



MUSCLES OF FRONT OF FOREARM

1- The tendon of the following muscle passes superficial to the flexor retinaculum at the wrist: *(2017)*
a- Flexor digitorum superficialis.
b- Flexor digitorum profundus.
c- Palmaris longus.
d- Flexor carpi radialis

2- The superficial muscles of front of forearm include *(2024)*
a- Pronator quadratus.
b- Flexor carpi radialis.
c- Flexor pollicis longus.
d- Supinator.

3- A patient complaining of inability to flex the proximal interphalangeal joints. Which of the following muscles appear to be paralyzed? *(IPKA)*
a- Palmar interossei.
b- Flexor digitorum profundus.
c- Flexor digitorum superficialis.
d- Lumbricals.

4- The following are contents of deep group of anterior compartment of forearm except: *(IPKA)*
a- Flexor pollicis longus.
b- Pronator teres.
c- Pronator quadrates.
d- Supinator muscles.

5- Regarding flexor Carpi radialis muscle, all of the following are true except: *(IPKA)*
a- Lateral muscle in the superficial layer of flexor compartment of forearm.
b- Take origin from the common flexor origin.
c- Flexor and abductor of the wrist.
d- Innervated by the median nerve.

6- The Lateral half of the flexor digitorum profundus is supplied by: *(IPKA)*
a- Ulnar nerve.
b- Anterior interosseus nerve.
c- Both ulnar and median nerves.
d- Posterior interosseous nerve.

7- All the following are contents of anterior compartment of forearm except: *(IPKA)*
a- Flexer digitorum superficialis.
b- Pronator teres.
c- Pronator quadratus.
d- Brachioradialis.

8- Which of the following Is true about flexor digitorum superficialis? *(IPKA)*
a- All four tendons lie on the same plane under flexor retinaculum.
b- Is innervated by median and ulnar nerves.
c- Tendon to index finger separates before other three tendons high in forearm.
d- Median nerve passes between its two heads.

9- Which of the following IS NOT true about the flexor carpi ulnaris *(IPKA)*
a- Acts as a synergist during wrist extension.
b- Inserts into base of fifth metacarpal.
c- Most medial muscles arising from the common flexor origin.
d- Ulnar nerve passes between Its two heads.

10- Name the nerve which innervates the flexor pollicis longus: *(2019 -IPKA)*
a- Anterior interosseous.
b- Median.
c- Ulnar.
d- Radial.
e- Musculocutaneous

11- The ulnar nerve Innervates which of the following muscles in the flexor compartment *(IPKA)*
a- The medial part of the flexor digitorum superficialis.
b- Flexor carpi radialis.
c- Pronator quadratus.
d- Pronator teres.
e- The medial part of flexor digitorum profundus.

12- Which muscle does NOT cross the elbow joint? *(IPKA)*
a- Flexor pollicis longus.
b- Pronator teres.
c- Flexor carpi radialis.
d- Flexor carpi ulnaris.
e- Flexor digitorum superficialis

13- The flexor digitorum profundus, choose correct answer: *(DEP BOOK)*
a- Receives double nerve supply.
b- Inserted into the front of middle phalanx.
c- Flexes the lateral four fingers.
d- Arises from radius, ulna and interosseous membrane.

14- Mark muscle which receives Innervation from 2 di□erent nerves: *(DEP BOOK)*
a- Biceps brachii.
b- Pronator teres.
c- Flexor digitorum profundus.
d- Flexor digitorum superficialis.

15- Anterior aspect of interosseous membrane gives attachment to: *(DEP BOOK)*
a- Flexor pollicis longus and flexor digitorum profundus.
b- Flexor digitorum superficialis.
c- Pronator teres.
d- Flexor carpi ulnaris.

16- The flexor pollicis longus muscle, choose the correct answer: *(DEP BOOK)*
a- Arises from anterior surface of the ulna and interosseous membrane.
b- Is Inserted In palmar side of the distal phalanx of thumb.
c- Is innervated by branch from posterior interosseous nerve.
d- Helps in adduction of wrist joint.

17- The interosseous membrane, choose the correct answer: *(DEP BOOK)*
a- Is attached to the anterior borders of radius and ulna.
b- Gives origin to abductor polices brevis.
c- Gives origin to the deep flexors of the hand.
d- Pierced by posterior interosseous vessels.

18- Flexor digitorum superficialis produce the following action: *(DEP BOOK - 2021)*
a- Flex all joints of thumb.
b- Abduction of little finger.
c- Flex proximal interphalangeal joints of medial four fingers.
d- Flex distal interphalangeal joints of medial four fingers.

19- Flexor carpi ulnaris can produce all the following except: *(DEP BOOK)*
a- Flexion of wrist.
b- Adduction of wrist.
c- Abduction of wrist.
d- Flexion of distal interphalangeal joint of little finger.
e- c and d.

20- The Muscle takes origin from the radius is: *(2022)*
a- Biceps.
b- Supinator.
c- Pronator quadratus.
d- Flexor pollicis longus.

21- One of the following muscles cannot perform flexion of the wrist *(2022)*
a- Pronator quadratus.
b- Flexor pollicis longus.
c- Flexor digitorum profundus.
d- Flexer carpi ulnaris.

22- The flexor digitorum profundus, mark the wrong statement: *(2022)*
a- Receives double nerve supply.
b- Inserted into the front of distal phalanx.
c- Flexes the medial four fingers.
d- Arises from radius, ulna and interosseous membrane

23- A patient complaining of inability to flex the distal interphalangeal joints. Which of the following muscles appear to be paralyzed? *(2022 - 2021)*
a- Palmar interossei.
b- Lumbricals.
c- Flexor digitorum profundus.
d- Flexor digitorum superficialis


24- The palmaris longus tendon is a useful guide to which nerve at the wrist? *(2021)*
a- Median nerve.
b- Anterior interosseous nerve.
c- Posterior interosseous nerve.
d- Ulnar nerve.

25- The muscle attached to the front of the interosseous membrane between radius and ulna is: *(2019)*
a- Pronator teres.
b- Flexor carpi radialis.
c- Flexor pollicis longus.
d- Flexor carpi ulnaris.

26- A patient complaining that she cannot flex her distal interphalangeal joint of her right medial 4 fingers. Which of the following muscles appear to be paralyzed: *(2019)*
a- Palmar interossei.
b- Dorsal interossei.
c- Flexor digitorum profundus.
d- Flexor digitorum superficialis.

27- Pronator quadratus, choose the correct answer: *(DEP BOOK)*
a- Arises from anterior surface of the distal fourth of the radius.
b- Inserted into anterior surface of the distal fourth of the ulna.
c- Pronates the forearm at radioulnar joints.
d- Is innervated by posterior interosseous nerve.

28- Flexor pollicis longus: *(2025)*
a- is a muscle of the superficial group of front of the forearm
b- Arises from the common flexor origin
c- Supplied by the interosseous branch of median nerve
d- Inserts into the radial border of the proximal phalanx



CUBITAL FOSSA

1- One of the contents of the cubital fossa is: *(2017)*
a- Tendon of biceps muscle.
b- The bicipital aponeurosis.
c- Tendon of brachialis muscle.
d- Supinator muscle.

2- The contents of cubital fossa include *(2024)*
a- Brachial artery.
b- Musculocutaneous nerve.
c- Ulnar nerve.
d- Tendon of brachialis.

3- Which of the following regarding cubital fossa is INCORRET? *(IPKA)*
a- Median nerve lies medial to the bicipital tendon.
b- Lateral cutaneous nerve of forearm lies on the tendon of biceps.
c- Radial nerve gives rise to posterior interosseous branch.
d- Pronator teres & brachioradialis form the medial & lateral borders.
e- Brachialis & supinator form the floor.

4- Which of the following DOES NOT relate to the cubital fossa? *(IPKA)*
a- Brachialis.
b- Supinator.
c- Line connections the two humeral epicondyles.
d- Bicipital aponeurosis.
e- Ulnar nerve.

5- In the cubital fossa; select correct answer: *(IPKA)*
a- The median nerve lies lateral to the brachial artery.
b- The ulnar artery lies superficial to pronator teres.
c- The radial artery originates from the brachial artery.
d- The radial nerve lies medial to the biceps tendon.
e- The nerve to pronator teres is derived from the radial nerve

6- Regarding the cubital fossa *(DEP BOOK)*
a- It is bounded laterally by the brachialis.
b- It is bounded medially by the pronator teres.
c- The basilic vein runs through its roof.
d- Median nerve lies in the fossa on the lateral side of brachial artery.
e- b and c.

7- Regarding the structures passing in the roof of the cubital fossa, mark one correct statement: *(DEP)*
a- Flexer digitorum superficialis.
b- Pronator teres.
c- Pronator quadratus.
d- Brachioradialis.

8- The following structure is a content of the cubital fossa: *(DEP BOOK - 2025)*
a- Brachioradialis.
b- Median nerve.
c- Musculocutaneous.
d- Ulnar nerve.
e-Brachialis tendon

9- Concerning the boundaries of the cubital fossa: *(DEP BOOK)*
a- The floor is formed by the brachialis and supinator muscles.
b- The roof is formed by skin, fascia and bicipital aponeurosis.
c- Lateral boundary Is fanned by lateral margin of brachioradialis muscle.
d- Medial boundary Is formed by medial margin of pronator teres muscle.
e- a and b.

10- Concerning the contents of cubital fossa, one is wrong: *(DEP BOOK)*
a- Median nerve.
b- Termination of the radial artery.
c- Ulnar artery.
d- Radial nerve

11- One of the following is not a content of the cubital fossa *(DEP BOOK)*
a- Brachial artery.
b- Radial artery.
c- Ulnar nerve.
d- Median nerve.

12- A 21-year-old man is stabbed in the cubital fossa. At operation the surgeon dissects down onto the brachial artery. A nerve is identified medially, which nerve is it likely to be? *(2021)*
a- Radial.
b- Anterior interosseous.
c- Ulnar.
d- Median.

13- In the cubital fossa, select the true statement: *(2021)*
a- The floor is formed only by the supinator.
b- The medial boundary is formed by pronator teres.
c- The ulnar nerve lies lateral to the brachial artery.
d- The radial nerve lies medial to the biceps tendon.

14- In the cubital fossa, select the true answer:
a- Median nerve lies lateral to the biceps tendon.
b- Radial nerve and interosseous branch lie deep to the brachialis muscle.
c- Radial artery passes between the two heads of the pronator teres.
d- Radial nerve leaves the fossa between the heads of the supinator muscle.

15- One of the following structures passes in the roof of the cubital fossa: *(2019)*
a- Cephalic vein.
b- Radial nerve.
c- Posterior cutaneous nerve of the forearm.
d- Median nerve.

16- The best site for giving an intravenous injection is: *(2025)*
a- Cephalic vein at the origin
b- Cephalic vein at delto-pectoral groove
c- Basilic vein
d- Media cubital vein



1- The median nerve innervates the following muscle: *(2019)*
a- Extensor carpi ulnaris.
b- Abductor pollicis brevis
c- Medial two lumbricals.
d- Adductor pollicis

2- The median nerve innervates the following muscle: *(2019)*
a- Extensor carpi ulnaris.
b- Hypothenar muscles.
c- Lateral two lumbricals.
d- Adductor pollicis.

3- The extensor expansion of which of the following fingers receives the tendon of the fourth posterior interosseous muscle: *(2018)*
a- Index.
b- Middle.
c- Ring.
d- Little.

3- The ulnar nerve innervates the following muscle: *(2017 - 2016)*
a- Extensor carpi radialis.
b- Adductor pollicis.
c- Extensor carpi ulnaris.
d- Lateral two lumbricals.
e- Pronator teres.
f- Flexor pollicis longus.

5- Dorsal interossei are supplied by: *(2017)*
a- Superficial branch of the ulnar nerve.
b- Deep branch of the ulnar nerve.
c- lateral terminal division of the median nerve.
d- Medial terminal division of the median nerve

6- The muscles supplied by deep branch of ulnar nerve in hand include: *(2024)*
a- Abductor pollicis brevis.
b- Flexor pollicis brevis.
c- lateral two lumbricals.
d- All interossei.

7- Opposition of the thumb is dependent upon the functional integrity of this nerve: *(2024)*
a- Axillary nerve.
b- Median nerve.
c- Radial nerve.
d- Ulnar nerve

8- The mid-palmar space (central compartment) of the palm contains the: *(2024)*
a- Terminal branches of musculocutaneous nerve.
b- Ulnar synovial bursa.
c- Lumbrical muscles.
d- Tendon of flexor carpi ulnaris muscle

9- What is the innervation of the lumbrical muscles? *(2024- 25)*
a- All ulnar n.
b- All radial n.
c- All median n.
d- Half median & half ulnar nerves.

10- The thenar eminence consists of, choose the correct answer: *(DEP BOOK)*
a- Abductor pollicis brevis and adductor pollicis.
b- Flexor pollicis longus.
c- Abductor pollicis brevis, oppose pollicis, flexor pollicis brevis.
d- Flexor pollicis longus, abductor pollicis longus.

11- Regarding the thenar space of the hand, choose the correct answer: *(DEP BOOK)*
a- It is bounded laterally by the medial septum of the palmar aponeurosis.
b- It is bounded posteriorly by the fascia covering the adductor pollicis.
c- It contains the tendon of the digitorum profundus.
d- It contains three medial lumbricals.

12- Regarding the mid palmar space of the hand, choose the correct answer: *(DEP BOOK)*
a- It contains the two lateral lumbricals.
b- It is bounded medially by the intermediate septum of the palmar aponeurosis.
c- It contains the superficial palmar arch.
d- It contains the superficial branch of the ulnar nerve.

13- The palmar aponeurosis; choose the correct answer: *(DEP BOOK)*
a- Gives origin to palmaris longus muscle.
b- Gives origin to the lumbrical muscles.
c- Gives insertion to the adductor pollicis muscle.
d- Gives origin to the opponens pollicis muscle.

14- Synovial sheath of digital flexors encloses, mark correct statement: *(DEP BOOK)*
a- Flexor digitorum brevis.
b- Flexor digitorum profundus.
c- Flexor pollicis brevis.
d- Flexor carpi radialis.

15- The palmar thenar space contains, mark the correct answer: *(DEP BOOK)*
a- Flexor pollicis longus tendon.
b- Flexor tendons of the middle 3 fingers.
c- The 2nd lumbrical muscle.
d- Deep palmar arch.

16- Flexor pollicis brevis; choose the correct answer: *(DEP BOOK)*
a- Arises from flexor retinaculum and tubercle of trapezium.
b- Lies on the lateral to abductor pollicis brevis.
c- Is inserted on the medial side of proximal phalanx (thumb).
d- Is innervated by twig from the superficial branch of ulnar nerve.

17- The opponens pollicis; choose the correct answer: *(DEP BOOK)*
a- Arises from flexor retinaculum and capitate bone.
b- Lies superficial to abductor pollicis brevis.
c- Is innervated by of twig from ulnar nerve.
d- Is inserted into the lateral aspect of the first metacarpal bone.

18- Palmaris brevis; one is correct: *(DEP BOOK)*
a- Arises from trapezium and capitate bone.
b- Is the only muscle Innervated by superficial branch of ulnar nerve.
c- Covers the ulnar artery and the superficial branch of median nerve.
d- Covers the palmar cutaneous branch of median nerve.

19- The lumbrical muscles, choose the correct answer: *(DEP BOOK)*
a- Arise from the tendons of flexor digitorum superficialis.
b- Are Inserted Into the radial side of extensor expansion.
c- Are innervated by ulnar and radial nerves.
d- In association with the interossei, extend the digits at the metacarpophalangeal joints.

20- The mid-palmar space, choose the correct answer: *(DEP BOOK)*
a- It contains tendon of flexor polices longus.
b- It Is bounded anteriorly by flexor retinaculum.
c- It contains deep palmar arch.
d- It contains tendons of the long flexors of medial 3 fingers.

21- The space of Parona, choose the correct answer *(DEP BOOK)*
a- Bounded posteriorly by the pronator quadratus muscle,
b- Continuous distally with the thenar space.
c- Continuous distally with the pulp space.
d- Transmits sepsis to hand.

22- The pulp space, choose the correct answer *(DEP BOOK)*
a- Is present on the palmar aspect of the middle phalanx.
b- Divided wide spaces by fibrous septae.
c- Contains the end of the fibrous flexor sheath.
d- Transmits blood vessels for the shaft and head of the phalanx

23- Regarding the thumb, choose the correct answer: *(DEP BOOK)*
a- It is supplied by ulnar artery.
b- It is extended by one muscle.
c- It is adducted by two muscles.
d- It is abducted by two muscles

24- The Interosseous muscles of the hand are supplied by: *(DEP BOOK)*
a- Deep branch of ulnar nerve.
b- Superficial branch of ulnar nerve.
c- Median nerve.
d- Posterior Interosseous nerve.

25- Loss of finger's adduction results from lesion of which of the following nerves? *(DEP BOOK)*
a- Ulnar nerve.
b- Median nerve.
c- Radial nerve.
d- Musculocutaneous nerve

26- Muscles of hypothenar eminence are innervated by; ***(DEP BOOK)***
a- Median nerve.
b- Ulnar nerve.
c- Median & radial nerves.
d- Median & ulnar nerves.

27- Median nerve supplies all of the following muscles acting on thumb except: ***(DEP BOOK)***
a- Opponens pollicis.
b- Flexor pollicis brevis.
c- Abductor pollicis longus.
d- Abductor pollicis brevis

28- The palmar thenar space contains, mark the wrong answer: ***(2022)***
a- Flexer pollicis longus tendon.
b- Flexor tendons of the index.
c- The 1st lumbrical muscle
d- Flexer carpi radialis tendon.

29- One of the following regarding the movements of thumb, is false: ***(2022)***
a- It flexed by two muscles.
b- It is extended by two muscles.
c- It is adducted by two muscles.
d- It is abducted by two muscles

30- Regarding the hand, select the true statement: ***(2021)***
a- Deep branch of ulnar nerve lies within the concavity of deep palmar arch.
b- Deep palmar arch is level with the distal border of outstretched thumb web.
c- Superficial branch of the ulnar nerve supplies the hypothenar muscles.
d- Flexor digitorum superficialis tendon inserts into the base of distal phalanx

31- Which is correct about lumbrical muscles? ***(2021)***
a- Lumbricals are each attached to a tendon of flexor digitorum superficial is
b- They are all supplied by the median nerve.
c- They produce flexion at the metacarpophalangeal joints of the finger.
d- They produce flexion at the interphalangeal joint

32- Regarding synovial sheaths of flexor tendons at the wrist, one is correct: ***(DEP BOOK)***
a- The radial bursa is the synovial sheath surrounding flexor carpi radialis tendon.
b- The. radial bursa extends for about 2 finger breadth above the flexor retinaculum.
c- The ulnar bursa is the synovial sheath, which surrounds tendons of flexor digitorum profundus, and superficialis.
d- Tenosynovitis of the ring finger may extend to the radial bursa.

33-The following fact is true of palmar aponeurosis: *(2025)*
a -The base of the aponeurosis divides into five slips
b- Its apex is attaches to the flexor retinaculum as the continuation of palmaris longus
c- It is loosely attached to the skin of the palm
d- The deep palmar arterial arch lies immediately under the aponeurosis



1- The median nerve innervates the following muscle: *(2019)*
a- Extensor carpi ulnaris.
b- Abductor pollicis brevis.
c- Medial two lumbricals
d- Adductor pollicis.

2- The following structures pass superficial to the flexor retinaculum except: *(2019)*
a- Ulnar nerve.
b- Tendon of palmaris longus.
c- Median nerve.
d- Palmar cutaneous branch of median nerve.

3- The median nerve innervates the following muscle: *(2019)*
a- Extensor carpi ulnaris.
b- Hypothenar muscles.
c- Lateral two lumbricals.
d- Adductor pollicis.

4- Loss of finger's abduction and adduction results from lesion of which one of the following nerves? *(2019– 2nd)*
a- Ulnar nerve.
b- Median nerve.
c- Radial nerve.
d- Axillary nerve

5- The following structure passes deep to the flexor retinaculum: *(2019)*
a- Ulnar nerve.
b-Ulnar vessels.
c- Median nerve.
d- Palmar cutaneous branch of median nerve.

6- A man is unable to hold a paper between his index and middle fingers. Which of the following nerves was likely injured? *(2019 – 2nd - 2021 - IPKA)*
a- Radial nerve.
b- Median nerve.
c- Ulnar nerve.
d- Musculocutaneous nerve.

7- Nerve responsible for fine movements of the hand is: *(2018)*
a- Median Nerve.
b- Radial nerve.
c- Ulnar nerve.
d- Posterior interosseous nerve.

8- The deep branch of the ulnar does NOT innervate which of the following? *((IPKA))*
a- Abductor digiti minimi.
b- Flexor digiti minimi brevis.
c- Lumbricals 1 and 2.
d- Dorsal interossei 3 and 4.

9- One of the following structures lies deep to the bicipital aponeurosis: *(2018)*
a- Ulnar nerve.
b- Radial nerve.
c- Median cubital vein.
d- Median nerve

10- A 32-year-old man was admitted to the hospital with a wound of the palm of his hand. He could not touch the pads of his lingers with his thumb but could grip a sheet of paper between all lingers and had no loss of sensation of the skin of his hand. Which of the following nerves is most likely injured? *(2019)*
a- Deep branch of ulnar.
b- Median.
c- Recurrent branch of median.
d- Deep branch of radial.

11- A 25-year-old construction worker was admitted to the hospital after he su□ered a penetrating injury to his upper limb from a nail gun. Upon physical examination the patient was unable to flex the distal interphalangeal joints of the fourth and fifth fingers. What was the most likely cause of his injury? *(2018)*
a- Trauma to the ulnar nerve near the trochlea.
b- Trauma to the ulnar nerve at the wrist.
c- Median nerve damage proximal to the pronator teres.
d- Median nerve damage at the wrist

12- The ulnar nerve innervates the following muscle: *(2017- 16)*
a- Extensor carpi radialis.
b- Adductor pollicis.
c- Extensor carpi ulnaris.
d- Lateral two lumbricals.
e- Pronator teres.
f- Flexor pollicis longus.

13- 23-year-old woman was admitted to the hospital after falling from a tree. Radiographic examination revealed fracture pisiform and hamate bones. Which of the following nerves was most likely injured? *(2017 - 2018)*
a- Anterior interosseous.
b- Recurrent median.
c- Radial.
d- Deep branch of ulnar.

14- Regarding the median nerve, choose the correct answer: *(2017)*
a- It arises from the posterior cord of the brachia\ plexus.
b- It does not give branches in the arm.
c- In the cubital fossa, it lies lateral to the brachial artery.
d- Injury of the nerve causes claw hand.

15- Dorsal interossei are supplied by: *(2017)*
a- Superficial branch of the ulnar nerve.
b- Deep branch of the ulnar nerve.
c- lateral terminal division of the median nerve.
d- Medial terminal division of the median nerve

16- The back of the medial epicondyle is related to the: *(2016)*
a- Radial nerve
b- Ulnar nerve.
c- Median nerve.
d- Axillary nerve.

17- A 22-year-old male is brought to the emergency department after an injury while playing rugby. Imaging revealed a transverse fracture of the humerus about 2cm proximal to the epicondyles. Which nerve was likely to be injured by jagged edges of the broken bone in this location? *(2016)*
a- Axillary.
b- Median.
c- Musculocutaneous.
d- Radial.

18- During an industrial accident, a sheet metal worker lacerates the anterior surface of his wrist at the junction of bis wrist and hand. Examination reveals no loss of hand function, but the skin on the lateral side of his palm is numb. Which nerve (s) must be severed? *(2016)*
a- Lateral cutaneous nerve of the forearm.
b- Palmar cutaneous branch of median nerve.
c- Palmar digital branches of median nerve.
d- Radial nerve.

19- The muscles supplied by deep branch of ulnar nerve in hand include: *(2024 - 2025)*
a- Abductor pollicis brevis.
b- Flexor pollicis brevis.
c- Lateral two lumbricals.
d- All interossei

20- If the median nerve was injured above the elbow, which of the following muscles would retain function? *((2024))*
a- Pronators.
b- Opponens pollicis.
c- Palmaris longus.
d- Flexor carpi ulnaris

21- Opposition of the thumb is dependent upon the functional integrity of this nerve: *(2024 - 2025)*
a- Axillary nerve.
b- Median nerve.
c- Radial nerve.
d- Ulnar nerve.

22- Regarding ulnar nerve injury: *(2024)*
a- Often occurs where the nerve passes posterior to medial epicondyle of the humerus.
b- The patient experiences numbness and tingling sensation on lateral part of the palm.
c- The patient exhibit "'waiter's tip" hand.
d- Power of abduction is impaired.

23- A woman injured her wrist in trying to commit suicide. On examination, all the metacarpophalangeal joints of her fingers were extended and the interphalangeal joints were flexed. The most probable Injury was to the: *(2024)*
a- Palmar branches of median and ulnar nerves.
b- Ulnar nerve.
c- Median nerve.
d- Both median and ulnar nerves

24- The median nerve: *(2024 - 2025)*
a- Supplies flexor carpi ulnaris and half of flexor digitorum profundus.
b- Gives rise to most of it branches in the upper arm.
c- May be compressed between the two heads of pronator teres.
d-Enters cubital fossa lateral to the brachial artery.

25- The muscles supplied by anterior interosseous nerve in forearm include: *(2024)*
a- Flexor pollicis longus.
b- Pronator teres.
c- Palmaris longus.
d- Medial half of flexor digitorum profundus

26- A 45-year-old man arrived at the emergency department with injuries to his left elbow after he fell in a bicycle race. Plain radiographic and magnetic resonance imaging (MRI) examination show a fracture of the medial epicondyle and an injured ulnar nerve. Which of the following muscles will most likely be paralyzed? *(2024)*

a- Flexor digitorum superficialis.
b- Biceps brachii.
c- Brachioradialis.
d- Flexor carpi ulnaris.

27- When the deep branch of the ulnar nerve has been destroyed by compression, the patient presents with: *(2024)*

a- Paralysis of abductor pollicis brevis.
b- An ape-like deformity of the hand.
c- Paralysis of adductor pollicis.
d- Loss of sensation over palmar surface of little finger

28- Loss of sensation from the tip of the index finger is indicative of injury to which nerve? *(2024)*

a- Radial.
b- Median.
c- Ulnar.
d- Musculocutaneous.

29- What is the innervation of the lumbrical muscles? *(2024)*

a- All ulnar n.
b- All radial n.
c- All median n.
d- Half median & half ulnar nerves.

30- The ulnar nerve: *(2024)*

a- It is a terminal branch of the lateral cord of the brachial plexus.
b- It lies behind the medial epicondyle of the humerus.
c- It descends with the long head of the triceps.
d- It innervates the triceps

31- As it emerges from the axilla, the median nerve lies where with regards to the brachial artery? *(2024)*

a- Lateral.
b- Anterior.
c- Medial.
d- Posterior.

32- A man was injured at the wrist and several weeks after the injury there is loss of thumb adduction. Which nerve is most likely to have been injured? *(IPKA - 2021)*
a- Superficial branch of ulnar nerve.
b- Deep branch of ulnar nerve.
c- Median nerve.
d- Radial nerve

33- The nerve that give sensory supply to medial 1/3 of the dorsum of the hand is: *((IPKA - 2021))*
a- Median nerve.
b- Ulnar nerve.
c- Radial nerve.
d- Musculocutaneous nerve.

34- Medial intermuscular septum is pierced by: *(IPKA)*
a- Ulnar nerve.
b- Radial nerve.
c- Median nerve.
d- Profunda brachii artery.
e- All of the above.

35- Pronator quadrates muscle Is supplied by: *(IPKA)*
a- Ulnar nerve.
b- Posterior interosseous nerve.
c- Radial nerve.
d- Anterior interosseous nerve.

36- Name the nerve which innervates the flexor pollicis longus: *(IPKA)*
a- Anterior interosseous.
b- Median.
c- Ulnar.
d- Radial.

37- The palmaris longus tendon is a useful guide to which nerve at the wrist? *(IPKA)*
a- Anterior interosseous nerve.
b- Posterior interosseous nerve.
c- Median nerve.
d- Ulnar nerve.
e- Radial nerve.

38- The ulnar nerve Innervates which of the following muscles in the flexor compartment? *(IPKA)*
a- The medial part of the flexor digitorum superficialis.
b- Flexor carpi radialis.
c- Pronator quadratus.
d- Pronator teres.
e- The medial part of flexor digitorum profundus.

39- Relations of the median nerve at the wrist: *(IPKA)*
a- Lies in the carpal tunnel.
b- 2 inches above the wrist, it becomes subcutaneous.
c- Lies between the tendons of the palmaris long us and flexor carpi radialis.
d- All of the above.

40- The medial intermuscular septum; mark the correct answer: *(DEP BOOK)*
a- Pierced by the ulnar nerve.
b- Pierced by the profunda brachli arteries.
c- Gives attachment to the anconeus muscle.
d- Gives attachment to the lateral head of triceps muscle.

41- Pronator muscles of forearm are supplied by: *(DEP BOOK - 2019)*
a- Musculocutaneous nerve.
b- Radial nerve.
c- Ulnar nerve.
d- Median nerve.

42- The median nerve innervates the following muscles: *(DEP BOOK)*
a- Extensor carpi radialis longus.
b- Dorsal and palmer interossei.
c- Hypothenar muscles.
d- Lateral two lumbricals

43- The median nerve supplies, one of the following muscles: *(DEP BOOK)*
a- Flexor carpi ulnaris muscle.
b- Dorsal interossei.
c- Opponens pollicis.
d- Adductor pollicis muscle.

44- Regarding the median nerve injury, choose the correct answer: *(DEP BOOK)*
a- It may be Injured by fractures of the shaft of the humerus.
b- The resulting deformity of the hand is called claw hand.
c- There is loss of opposition of the thumb.
d- There is loss of sensation over the lateral 2/3 of dorsum of hand.

45- Regarding the e□ects of median nerve injury, choose the correct answer: *(DEP BOOK)*
a- The patient can adduct and abduct the fingers.
b- There is an ape's-like deformity of the hand.
c- There is loss of adduction of the thumb.
d- There is loss of sensations on palmar aspect of medial 1 ½ fingers

46- Regarding the effect of median nerve Injury above the elbow, choose the correct answer: ***(DEP BOOK)***

a- Loss of opposition of the little finger.
b- Loss of supination of the forearm.
c- Loss of sensations over the lateral 2/3 of the palm.
d- Weak flexion of the wrist with radial deviation

47- Median nerve entrapment frequently occurs in one of the following points, choose the correct answer: ***(DEP BOOK)***

a- Between the two heads of flexor carpi ulnaris.
b- Deep fascia between flexor digitorum superficialis & flexor pollicis longus.
c- Flexor retinaculum.
d- Palmar aponeurosis

48- Ape's-like hand deformity results from following injury of which one of the following nerves? ***(IPKA)***

a- Axillary nerve.
b- Median nerve.
c- Ulnar nerve.
d- Radial nerve.

49- A patient su□ering from carpal tunnel syndrome would present with one of the following symptoms: ***(DEP BOOK)***

a- Paresthesia over the index finger.
b- Paresthesia over the little finger.
c- Weakness in adduction of the thumb.
d- Weakness in opposition of the little finger.

50- Motor loss resulting from carpal tunnel syndrome induces; mark the most acceptable answer ***(DEP BOOK)***

a- Loss of thumb adduction and abduction.
b- Loss of writing position of the medial four fingers.
c- Loss of opposition of the thumb.
d- Loss of abduction and adduction of the medial 4 fingers.

51- Regarding the ulnar nerve: ***(DEP BOOK)***

a- It is a branch of lateral cord of brachial plexus.
b- It gives no branches in forearm.
c- It passes behind medial epicondyle of humerus.
d- It supplies extensor carpi ulnaris.

52- One of the following structures passes behind the medial epicondyle: *(DEP BOOK)*
a- Median nerve.
b- Interosseous recurrent artery.
c- Musculocutaneous nerve.
d- Ulnar nerve.

53- Regarding the course of the ulnar nerve; mark the correct answer: *(DEP BOOK)*
a- Passes behind the lateral epicondyle of the humerus.
b- Passes between humeral and ulnar attachment of flexor carpi ulnaris.
c- Passes between flexor digitorum profundus and Palmaris longus.
d- Passes between flexor digitorum superficialis & flexor digitorum profundus.

54- Which of the following muscles may be paralyzed as a result of fracture of the medial epicondyle of the humerus? *(DEP BOOK)*
a- First lumbrical.
b- Extensor digiti minimi.
c- Adductor pollicis.
d- Flexor carpi radialis.

55- Deep branch of the ulnar nerve ends by supplying: *(DEP BOOK)*
a- Abductor digiti minimi.
b- Flexor digiti minimi.
c- Opponens digiti minimi.
d- Adductor pollicis.

56- Partial claw hand deformity results from injury of which one of the following nerves? *(DEP BOOK -2022)*
a- Axillary nerve.
b- Median nerve.
c- Ulnar nerve.
d- Radial nerve.

57- Loss of finger's abduction and adduction results from lesion of which one of the following nerves ? *(DEP BOOK)*
a- Ulnar nerve.
b- Median nerve.
c- Radial nerve.
d- Axillary nerve.

58- Regarding the ulnar nerve injury, choose the correct answer: *(DEP BOOK)*
a- The patient can grip a piece of paper placed between the thumb and index.
b- There is loss of sensation over the lateral 1/3 of the hand.
c- There is loss of sensation over the lateral 3½ fingers.
d- If injured above the elbow, the clawing of the hand becomes less apparent than when it is injured above the wrist.

59- Medial epicondyle of the humerus, choose the correct answer: *(DEP BOOK)*
a- Smaller than the lateral epicondyle.
b- The musculocutaneous crosses in front of It.
c- The ulnar nerve passes behind it.
d- Gives attachment to the common extensor origin.

60- The Interosseous muscles of the hand are supplied by: *(DEP BOOK)*
a- Deep branch of ulnar nerve.
b- Superficial branch of ulnar nerve.
c- Median nerve.
d- Posterior Interosseous nerve.

61- Loss of finger's adduction results from lesion of which of the following nerves ? *(DEP BOOK)*
a- Ulnar nerve.
b- Median nerve.
c- Radial nerve.
d- Musculocutaneous nerve.

62- Loss of hand pronation suggests lesion of: *(DEP BOOK)*
a- Median nerve.
b- Radial nerve.
c- Ulnar nerve.
d- Musculocutaneous nerve.

62- Loss of hand pronation suggests lesion of: *(DEP BOOK)*
a- Median nerve.
b- Radial nerve.
c- Ulnar nerve.
d- Musculocutaneous nerve.

63- Loss of thumb opposition is associated with lesion of which nerve: *(DEP BOOK- 2021)*
a- Radial.
b- Ulnar.
c- Musculocutaneous.
d- Median.

64- Knife wound near medial border of cubital fossa that completely transects pronator teres muscle origin will probably also; *(DEP BOOK)*
a- Injure median nerve.
b- Injure musculocutaneous nerve.
c- Impair patient's ability to supinate hand.
d- Tear radial nerve.

65- Regarding median nerve, all are correct except: *(DEP BOOK)*
a- Arises from both medial & lateral cords of brachial plexus.
b- Enters hand in carpal tunnel.
c- In cubital fossa it lies lateral to brachial artery.
d- Injury of the nerve causes ape like hand.

66- Regarding ulnar nerve, all are correct except: *(DEP BOOK)*
a- It is the largest branch of posterior cord of brachial plexus.
b- Carries fibers from C7, C8 & T1.
c- Has no branches in arm.
d- It enters hand superficial to flexor retinaculum.

67- Which of the following muscles is innervated by ulnar nerve *(DEP BOOK)*
a- Flexor pollicis longus.
b- Abductor pollicis brevis.
c- Adductor pollicis.
d- Opponens pollicis.

68- Anterior interosseous nerve supplies the following muscle: *(DEP BOOK- 2021)*
a- Extensor carpi radialis longus.
b- Extensor carpi radialis brevis.
c- Brachioradialis.
d- Pronator quadratus.

69- Muscles of hypothenar eminence are innervated by; *(DEP BOOK)*
a- Median nerve.
b- Ulnar nerve.
c- Median & radial nerves.
d- Median & ulnar nerves.

70- Median nerve supplies all of the following muscles acting on thumb except: *(DEP BOOK)*
a- Opponens pollicis.
b- Flexor pollicis brevis.
c- Abductor pollicis longus.
d- Abductor pollicis brevis.

71- One of the following muscles is not innervated by median nerve or its branches: *(2022)*
a- Pronator teres.
b- Flexor pollicis longus.
c- Opponens pollicis.
d- Adductor pollicis.

72- As a result of injury of the ulnar nerve at the wrist: *(2022)*
a- Marked wasting (atrophy) of thenar eminence.
b- Thumb cannot be adducted.
c- Thumb cannot be abducted.
d- Loss of sensation over the thumb.

73- Regarding the ulnar nerve, select the false answer: *(2022 - 2021)*
a- Has no branches in the arm.
b- Carries fibers from C6, C7 and C8.
c- It enters the hand superficial to the flexor retinaculum.
d- Injury of the nerve causes partial claw hand.

74- Concerning the median nerve, one of the following is not correct: *(2022)*
a- Arises from both the medial and lateral cords of the brachial plexus.
b- It crosses the brachial artery at the insertion of the coracobrachialis.
c- In the cubital fossa, it lies lateral to the brachial artery.
d- It enters the hand in the carpal tunnel.

75- The following muscle is NOT supplied by the deep branch of the ulnar nerve: *(2022)*
a- Abductor digiti minimi.
b- Flexor digiti minimi.
c- Flexer carpi ulnaris.
d- Adductor pollicis.

76- Ulnar nerve enter the forearm between the two heads of the following muscle: *(2022)*
a- Flexor carpi ulnaris.
b- Flexor carpi radialis.
c- Pronator teres.
d- Flexor digitorum superficialis.

77- Regarding the relations of the median nerve at the wrist, select the correct statement: *((2021))*
a- Lies superficial to the flexor retinaculum.
b- Ten inches above the wrist, it becomes subcutaneous.
c- It split the lateral part of the retinaculum to enter the hand.
d- It passes in the carpal tunnel.

78- Ulnar nerve enters the hand between the two heads of the following muscles: *(2021)*
a- Flexor carpi ulnaris.
b- Flexor carpi radialis.
c- Pronator teres.
d- Flexor digitorum superficialis

79- Which of the following nerves supply NO branches to the arm? *(2021)*
a- Musculocutaneous and median.
b- Radial and ulnar.
c- Median and ulnar.
d- Median and radial.

80- The deep branch of the ulnar does NOT innervate which of the following? *(2021)*
a- Abductor digiti minimi.
b- Flexer digiti minimi brevis.
c- Lumbricals 1 and 2.
d- Dorsal interossei 3 and 4.

81- One of the following nerves is not directly related to bone: *(2021)*
a- Radial.
b- Median.
c- Ulnar.
d- Axillary.

82- Which of the following muscles is innervated by the ulnar nerve? *(2021)*
a- Flexor pollicis longus.
b- Abductor pollicis brevis.
c- Adductor pollicis.
d- Opponens pollicis.

83- Regarding the median nerve, one of the following statements is incorrect: *(2021)*
a- In the cubital fossa, it lies lateral to the brachial artery.
b- Arises from both the medial and lateral cords of the brachial plexus.
c- It enters the hand in the carpal tunnel.
d- Injury of the nerve causes ape-like hand.

84- Complete claw hand deformity is due to injury of: *(2019)*
a- Median and ulnar nerves.
b- Radial and ulnar nerve.
c- Ulnar nerve.
d- Median nerve.


85- Fracture of the medial epicondyle might injure the following nerve: *(2019)*
a- Median nerve.
b- Radial nerve.
c- Ulnar nerve.
d- Posterior interosseous nerve.

86- All the following structures lie anterior to the elbow joint except: *(2019)*
a- Radial nerve.
b- Median nerve.
c- Ulnar nerve.
d- Brachial artery

87- Numbness to the skin on the medial part of the palm of the hand may be caused by a lesion to: *(2022)*
a- Ulnar nerve.
b- Radial nerve.
c- Median nerve.
d- Superficial radial nerve.

88- Loss of sensation from the tip of index finger is indicative of injury to which nerve *(2025)*
a- Radial
b- Median
c- Ulnar
d- Musculocutaneous

89- Injury to the ulnar nerve can result in which characteristic hand deformity? *(2025)*
a- Ape hand
b- Claw hand
c- Wrist drop
d- Benediction hand



RADIAL & ULNAR ARTERIES

1- Regarding radial and ulnar arteries, the following statements are true, except: *(2019 - IPKA)*
a- They arise from brachial artery at the level of the neck of the radius.
b- Both arteries give anterior and posterior carpal branches.
c- Ulnar artery forms the superficial palmar arch.
d- Ulnar artery runs deeply in anatomical snu□box.

2- A 14-year-old boy fell on his outstretched hand and has a fracture of the scaphoid bone. The fracture is most likely accompanied by a rupture of which of the following arteries? *((2019 – IPKA – DEP BOOK – 2022 - 2021))*
a- Brachial artery.
b- Ulnar artery.
c- Deep palmar arterial arch.
d- Radial artery.
e- Princeps pollicis artery.

3- A 22 year old football player suffered a wrist injury after falling on his outstretched hand. When the anatomical snuffbox was exposed in surgery, an artery was visualized crossing a fractured bone. Which of the following arteries was most likely visualized? *(2018 – 2017 – DEP BOOK)*
a- Ulnar.
b- Radial.
c- Anterior interosseous.
d- Posterior interosseous.
e- Anterior carpal arch.

4- One of the following is a branch of the ulnar artery: *(2017)*
a- Radial recurrent artery.
b- Common interosseous artery.
c- Inferior ulnar collateral artery.
d- Radialis indicis artery.

5- All the following are branches of radial artery in the hand except: *(IPKA -2021)*
a- Princips pollicis artery.
b- Palmar digital branch to medial side of little finger.
c- Radialis indicis artery.
d- 1st dorsal metacarpal artery.

6- The radial artery lies Just lateral to the tendon of which muscle? *(IPKA)*
a- Pronator tares.
b- Flexor carpi radialis.
c- Palmaris longus.
d- Flexor carpi ulnaris.
e- Flexor digitorum superficialis.

7- Which of the following is derived from the radial artery? *(IPKA)*
a- Dorsal and palmar carpal arteries.
b- Common interosseous artery.
c- Anterior interosseous artery.
d- Posterior interosseous artery.
e- Ulnar recurrent artery.

8- All the following are among the structures deep to the radial artery in forearm except; *(IPKA-2021)*
a- Pronator teres.
b- Lower end of ulna.
c- Biceps.
d- Pronator quadratus.

9- The radial artery in the anatomical snu box passes on, choose the correct bone(s): *(DEP BOOK)*
a- Scaphoid.
b- Pisiform.
c- Trapezoid.
d- Capitate.

10- Regarding the ulnar artery, choose the correct answer *(DEP BOOK)*
a- It begins opposite the head of radius.
b- It ends by forming the deep palmar arch.
c- Its pulsation can be felt lateral to the flexor carpi ulnaris.
d- It gives the common interosseous artery.

11- Regarding radial and ulnar arteries, choose the correct answer: *(DEP BOOK)*
a- They arise from brachial artery at the level of the head of the radius.
b- Both arteries give anterior and posterior carpal branches.
c- Radial artery forms the superficial palmar arch.
d- Ulnar artery runs deeply in anatomical snu box.

12- Regarding the radial artery, one is correct: *(DEP BOOK)*
a- Its pulsations can be felt between tendons of flexor carpi radialis & brachioradialis.
b- It continues in the palm as the superficial palmar arch.
c- It begins at the level of the head of the radius.
d- In the forearm, the superficial radial nerve lies medial to the artery.

13- The following artery is a branch of radial artery: ***(DEP BOOK)***
a- Anterior ulnar recurrent artery.
b- Posterior ulnar recurrent artery.
c- Radialis indicis artery.
d- Common interosseous artery.

14- Regarding the ulnar artery, one is correct: ***(DEP BOOK)***
a- It descends vertically on medial side of forearm lateral to the ulnar nerve.
b- It enters the hand by passing deep to the flexor retinaculum.
c- It continues in the hand as the superficial palmar arch.
d- It supplies the thumb

15- The following artery is a branch ulnar artery: ***(DEP BOOK)***
a- Radialis indicis.
b- Princeps pollicis.
c- Superficial palmar branch.
d- Anterior carpal artery.

16-Radial artery in anatomical snu box passes on, choose correct bone(s): ***(DEP BOOK)***
a- Scaphoid.
b- Pisiform.
c- Trapezoid.
d- Capitate.

17- The radial artery gives the following branch in the hand: ***((DEP BOOK))***
a- Principes pollicis.
b- Superficial palmar artery.
c- Second dorsal metacarpal artery.
d- Posterior carpal artery.

18-Branches of ulnar artery in the forearm, choose the correct answer: ***(DEP BOOK)***
a- Anterior ulnar recurrent.
b- Ulnar collateral artery.
c- Superficial palmar branch.
d- Nutrient branch to humerus.

19- Regarding ulnar artery at wrist & hand, mark the correct answer: ***(DEP BOOK)***
a- Gives a deep palmar branch.
b- Gives radialis indices artery.
c- Continues as anterior carpal arch.
d- Continues as deep palmar arch.

20- The following artery shares in the anastomosis in front of the wrist: *(DEP BOOK)*
a- The superficial palmar artery.
b- The posterior interosseous artery.
c- The superficial palmar arch.
d- The deep palmar arch.

21- The radial artery as it continues forming the deep palmar arch, it passes between the heads of: *(DEP BOOK)*
a- Lumbrical muscle.
b- Adductor pollicis.
c- Second dorsal interosseous.
d- Opponens pollicis.

22- The palmar arterial arches, choose the correct answer: *(DEP BOOK)*
a- The superficial palmar arch is the continuation of radial artery.
b- The deep palmar arch is the continuation of ulnar artery.
c- The superficial palmar arch passes between the tendons flexor digitorum superficialis and profundus.
d- The deep palmar arch passes between tendons of flexor digitorum profundus and bases of the medial four metacarpal bones.

23- Regarding the radial artery in the hand, choose the correct answer: *(DEP BOOK)*
a- Passes between the two heads of the 1st dorsal interosseous muscle.
b- Passes between the 1st and 2nd lumbrical muscles.
c- Passes between the flexor digitorum superficialis and profundus.
d- Continues as the superficial palmar arch.

24- Branches of the radial artery at the wrist include: *(2022)*
a- 1st dorsal metacarpal artery.
b- Anterior interosseous artery.
c- 3rd common pa/mar digital artery.
d- 2nd proper digital artery.

25- Concerning the relations of the ulnar artery at the wrist one is true: *(2022)*
a- Lies medial to the pisiform bone.
b- Lies medial to the ulnar n.
c- Lies anterior to the flexor retinaculum.
d- It gives posterior interosseous recurrent artery.

26- One of the following is not a branch of the radial artery: *(2022)*
a- Radial recurrent artery.
b- Common interosseous artery.
c- Palmar (anterior) carpal.
d- Dorsal (posterior) carpal.

27- All the following are among the structures deep to the radial artery in forearm except: ***(DEP BOOK)***
a- Pronator teres.
b- Biceps.
c- Lower end of ulna.
d- Pronator quadratus.

28- One of the following arteries is not sharing in formation of anterior carpal arch: ***(2022)***
a- Anterior carpal artery.
b- Descending anastomotic branch of anterior interosseous artery.
c- Recurrent branch of deep palmar arch.
d- Radial collateral.

29- One of the following is a branch of superficial palmar arch: ***(IPKA – 2022 - 2021)***
a- Descending anastomotic branch.
b- Common palmar digital artery.
c- 2nd Dorsal metacarpal artery.
d- Radialis indicis artery.

30- One of the following arteries is not sharing in the formation of anterior carpal arch: ***(IPKA - 2021)***
a- Anterior carpal artery.
b- Descending anastomotic branch.
c- Recurrent branch of deep palmar arch.
d- Radial collateral.

31- A 30-year-old male was admitted to the hospital in an unconscious state. The nurse took the radial pulse to determine the heart rate of the patient. This pulse is felt lateral to which tendon? ***((2016- DEP BOOK))***
a- Palmaris longus.
b- Flexor pollicis longus.
c- Flexor digitorum profundus.
d- Flexor carpi radialis.

32- Regarding the palmar arterial arches: ***(2024)***
a- The superficial palmar arch is formed by union of ulnar artery with the superficial palmar branch of radial artery.
b- Five digital arteries arise from the convexity of the superficial palmar arch.
c- The deep palmar arch is at a level of distal border of extended thumb.
d- the deep palmar arch lies superficial to the long flexor tendons of the fingers.

33- Superficial palmar arch is formed by: ***(2025)***
a- Superficial palmar branch of radial artery
b- Continuation of radial artery
c- Anterior interosseous artery
d- Deep palmar branch of ulnar artery



FLEXOR RETINACULUM

1- The following structures pass superficial to the flexor retinaculum except: *(2019)*
a- Ulnar nerve.
b- Tendon of palmaris longus.
c- Median nerve.
d- Palmar cutaneous branch of median nerve.
e- Ulnar vessels.

2- The following structure passes deep to the flexor retinaculum: *(2019 - DEP BOOK)*
a- Ulnar nerve.
b-Ulnar vessels.
c- Median nerve.
d- Palmar cutaneous branch of median nerve.
e- Palmaris longus tendon.

3- One of the following structures passes deep to the flexor retinaculum: *(2018)*
a- Tendon of palmaris longus.
b- Tendon of flexor pollicis longus.
c- Ulnar nerve.
d- Superficial radial nerve.

4- The tendon of the following muscle pass superficial to the flexor retinaculum at thewrist:
(DEP BOOK - 2017)
a- Flexor digitorum superficialis.
b- Flexor digitorum profundus.
c- Palmaris longus.
d- Flexor carpi radialis.

5- The structures passing deep to flexor retinaculum include: *(2024 - 2025)*
a- Tendons of flexor digitorum profundus.
b- Ulnar artery.
c- Radial artery.
d- Ulnar nerve.

6- Which structure passes through the carpal tunnel? *(2024)*
a- Ulnar nerve.
b- Radial artery.
c- Median nerve.
d- Brachial artery.

7- Structure crossing superficial to the flexor retinaculum: *(2022)*
a- Median nerve.
b- Ulnar nerve.
c- Flexer digitorum superficialis.
d- Flexer pollicis longus.

8- One of the following structures does not pass below the flexor retinaculum: *(2021)*
a- Tendons of flexor digitorum superficialis.
b- Tendons of flexor digitorum profundus.
c- Tendon of palmaris longus.
d- Tendon flexor pollicis longus.

9- What structure pierces the flexor retinaculum? *(2019)*
a- Ulnar nerve.
b- Flexor carpi radialis tendon.
c- Palmar cutaneous branch of median nerve.
d- Flexor pollicis longus tendon.



1- One of the following muscles is supplied by radial nerve: *(2018)*
a- Biceps brachii.
b- Coracobrachialis.
c- Teres minor.
d- Anconeus.

2- One of the following structures traverses first compartment under extensor retinaculum: *(2018)*
a- Extensor indicis tendon.
b- Posterior interosseous nerve.
c- Abductor pollicis longus tendon.
d- Extensor pollicis longus tendon.

3- The brachioradialis muscle receives its nerve supply from: *(2018)*
a- The radial nerve.
b- The anterior interosseous nerve.
c- The posterior interosseous nerve.
d- The median nerve.

4- A 15-year-old girl was brought to the emergency department with a tear of the tendons in the first dorsal compartment of the extensor retinaculum from a severe bite by a pit bulldog. The injured tendons would include which of the following muscles? *(2018)*

a- Extensor carpi radialis longus and brevis.
b- Extensor digitorum and extensor digiti minimi.
c- Abductor pollicis longus and extensor pollicis brevis.
d- Extensor pollicis longus and brevis.

5- The following muscle is innervated by the posterior interosseous nerve: *(2017)*

a- Extensor carpi radialis brevis.
b- Adductor pollicis.
c- Abductor pollicis brevis.
d- Extensor carpi radial is longus.

6- The deep muscles of back of forearm include: *(2024 - 2025)*

a- Extensor carpi radialis longus.
b- Extensor carpi radialis brevis.
c- Supinator.
d- Extensor carpi ulnaris.

7- Concerning the anatomical snuff box: *(2024 - 2025)*

a- The ulnar artery lies in the floor of snuff box.
b- The scaphoid forms the floor.
c- It is visible when the thumb is fully flexed.
d- It contains the ulnar artery.
e- Superficial radial nerve lies in its floor

8- The extensor expansion of the fingers is formed by the tendon of the: *(IPKA – DEP BOOK – 2022 - 2021)*

a- Extensor carpi radialis longus.
b- Extensor pollicis longus.
c- Extensor digitorum.
d- Extensor pollicis brevis.

9- Pronator quadrates muscle Is supplied by: *(IPKA)*

a- Ulnar nerve.
b- Posterior interosseous nerve.
c- Radial nerve.
d- Anterior interosseous nerve.

10- Which of the following muscles DOES NOT arise from the common extensor *(IPKA)*

a- Extensor carpi radialis brevis.
b- Extensor digitorum.
c- Extensor carpi radialis longus.
d- Extensor digiti minimi.
e- Extensor carpi ulnaris.

11- Extensor pollicis brevis: ***(IPKA)***
a- Takes origin from radius and interosseous membrane.
b- Lies on ulnar side of snu□box.
c- Inserts into the base of the first distal phalanx.
d- Nerve supply is from ulnar nerve.

12- Which of the following muscles arises, in part, from the radial collateral ligament of the elbow joint? ***(IPKA)***
a- Extensor carpi radialis brevis.
b- Supinator.
c- Extensor carpi ulnaris.
d- Extensor digitorum.

13- The extensor carpi radialis longus tendon is crossed by which two muscles? ***(IPKA)***
a- Abductor pollicis longus and extensor pollicis longus.
b- Extensor indicis and extensor digitorum.
c- Extensor digitorum and extensor pollicis brevis.
d- Abductor pollicis longus and extensor pollicis brevis.
e- Extensor indicis and extensor carpi radialis brevis.

14- Which of the following is true in respect to the supinator? ***(IPKA)***
a- It is innervated by the ulnar nerve.
b- It supinates the forearm by rotating the ulna.
c- It forms the floor of the cubital fossa along with the brachioradialis.
d- It supinates the forearm when the forearm is already flexed.
e- It rotates the radius to turn the palm anteriorly.

15- Which of the following does NOT take an origin from the lateral epicondyle of the humerus? ***((IPKA – 2022 - 2021))***
a- Extensor carpi radialis brevis.
b- Extensor carpi ulnaris.
c- Abductor pollicis longus.
d- Supinator.
e- Extensor digiti minimi.

16- Which of the following does NOT abduct the hand at the wrist joint? ***(IPKA – 2022 - 2021)***
a- Flexor carpi radialis.
b- Extensor carpi radialis longus.
c- Extensor carpi radialis brevis.
d- Abductor pollicis longus.
e- Palmaris longus.

17- Lateral intermuscular septum, choose the correct answer: ***(DEP BOOK)***
a- Extends between lesser tuberosity and lateral epicondyle.
b- Gives origin to brachioradialis.
c- Gives origin to extensor carpi radialis brevis.
d- Is pierced by radial nerve & branch of posterior interosseous artery.

18- Regarding muscles of the forearm, choose the correct answer: *(DEP BOOK)*
a- The flexor digitorum profundus arises from three bones.
b- The flexor carpi ulnaris abducts the wrist.
c- The brachioradialis is innervated by the median nerve.
d- The supinator is innervated by the posterior interosseous nerve.

19- Mid-prone position of the forearm is achieved by..... mark the most appropriateanswer: *(DEP)*
a- Pronator teres.
b- Pronator quadratus.
c- Brachioradialis.
d- Biceps brachii.

20- Supinator muscle; choose the correct answer: *(DEP BOOK)*
a- Inserted into the upper one third of ulna.
b· Surrounds the posterior interosseous artery.
c- Is innervated by radial nerve itself.
d- Is innervated by posterior interosseous nerve.

21- Supination is more powerful than pronation due to; mark the most suitable answer: *(DEP BOOK)*
a- The action of biceps brachii muscle and supinator.
b-The action of supinator muscle only.
c- The action of brachioradialis only.
d- The action of brachialis.

22- Regarding extensor retinaculum, choose the correct answer: *(DEP BOOK)*
a- It is attached medially to the pisiform and the hamate.
b- It is attached laterally to the anterior border of the lower end of the radius.
c- Five compartments for passage of tendons of extensor muscles lie deep to the retinaculum.
d- The fourth compartment contains the post-interosseous artery.

23- One of the following structures lies deep to extensor retinaculum: *(DEP BOOK)*
a- The basilic vein.
b- The dorsal cutaneous branch of the ulnar nerve.
c- Extensor indices.
d- The beginning of the cephalic vein.

24- Regarding anatomical snuff box the following statements one is wrong: *(DEP BOOK)*
a- It Is bounded medially by the tendon of extensor pollicis longus.
b- It is bounded laterally by the tendons of abductor pollicis longus and extensor pollicis brevis.
c- The radial artery traverses It before entering the palm.
d- The capitate can be felt in Its floor.
e- The cephalic vein usually crosses its roof.

25- The lateral epicondyle of the humerus, choose the correct answer: *(IPKA)*
a- Larger than the medial epicondyle of the humerus.
b- Gives origin to the common flexor tendon.
c- Gives attachment to the extensor carpi radialis brevis.
d- Related to the ulnar recurrent artery.

26- Concerning with pronation and supination: *(DEP BOOK)*
a- Pronation is more powerful than supination.
b- Biceps when the elbow Is extended.
c- Brachioradialis puts the forearm in mid-prone position.
d- The radius is fixed; the ulna is the movable bone.

27- Which of the following muscles arises from interosseous membrane between radius & ulna: *(DEP BOOK)*
a- Pronator teres.
b- Palmaris longus.
c- Abductor pollicis longus.
d- Extensor digitorum

28- Which of the following muscles does not extend wrist: *(DEP BOOK – 2022 – 2021 - 2021)*
a- Extensor carpi radialis longus.
b- Extensor carpi ulnaris.
c- Extensor digitorum.
d- Brachioradialis.

29- Under extensor retinaculum, which of these relationships is correct: *((DEP BOOK))*
a- The first compartment contains extensor carpi radialis longus & brevis muscles.
b- The second compartment contains abductor pollicis longus.
c- The third compartment contains extensor pollicis brevis.
d- The fourth compartment contains tendons that course to index finger.

30- Supinator muscle is pierced by the following nerve: *(DEP BOOK – 2021 - 2019)*
a- Anterior interosseous nerve.
b- Posterior interosseous nerve.
c- Radial nerve.
d- Median nerve.

31- AII of the following muscles form boundary of anatomical snu box, except: *(DEP BOOK)*
a- Extensor indicis.
b- Extensor pollicis brevis.
c- Abductor pollicis longus.
d- Extensor pollicis longus.

32- The posterior aspect of the interosseous membrane gives attachment to, mark the suitable answer: *(2022)*
a- Flexer pollicis longus and flexor digitorum profundus.
b- Extensor indicis.
c- Pronator quadratus.
d- Pronator teres.

33- Regarding the extensor retinaculum, the following statements are true except: *(2022)*
a- It is attached laterally to the anterior border of the lower end of the radius.
b- In the fourth compartment the tendon of extensor indicis muscle pass.
c- It is crossed by the cephalic and basilic veins.
d- The third compartment deep to the retinaculum contains the tendon of the extensor pollicis brevis.

34- Which of the following is true in respect to the anatomical snuff box? *(2022 - 2021)*
a- It is bounded anteriorly by the tendons of the extensor pollicis longus.
b- It is bounded posteriorly by the tendons of the abductor pollicis longus and extensor pollicis brevis.
c- The radial artery lies on the floor of the snuff box.
d- The snuff box is visible when the thumb is fully flexed.

35- Which of the following is true in respect to the supinator muscle? *(2021)*
a- It is innervated by the ulnar nerve.
b- It supinates the forearm by rotating the ulna.
c- It forms the floor of the cubital fossa along with the brachioradialis.
d- It arises from annular and lateral collateral ligament.

36- In the 4th compartment deep to extensor retinaculum one of the following structures is not passing: *(2021)*
a- Extensor digitorum.
b- Anterior interosseous artery.
c- Anterior interosseous nerve.
d- Posterior interosseous nerve.

37- The brachioradialis muscle, select the true statement: *(2021)*
a- Is an extensor of the elbow joint.
b- Present on the medial side of the forearm.
c- Is supplied by posterior interosseous nerve.
d- Put the forearm in mid-prone position.

38- The third compartment of extensor retinaculum contains tendon of: *(2019- 2025)*
a- Extensor carpi radialis longus
b- Extensor indicis
c- Extensor pollicis longus
d- Anterior interosseous artery
e- Abductor pollicis longus

39- One of the contents of anatomical snuff box is: *(2019)*
a- Radial artery.
b- Ulnar artery.
c- Median nerve.
d- Mendon of flexor carpi ulnaris.

40- Regarding the extensor digitorum muscle, choose the correct answer: *(2019)*
a- Form expansion on the dorsal surface of the medial two fingers.
b- Form expansion that is formed of five slips around the finger.
c- Form expansion that receives insertion of opponens pollicis muscle.
d- It is supplied by posterior interosseous nerve.

41- The front of lateral epicondyle of the humerus is the common origin for which muscle group? *(2025)*
a- Forearm flexors
b- Forearm extensors
c- Anconeus
d- Brachioradialis



RADIAL NERVE IN FOREARM AND HAND

1- A 34-year-old woman was diagnosed with radial nerve palsy. When the muscle function was examined at the metacarpophalangeal (MCP), proximal interphalangeal (PIP) and distal interphalangeal (DIP) joints, what findings are most likely to be present? *(2017)*
a- Inability to abduct the digits at the MCP joint.
b- Inability to adduct the digits at the MCP joint.
c- Inability to extend the MCP joints only.
d- Inability to extend the MCP. PIP and DIP joints.

2- Examination of a 24-year-old female athlete with an injury of the radial nerve in the spiral groove would typically demonstrate Which of the following physical signs? *(2017)*
a- Weakness of thumb abduction and thumb extension.
b- Weakness of thumb opposition.
c- Inability to extend the elbow.
d- Paralysis of pronation of the forearm.

3- After drinking heavily on a Saturday night, a man fell asleep with his arm over the back of a chair. When he woke up in the morning, he had flexion at the elbow with inability to extend his hand. The most probable nerve injury is to the: *(2024)*
a- Radial nerve above the elbow.
b- Innervation of the triceps muscle.
c- Radial nerve in the axilla.
d- Posterior cord.

4- A fracture of the midshaft of the humerus is most likely to Injure which nerve? *(2024)*
a- Ulnar nerve.
b- Median nerve.
c- Radial nerve.
d- Axillary nerve.

5- patient with loss of sensation on the lateral 2/3 of the dorsum of the hand. This may be due to injury of the following nerve: *(IPKA – 2021 - 2019)*
a- Median nerve.
b- Superficial radial nerve.
c- Ulnar nerve.
d- Musculocutaneous nerve.

6- The following muscle Is innervated by the radial nerve: *(DEP BOOK)*
a- Supinator.
b- Abductor pollicis longus.
c- Extensor pollicis longus.
d- Extensor carpi radialis longus.

7- Wrist drop deformity results from injury of which one of the following nerves? *(DEP BOOK – 2022 – 2019 - 2025)*
a- Ulnar nerve.
b- Median nerve.
c- Radial nerve.
d- Axillary nerve.
e- Musculocutaneous nerve.

8- Regarding radial nerve injury, choose the correct answer: *(DEP BOOK)*
a- It may be Injured if the shaft of the humerus Is fractured.
b- Injury of the posterior interosseous nerve causes wrist drop.
c- Injury of its superficial branch produces finger drop.
d- Injury of posterior interosseous nerve is accompanied by loss of sensations.

9- Regarding Injury of radial nerve in the spiral groove, choose the correct answer: *(DEP BOOK)*
a- It results in complete paralysis of triceps muscle.
b- It produces paralysis of the extensor carpi ulnaris.
c- It results in Ape-like hand deformity.
d- It produces disturbed sensation of medial 1/3 of the dorsum of hand.

10- Thumb action that is totally a□ected by radial nerve trauma is: *(DEP BOOK)*
a- Abduction.
b- Adduction.
c- Extension.
d- Opposition.

11- Damage to this nerve results "in wrist drop" inability to extend hand at wrist: *(DEP BOOK - 2021)*
a- Obturator.
b- Radial.
c- Axillary.
d- Phrenic.


12- Regarding injury of radial nerve in the spiral groove, the following statements are correct, except: *(2022)*
a- It is usually caused by fracture of the shaft of the humerus.
b- It results in paralysis of extensor carpi radialis longus.
c- It results in Ape-like hand deformity.
d- It produces impaired sensation of the lateral 2/3 of the dorsum of hand.

13- The superficial radial nerve, select the true statement: *(2022)*
a- Pierces the medial intermuscular septum of the arm.
b- Supplies the extensor carpi ulnaris muscle.
c- Lies on the lateral side of the radial artery in the forearm.
d- Lies medially in the cubital fossa.



1- The following muscle is innervated by the posterior interosseous nerve: *(2017 - 2021)*
a- Extensor carpi radialis brevis.
b- Adductor pollicis.
c- Abductor pollicis brevis.
d- Extensor carpi radial is longus.
e- Anconeus.
f- Brachioradialis.

2- The muscles supplied by posterior interosseous nerve in forearm include: *(2016 – 2024 - 2025)*
a- Anconeus.
b- Extensor carpi radialis longus.
c- Extensor indicis.
d- Brachialis



BRACHIAL PLEXUS INJURIES

1- Regarding Erb's paralysis, one of the following statements is correct: *(2018)*
a- The muscles supplied by C8 and T1 are paralyzed.
b- The forearm is extended and pronated.
c- The arm is abducted.
d- The shoulder joint is laterally rotated.

2- In patient with Erb-Duchenne palsy, a nerve arising from the superior trunk of the brachial plexus is nonfunctional. This nerve is: *(2014)*
a- Lateral pectoral.
b- Suprascapular.
c- Dorsal scapular.
d- Long thoracic.

3- Regarding lesions of the upper trunk or upper roots of the brachial plexus (Erb's Duchenne palsy), one is correct: *(DEP BOOK)*
a- Tendon of palmaris longus.
b- Tendon of flexor pollicis longus.
c- Ulnar nerve.
d- Superficial radial nerve.

4- Regarding lesion of the lower root of the brachial plexus, choose the correct answer: *(DEP BOOK)*
a- There Is paralysis of the Intrinsic muscles of the hand.
b- It results in ape hand deformity.
c- It can be due to fracture of clavicle.
d- There is loss of skin sensations along. the lateral side of the arm.

5- In Erb's paralysis the deformity is called: *(2022 – 2021 - 2019)*
a- Claw hand.
b- Ape hand.
c- Wrist drop.
d- Policeman’s tip position..

6- In Klumpke's paralysis, the deformity is called: *(2021)*
a- Policeman's tip position.
b- Ape hand.
c- Wrist drop.
d- Claw hand.

CUTANEOUS INNERVATION OF UPPER LIMB

1- During an industrial accident, a sheet metal worker lacerates the anterior surface of his wrist at the junction of bis wrist and hand. Examination reveals no loss of hand function, but the skin on the lateral side of his palm is numb. Which nerve (s) must be severed? ***(2016)***

a- Lateral cutaneous nerve of the forearm.
b- Palmar cutaneous branch of median nerve.
c- Palmar digital branches of median nerve.
d- Radial nerve.

2- Regarding the cutaneous supply of the upper limb, choose the correct answer: ***(DEP BOOK)***

a- The skin of the medial side of the forearm is supplied by a branch of the posterior cord of brachial plexus.
b- The skin of the lateral side of the arm is supplied by branches of the lateral cord of the brachial plexus.
c- The skin of the dorsum of the hand is supplied by branches of radial and ulnar nerves.
d- The skin of the medial 1 ½ fingers is supplied by branches of the median nerve.

3- Cutaneous innervation of the palm, choose the correct answer: ***(DEP BOOK - 2019)***

a- Ulnar, median, radial and medial cutaneous nerves of forearm.
b- Cutaneous branches from ulnar and median nerves.
c- Median, ulnar and lateral cutaneous nerves of forearm.
d- Ulnar and radial nerve only.

4- Numbness to skin on lateral 1/2 of palm may be caused by a lesion of: ***(DEP BOOK)***

a- Ulnar nerve.
b- Radial nerve.
c- Median nerve.
d- Suprascapular nerve.

5- Regarding the cutaneous supply of the upper limb, select the incorrect statement: ***(2022)***

a- The skin of the medial side of the forearm is supplied by a branch from the medial cord of the brachial plexus.
b- The skin of the lateral side of the arm is supplied by branches from the lateral cord of the brachial plexus.
c- The skin of the dorsum of hand is supplied by branches of radial. median and ulnar nerves.
d- The skin of the dorsal surface of medial 1 ½ fingers is supplied by branches of ulnar nerve.

6- A patient with loss of sensation on the lateral 2/3 of the dorsum of the hand. This may be due to injury of the following nerve: ***(IPKA – 2021 - 2019)***

a- Median nerve.
b- Superficial radial nerve.
c- Ulnar nerve.
d- Musculocutaneous nerve

VEINS OF UPPER LIMB

1- 45-year-old female was placed for kidney dialysis. However, the search in her upper limb for a suitable vein was unexpectedly di□icult. Finally, a vein was found on the medial side of the arm that passed through the superficial and deep fascia to join veins beside the brachial artery. Which of the following veins was this? ***(2017 – DEP BOOK)***

a- Basilic.
b- Cephalic.
c- Medial cubital.
d- Medial antebrachial.

2- The cephalic vein is located on which aspect of the upper limb? ***(2024 - 2025)***

a- Lateral.
b- Medial.
c- Anterior.
d- Posterior.

3- Considering the vessels of the upper limb: ***(2024)***

a- The cephalic vein is the medial continuation of the dorsal venous plexus of the hand.
b- The basilic vein unites with the venae commitantes of brachial artery to form axillary vein.
c- The brachial artery divides into radial and ulnar arteries at the apex of the cubital fossa.
d- The ulnar artery is the smaller division of the brachial artery.

4- Regarding veins of upper limb, one is correct answer: ***(DEP BOOK)***

a- The bicipital aponeurosis separates the cephalic vein from the brachial artery.
b- The cephalic vein starts at lateral end of dorsal venous arch of the hand.
c- The basilic vein pierces the clavipectoral fascia.
d- Axillary artery is accompanied by two venae comitantes,

5- Regarding veins of upper limb, choose the correct answer: ***(DEP BOOK)***

a- The basilic vein starts at the lateral end of the dorsal venous arch.
b- The cephalic vein starts at the medial end of the dorsal venous arch.
c- The median cubital vein connects cephalic and basilic veins.
d- The axillary artery is accompanied by two venae comitantes.


6- Median vein of the forearm, choose the correct answer: ***(DEP BOOK)***

a- One of the deep veins of the upper limb.
b- Starts by union of small veins of the dorsum of the hand.
c- Continues with the lateral end of the dorsal venous arch.
d- Gives the median basilic vein.

7- Median vein of the forearm: *(DEP BOOK)*
a- One of the deep veins of the upper limb.
b- Starts by union of small veins of the back of the hand.
c- Continues with the lateral end of the dorsal venous arch.
d-Gives the median basilic and median cephalic veins.
e. It is a common site for intravenous injections.

8- The median cubital vein: *(DEP BOOK)*
a- Connects the axillary and cephalic veins.
b- It is separated from the ulnar artery by the bicipital aponeurosis.
c- It is a common vein for intravenous injection.
d- It is one of the deep veins in the upper limb.
e- It has many valves.

9- The cephalic vein ends in: *(DEP BOOK)*
a- The axillary vein.
b- Median cubital vein.
c- The subclavian vein.
d- The basilic vein.



1- Lymphatics that accompany the cephalic vein drain into the: *(2024 - 2025)*
a- Pectoral group of axillary lymph nodes.
b- Subscapular group of axillary lymph nodes.
c- Central group of axillary lymph nodes.
d- Apical group of axillary lymph nodes.

2- Regarding axillary lymph nodes. one statement is wrong; *((IPKA))*
a- Apical group lies at axilla apex, behind clavicle & subclavius.
b- Subscapular group lies on axilla anterior wall along subscapular artery.
c- Central group lies in fat above axilla base.
d- Humeral group lies near axilla lateral wall along axillary vein.

3- Concerning lymph drainage of upper limb, choose the most suitable answer; *(IPKA)*
a- Infraclavicular lymph nodes lie in deltopectoral groove, beside basilic vein.
b- Infra clavicular lymph nodes efferents end in lateral group of axillary lymph nodes.
c- Supratrochlear lymph nodes lie in cubital fossa roof, medial to basilic vein.
d- Supratrochlear lymph nodes e□erents end in apical group of axillary lymph nodes.

4- Regarding lymph drainage of upper limb, one statement is false: *(IPKA)*

a- Pectoral group of axillary lymph nodes receive lymph from anterior from anterior abdominal wall below umbilicus.
b- Subscapular group of axillary lymph nodes receive lymph from back of trunk and mammary gland tail.
c- Apical group of axillary lymph nodes receive lymph from pectoral, subscapular, humeral and central groups of axillary lymph nodes.
d- Efferents of apical group of axillary lymph nodes form subclavian lymph trunk which end in thoracic duct on left side and right lymph duct on right side.

5- The group of lymph nodes which lies beside the cephalic vein in the delto-pectoral groove Is called: *(IPKA)*

a- Apical group.
b- Infraclavicular group.
c- Pectoral group.
d- Humeral group.

6- Lymph from lateral part of breast drains into which one of the following lymph nodes? *(IPKA)*

a- Parasternal (internal thoracic).
b- Pectoral (anterior axillary).
c- Lateral axillary.
d- Subscapular (posterior axillary).

7- Regarding the axillary group of lymph nodes: *(IPKA)*

a- The posterior group lies along the lateral thoracic vessels.
b- The lateral group lies along the axillary vein.
c- The central group receives lymph from the apical group.
d- The efferents of the apical group form the subclavian lymph trunk.
e- b and d.

8- The groups maxillary lymph nodes, choose the correct answer: *(IPKA)*

a- Apical group lies behind clavicle and subclavius muscle.
b- Anterior group lies along superior thoracic vessels.
c- Posterior group lies along the internal thoracic vessels.
d- Lateral group lies along cephalic vein.

9- The anterior (pectoral) group of the axillary lymph nodes is located along the: *(IPKA -2016)*

a- Upper part of the axillary vein.
b- Lower part of the axillary vein.
c- Lateral thoracic artery.
d- Subscapular artery.

10- Lymphatics from the skin of the back above the iliac crest drain into the: *(2022)*
a- Pectoral group of the axillary lymph nodes.
b- Subscapular group of the axillary lymph nodes.
c- Central group of the axillary lymph nodes.
d- Apical group of the axillary lymph nodes.

11- Lymphatics from the nipple and areola drain into the: *(2024)*
a- Connects the axillary and cephalic veins.
b- It is separated from the ulnar artery by the bicipital aponeurosis.
c- It is a common vein for intravenous injection.
d- It is one of the deep veins in the upper limb.
e- It has many valves.



SHOULDER JOINT

1- A 47-year-old tennis professional female was informed by her physician that she had a rotator cu injury that would require surgery. Her physician explained that over years of play a shoulder ligament had gradually caused severe damage to the underlying muscle. To which of the following ligaments was the physician most likely referring? *(2018)*
a- Acromioclavicular.
b- Coracohumeral.
c- Glenohumeral .
d- Coracoacromial.

2- Regarding the Shoulder Joint, choose the correct statement: *((2017))*
a- Subacromial bursa communicates with its synovial membrane.
b- It is a multi-axial joint.
c- Supraspinatus muscle is responsible for abduction of the joint to 90.
d- Teres minor muscle is responsible for medial rotation of the joint.

3- After a dislocation of acromioclavicular joint, several structures could be torn, Including the one that gives the joint its greatest strength and stability, namely: *(2024)*
a- Acromioclavicular ligament.
b- Coracoacromial ligament.
c- Coracoclavicular ligament.
d- Supraspinatus tendon.

4- The glenohumeral joint is classified as *(2024 - 2025)*
a- Hinge joint.
b- Pivot joint.
c- Ball and socket joint.
d- Saddle joint.

5- The clavicle, mark the correct answer: *(DEP BOOK)*
a- Is the only long bone which lies horizontally.
b- Contains large medullary cavity.
c- The supraclavicular nerves descend behind its middle third.
d- The coracoclavicular ligament is attached to the lateral half of the subcalvius groove.

6- The junction of the middle and lateral thirds of the clavicle is the commonest point of fracture due to; mark the most appropriate statement: *(DEP BOOK)*
a- Change In the contours of the clavicle; circular medially and flattened laterally and junction of two curves.
b- The attachment of conoid and trapezoid ligaments.
c- The attachment of deltoid and trapezius muscles on anterior and posterior sides of the clavicle.
d- Small medullary-cavity.

7- Sternoclavicular joint, choose the. correct answer: *(DEP BOOK)*
a- Is a synovial hinge joint.
b- Contains a fibrocartilaginous disc.
c- Between clavicle and sternum at the angle of Lewis.
d- Supported by coracoclavicular ligament.

8- Regarding shoulder joint, one is correct: *(DEP BOOK)*
a- Its entire capsule Is attached to surgical neck of the humerus.
b- Its capsule is anteriorly connected to the subacromial bursa.
c- Supraspinatus and deltoid muscles produce abduction of the joint.
d- Tendon of short head of biceps takes origin within capsule of joint.

9- Regarding the shoulder joint: *(DEP BOOK)*
a- The subscapular bursa doesn't communicates with the joint cavity.
b- It Is supplied by the axillary and suprascapular nerves.
c- The capsule is strengthened inferiorly by a strong ligament.
d- Labrum glenoidale and supraglenoid tubercle are extracapsular

10- Labrum glenoidale, choose the correct answer: *(DEP BOOK)*
a- Is attached to the long head of triceps.
b- Fibro-cartilaginous rim around glenoid cavity.
c- It lies extracapsular.
d- It helps in stability of the shoulder joint.

11- Select most acceptable answer allowing free mobility of shoulder: *(DEP BOOK)*
a- Head of humerus (ball) 3:4 times as much as the glenoid fossa (socket).
b- The presence of 3 glenohumeral ligaments.
c- The pattern of attachment of the shoulder joint capsule.
d- The presence of the rotator cu muscles

12- The glenohumeral ligaments, choose the correct answer: *(DEP BOOK)*
a- Strong. ligaments of shoulder joint.
b- Three in number.
c- All are attached to the whole margin of glenoid cavity.
d- Guard against posterior dislocation of the humeral head.

13- Transverse humeral ligament: *(DEP BOOK)*
a- Extends between lesser tuberosities and anatomical neck.
b- Fixes the long head of triceps Inside the bicipital groove.
c- Help in stability of shoulder joint.
d- Converts the bicipital groove into a tunnel.

14- Principal muscles which produce abduction of shoulder joint: *(DEP BOOK)*
a- Pectoralis major.
b- Middle fibers of deltoid.
c- Coracobrachialis.
d- Biceps brachii.

15- Principal muscle concerned in extension of the shoulder joint: *((DEP BOOK))*
a- Anterior fibers of deltoid.
b- Teres minor.
c- Latissimus dorsi.
d- serratus anterior.

16- Principal muscle concerned in medial rotation of the shoulder: *(DEP BOOK)*
a- Pectoralis major.
b- Deltoid middle fibers.
c- Supraspinatus.
d- Teres minor.

17- Medial rotation of the shoulder joint can be performed by: *(DEP BOOK- 2019)*
a- Posterior fibers of the deltoid.
b- Infraspinatus.
c- Teres major.
d- Supraspinatus.

18- Lateral rotation at the shoulder is done by: *(DEP BOOK)*
a- Deltoid.
b- Subscapularis.
c- serratus anterior.
d- Supraspinatus.

19- The shoulder joint is innervated by twigs from: *(DEP BOOK)*
a- Medial pectoral nerve.
b- Axillary nerve.
c- Suprascapular nerve.
d- Musculocutaneous nerve.
e- b and c

20- Regarding the type of joints of the upper limb, choose the correct answer: *(DEP BOOK)*
a- Shoulder polyaxial ball and socket.
b- Elbow uniaxial pivot.
c- Radioulnar uniaxial hinge.
d- Wrist biaxial condylar.

21- Regarding shoulder joint, select the false statement: *(2022)*
a- Its capsule is posteriorly connected to the subscapular bursa.
b- Supraspinatus and deltoid muscles produce abduction of the Joint.
c- Tendon of long head of biceps is intracapsular extrasynovial.
d- It is most commonly dislocated inferiorly.

22- Which of the following flexes the arm at the glenohumeral joint? *(2021)*
a- Pectoralis major.
b- Latissimus dorsi.
c- Subscapularis.
d- Infraspinatus.

23- All of the following are stabilizing factors of the shoulder joint except: *(2019)*
a- A tight capsule.
b- Tendons that fuse with the capsule of the joint.
c- Presence of glenohumeral and coracohumeral ligaments.
d- Presence of labrum glenoidale.

24- Regarding the clavicle, choose the correct statement: *(2016)*
a- The medial end articulates with the manubrium by cartilaginous articulation.
b-The lateral end articulates with the acromion by plane synovial articulation.
c- The medial end articulates with the body of the sternum by saddle synovial joint.
d- The lateral end articulates with the acromion by fibrous articulation

25- Regarding the clavicle, choose the correct statement:
a- It is an example of the short bones.
b- It is the last bone to ossify in the fetal life.
c- It ossifies in cartilage.
d- It has a medullary cavity in its medial part.

26- Movements of the shoulder joint: *(2025)*
a- Supraspinatus is the main adductor
b- Pectoralis major adducts and medially rotates the humerus
c- Teres major is a lateral rotator and teres minor is a medial rotator
d- Pectoralis minor is a weak flexor



1- Regarding the carrying angle, choose the correct statement: *(2017)*
a- It disappears in supination of the extended forearm.
b- It appears in pronation of the forearm.
c- It is due to downward projection of the medial end of trochlea more than its lateral end.
d- It is larger in males than in females.

2- The elbow joint is classified as a: *((2024 - 2025))*
a- Ball and socket joint.
b- Hinge joint.
c- Pivot joint.
d- Saddle joint.

3- Regarding the humerus, choose the correct answer: *(DEP BOOK)*
a- The coronoid fossa lies above the trochlea posteriorly.
b- The radial fossa lies above the capitulum posteriorly.
c- The coronoid fossa lies above the trochlea anteriorly.
d- The capitulum Is medial to the trochlea.

4- The carrying angle of extended elbow is due to …… *(DEP BOOK)*
a- The position of the capitulum on the front of the humerus only.
b- The locking of the olecranon process inside the olecranon fossa.
c- The wider diameter of medial part of trochlea than its lateral part.
d- The strain exerted by the capsule of both the elbow and proximal radio-ulnar joints.

5- Regarding the elbow joint, choose the correct answer: ***(DEP BOOK)***
a- It is formed by articulation of the lower end of humerus and the upper ends of radius and ulna.
b- Its flexion is produced by coracobrachialis.
c- Its capsule is attached to the head of radius.
d- It is a synovial joint of pivot.

6- The ulnar collateral ligament, choose the correct answer: ***(DEP BOOK)***
a- Attached to the medial epicondyle of the humerus.
b- Attached to the medial border of olecranon process of ulna.
c- Attached to triceps and extensor carpi ulnaris.
d- The ulnar nerve passes deep to the ulnar collateral ligament.

7- The radial collateral ligament, choose the correct answer: ***(DEP BOOK)***
a- Attached to the neck of the radius.
b- Attached to the annular ligament.
c- It is continuous with the capsule of the superior radioulnar joint.
d- Prevents abduction of the elbow joint.

8- The following nerve doesn't innervate the elbow joint: ***(DEP BOOK)***
a- Radial nerve.
b- Ulnar nerve.
c- Median nerve.
d- Axillary nerve.

9- Regarding types of the joints of upper limb, choose correct answer: ***(DEP BOOK)***
a- The elbow joint Is synovial hinge joint.
b- The carpometacarpal joint of the thumb Is synovial pivot.
c- The radioulnar joints are ball and socket.
d- The wrist joint is synovial saddle.

10- Which of the following is true in respect to the elbow joint? ***(2022 - 2021)***
a- It is strengthened by the radial and ulnar collateral ligaments.
b- It is a plane type of synovial joint.
c- It is supplied by the cephalic and basilic arteries.
d- It is innervated by the median and axillary nerves.



RADIO-ULNAR JOINTS

1- Pronation and supination of the forearm occurs at: *(2019 – 2nd – 2017 – 2021 - 2025)*

a- Elbow joint.
b- Superior and inferior radio-ulnar joints.
c- Radio-carpal joint.
d- Mid carpal joint.
e- Superior radio-ulnar joint only.
f- Middle radioulnar joint.

2- Considering the movement of the radio-ulnar joint: *(2024)*

a- In supination, the axis of supination-pronation is oblique to the axis of the forearm
b- In pronation, the bones of the forearm are parallel.
c- Pronation is the stronger movement.
d- Supination with the elbow in extension is done by biceps

3- The interosseous membrane, choose the correct answer: *(DEP BOOK)*

a- Is attached to the anterior borders of radius and ulna.
b- Gives origin to abductor polices brevis.
c- Gives origin to the deep flexors of the hand.
d- Pierced by posterior interosseous vessels.

4- The radius Is fixed (tethered) to the ulna by: *(DEP BOOK)*

a- Articular disc of the wrist joint.
b- Interosseous membrane.
c- Radial collateral ligament.
d- Ulnar collateral ligament.

5- Pronation and supination of the forearm occurs at: *(DEP BOOK)*

a- Elbow joint.
b- Superior and inferior radio-ulnar joints.
c- Shoulder joint.
d- Radio-carpal joint.

6- Regarding the movements of pronation and supination, choose the correct answer: *(DEP BOOK)*

a- The axis of the movements extends from the neck of radius to the head of ulna.
b- During these movements the head of the radius rotates around itself within the annular ligament.
c- During these movements the head of the ulna rotates around the lower end of the radius.
d- The brachialis puts the forearm in the mid prone position.

7- Supination of the radioulnar joints is done mainly by: *(DEP BOOK)*

a- Pronator teres.
b- Pronator quadratus.
c- Brachioradialis.
d- Biceps brachii.

8- Concerning pronation and supination: *(DEP BOOK)*
a- Pronation is more powerful than supination.
b- Biceps when the elbow Is extended.
c- Brachioradialis puts the forearm in mid-prone position.
d- The radius is fixed; the ulna is the movable bone.

9- Concerning pronation and supination: *(DEP BOOK)*
a- Pronation is more powerful than supination.
b- Supination is done by biceps when the elbow is extended.
c- They occur at the elbow joint.
d- The ulna Is fixed; the radius is the movable bone.

10- Annular ligament, choose the correct answer: *(DEP BOOK)*
a- Forms about 3/4 of the osseofibrous ring around neck of radius.
b- Attached to the posterior margin of the radial tuberosity.
c- Attached to the head of the radius.
d- Its upper border blends with capsule and ligaments of elbow joint.



1- Movements of abduction and adduction are possible at the following joint: *(2017)*
a- Elbow joint.
b- Wrist joint.
c- Superior radio-ulnar.
d- Inferior radio-ulnar.

2- The wrist joint Is formed by: *(DEP BOOK)*
a- Radius, ulna and proximal row of carpus.
b- Radius, articular disc and proximal row of carpus.
c- Radius, capitate, hamate and trapezium.
d- Ulna capitate trapezium and triquetral.

3- The radius articulates with, choose the correct answer: *(DEP BOOK)*
a- Trochlea of the humerus.
b- Scaphoid and lunate.
c- Lunate and triquetral.
d- Trapezium and trapezoid.

4- Choose carpal bones which articulate with radius at the wrist: *(DEP BOOK)*
a- Scaphoid and triquetral.
b- Scaphoid and lunate.
c- Lunate and trapezium.
d- Scaphoid and capitate.

5- The range of movement, at the wrist joint, in adduction is more than abduction due to, mark one correct answer: *(DEP BOOK)*

a- The distal end of ulnar styloid level Is at a more proximal level than that of the radius.
b- The distal surface of the radius is much longer than that of the ulna.
c- The distribution of the long flexor and extensor tendons to the medial four fingers.
d- The pattern of attachment of flexor retinaculum to the carpal bones.

6- Flexion adduction of the wrist can be done by: *(DEP BOOK)*

a- Flexor pollicis longus.
b- Flexor digitorum profundus.
c- Flexor carpi radialis.
d- Flexor carpi ulnaris.

7- Regarding bones of the forearm, mark one correct statement: *(DEP BOOK)*

a- The radius shares in the formation of three joints.
b· The ulna shares in the formation of two joints.
c- The styloid process of the ulna projects downwards more than the styloid process of the radius.
d- The growing end of the radius is its lower end.

8- Regarding types of joints of upper limb, mark one correct statement: *(DEP BOOK)*

a- The. superior radioulnar joint is of ball and socket variety.
b- The acromioclavicular joint is of saddle variety.
c- The elbow joint is of pivot variety.
d- The wrist joint is of ellipsoid variety.

9- One of the following is not a ligament of wrist joint: *(DEP BOOK – 2021 - 2021)*

a- Medial collateral ligament.
b- Lateral collateral ligament.
c- Palmar radiocarpal ligament.
d- Annular ligament.

10- One of the following joints of the upper limb is synovial biaxial ellipsoid: *(2019)*

a- Elbow joint.
b- Wrist joint.
c- Acromioclavicular joint.
d- Carpometacarpal joint of thumb

11- The wrist joint is classified as a: *(2025)*

a- Ball and socket joint
b- Ellipsoid joint
c- Pivot joint
d- Saddle joint



CARPOMETACARPAL JOINTS

1- Regarding carpal bones, choose the correct answer: *(DEP BOOK)*
a- The commonest carpal fracture a□ects pisiform bone.
b- Tendon of flexor carpi ulnaris lies in groove on crest of trapezium.
c- The triquetral bone does not share in the formation of the wrist joint.
d- The first carpometacarpal joint is a synovial saddle joint.

2- Saddle-shaped (biaxial) carpometacarpal, is joint of which finger: *(DEP BOOK)*
a-Thumb.
b- Index.
c- Middle.
d- Ring

3- Mark the longest of the metacarpal bones: *(DEP BOOK)*
a- 1st thumb.
b- 2nd index.
c- 3rd middle.
d- 4th ring.



METACARPOPHALANGEAL JOINTS

1- Regarding movements of joints: *(DEP BOOK)*
a- Circumduction can occur at the shoulder girdle.
b- Pronation can occur at the wrist joints.
c- Adduction and abduction can occur at the elbow joint.
d- Flexion and extension can occur at the metacarpophalangeal joints.

2- The metacarpophalangeal joints, choose the correct answer: *(DEP BOOK)*
a- Between the heads of the metacarpal bones and proximal phalanx.
b- The articular surfaces are covered by yellow elastic cartilage.
c- The short flexor muscles induce flexion of the corresponding finger.
d- Adduction of the thumb occurs at the first metacarpophalangeal joint.



CARPOMETACARPAL JOINTS

1- Muscle(s) causing flexion of each joint; mark wrong account: *(DEP BOOK)*

a- Shoulder; pectoralis minor.
b- Elbow; brachioradialis.
c- Wrist; flexor digitorum superficialis and profundus.
d- Distal interphalangeal; flexor digitorum superficialis.
e- a and d.

2- Interphalangeal joints of medial four fingers, choose correct answer: *(DEP BOOK)*

a- All are fibrous joints.
b- All are uniaxial (hinge) allow flexion and extension.
c- Flexion of distal interphalangeal joints by flexor digitorum superficialis.
d- Flexion of proximal interphalangeal joints by flexor digitron superficialis only.

ANSWERS

PECTORAL REGION

1-c	2-c	3-c	4-d	5-a	6-a	7-a
8-a	9-a	10-a	11-a	12-c	13-b	14-d
15-a	16-c					

MUSCLES CONNECTING UPPER LIMB WITH THORACIC WALL

1-b	2-c	3-c	4-b	5-a	6-b	7-a
8-d	9-b	10-c	11-b	12-c	13-a	14-b

MUSCLES CONNECTING UPPER LIMB WITH VERTEBRAL COLUMN (MUSCLES OF BACK)

1-b	2-a	3-c	4-b	5-e	6-c	7-b
8-c	9-d	10-a	11-c	12-d	13-a	14-b
15-b	16-b					

MUSCLES OF SHOULDER (SCAPULAR) REGION

1-d	2-c	3-a	4-a	5-d	6-b	7-a
8-b	9-c	10-d	11-b	12-b	13-d	14-b
15-b	16-b	17-c	18-b	19-b	20-c	21-a
22-c	23-b	24-c	25-b	26-a	27-b	28-d
29-d	30-b	31-b	32-c	33-c	34-c	35-a
36-b	37-b	38-d	39-c	40-a	41-b	42-b
43-a	44-b	45-b	46-a	47-b	48-c	49-d
50-b	51-d					

AXILLA

1-a	2-c	3-e	4-b	5-b	6-a	7-b
8-d	9-d	10-c	11-c	12-d	13-c	14-a
15-d	16-c	17-b	18-a	19-d	20-b	21-d
22-b	23-b					

BRACHIAL PLEXUS

1-a	2-c	3-e	4-b	5-b	6-a	7-b
8-d	9-d	10-c	11-c	12-d	13-c	14-a
15-d	16-c	17-b	18-a	19-d	20-b	21-d
22-b	23-b					

AXILLARY NERVE

1-d	2-c	3-a	4-b	5-b	6-d	7-d
8-d	9-a	10-b	11-d	12-d	13-a	14-c

AXILLARY ARTERY & VEIN

1-a	2-c	3-a	4-c	5-b	6-c	7-b
8-c	9-d	10-a	11-b	12-c	13-d	14-d
15-a	16-d	17-a				

MUSCLES OF FRONT OF ARM

1-b	2-c	3-b	4-d	5-c	6-a	7-f
8-e	9-b	10-b	11-a	12-c	13-d	14-d
15-c	16-b	17-d	18-d	19-b	20-b	

MUSCULOCUTANEOUS NERVE

1-c	2-a	3-c	4-c	5-a		

BRACHIAL ARTERY

1-a	2-a	3-a	4-d	5-c	6-a	7-c
8-b	9-e	10-a	11-c	12-d		

MUSCLES OF BACK OF ARM

1-d	2-b	3-b				

RADIAL NERVE IN AXILLA AND ARM

1-a	2-d	3-a	4-d	5-a	6-c	7-c
8-c	9-c	10-d	11-a	12-a		

MUSCLES OF FRONT OF FOREARM

1-c	2-b	3-c	4-b	5-a	6-b	7-d
8-d	9-a	10-a	11-e	12-a	13-a	14-c
15-a	16-b	17-c	18-c	19-e	20-d	21-a
22-d	23-c	24-a	25-c	26-c	27-c	28-c

CUBITAL FOSSA

1-a	2-a	3-b	4-e	5-c	6-e	7-a
8-b	9-e	10-b	11-c	12-d	13-b	14-d
15-a	16-d					

HAND

1-b	2-c	3-c	4-b	5-b	6-d	7-b
8-b	9-d	10-c	11-b	12-c	13-d	14-b
15-a	16-a	17-d	18-b	19-b	20-d	21-a
22-d	23-d	24-a	25-a	26-b	27-c	28-d
29-c	30-a	31-a	32-c	33-b		

MEDIAN & ULNAR NERVES

1-b	2-c	3-c	4-a	5-c	6-c	7-c
8-c	9-d	10-c	11-a	12-b	13-d	14-b
15-b	16-b	17-b	18-b	19-d	20-d	21-b
22-a	23-d	24-c	25-a	26-d	27-c	28-b
29-d	30-b	31-a	32-b	33-b	34-a	35-d
36-a	37-c	38-e	39-d	40-a	41-d	42-d
43-c	44-c	45-b	46-c	47-c	48-b	49-a
50-c	51-c	52-d	53-b	54-c	55-d	56-c
57-a	58-d	59-c	60-a	61-a	62-a	63-d
64-a	65-c	66-a	67-c	68-d	69-b	70-c
71-d	72-b	73-b	74-c	75-c	76-a	77-d
78-a	79-c	80-c	81-b	82-c	83-a	84-a
85-c	86-c	87-a	88-b	89-b		

RADIAL & ULNAR ARTERIES

1-d	2-d	3-b	4-b	5-b	6-b	7-a
8-b	9-a	10-d	11-b	12-a	13-c	14-c
15-d	16-a	17-a	18-a	19-a	20-d	21-b
22-d	23-a	24-a	25-c	26-b	27-c	28-d
29-b	30-d	31-d	32-a	33-a		

FLEXOR RETINACULUM

1-c	2-c	3-b	4-c	5-a	6-c	7-b
8-c	9-b	10-d	11-a	12-a		

MUSCLES OF BACK OF FOREARM (EXTENSORS)

1-d	2-c	3-a	4-c	5-a	6-c	7-b
8-c	9-d	10-c	11-a	12-b	13-d	14-e
15-c	16-e	17-b	18-d	19-c	20-d	21-a
22-b	23-c	24-d	25-c	26-c	27-c	28-d
29-d	30-b	31-a	32-b	33-d	34-c	35-d
36-c	37-d	38-c	39-a			
40-d	41-b					

RADIAL NERVE IN FOREARM AND HAND

1-d	2-a	3-c	4-c	5-b	6-d	7-c
8-a	9-b	10-c	11-b	12-c	13-c	

POSTERIOR INTEROSSEOUS NERVE

1-a	2-c					

BRACHIAL PLEXUS INJURIES

1-b	2-b	3-b	4-a	5-d	6-d	

CUTANEOUS INNERVATION OF UPPER LIMB

1-b	2-c	3-c	4-c	5-b	6-b	

VEINS OF UPPER LIMB

1-a	2-a	3-b	4-b	5-c	6-d	7-d
8-c	9-a					

LYMPHATIC DRAINAGE OF UPPER LIMB

1-d	2-b	3-c	4-a	5-b	6-b	7-e
8-a	9-c	10-b	11-a			

SHOULDER JOINT

1-d	2-b	3-c	4-c	5-a	6-a	7-b
8-c	9-b	10-b	11-a	12-b	13-d	14-b
15-c	16-a	17-c	18-a	19-e	20-a	21-a
22-a	23-a	24-b	25-d	26-b		

ELBOW JOINT

1-c	2-b	3-c	4-c	5-a	6-a	7-b
8-d	9-a	10-a				

RADIO-ULNAR JOINTS

1-b	2-a	3-c	4-b	5-b	6-b	7-d
8-c	9-d	10-d				

WRIST JOINT

1-b	2-b	3-b	4-b	5-a	6-d	7-d
8-d	9-d	10-b	11-b			

CARPOMETACARPAL JOINTS

1-d	2-a	3-b				

METACARPOPHALANGEAL JOINTS

1-d	2-a					

INTERPHALANGEAL JOINTS

1-e	2-b					