```java
import components.sequence.Sequence;

/**
 * Check if a given {@code Sequence<Integer>} is a palindrome.
 *
 * @author Put your name here
 *
 */
public final class SequencePalindrome {

    /**
     * Private constructor so this utility class cannot be instantiated.
     */
    private SequencePalindrome() {
    }

    /**
     * Construct and return a sequence from a given array.
     *
     * @param args the array of integer
     * @return the sequence of integer
     * @ensures createFromArgs = [the sequence of integers in args]
     */
    private static Sequence<Integer> createFromArgs(int[] args) {
        assert args != null : "Violation of: args is not null";
        Sequence<Integer> s = new Sequence1L<Integer>();
        for (int x : args) {
            s.add(s.length(), x);
        }
        return s;
    }

    /**
     * Checks if a given {@code Sequence<Integer>} is a palindrome.
     *
     * @param s the {@code Sequence} to check
     * @return true if the given {@code Sequence} is a palindrome, false otherwise
     * @ensures isPalindrome = (s = rev(s))
     */
    private static boolean isPalindrome(Sequence<Integer> s) {
        assert s != null : "Violation of: s is not null";

        boolean result = true;

        // get length
        int len = s.length() - 1;
        int x = 0, y = 0;
        // int i = 0;

        // loop if entry(x) == entry(len-x)
        // while (i < len) {

        // if (s.entry(i) != s.entry(len-i)) {
        // result = false;
        // }
        /*
         * I have NO idea why this works for everything except the few arrays with 512
         * as the only repeated number Figured this would be a quick and dirty lab but
         * maybe I'm in need of a refresher
```

```
63          */
64         // i++;
65         // }
66
67         // Recursion never lets me down :)
68
69         if (s.length() <= 1) {
70             result = true;
71         } else {
72             x = s.remove(len);
73             y = s.remove(0);
74
75             if (x != y) {
76                 result = false;
77             } else {
78                 result = isPalindrome(s);
79             }
80
81             s.add(s.length(), x);
82             s.add(0, y);
83         }
84
85         // This line added just to make the program compilable.
86         return result;
87     }
88
89     /**
90      * Main method.
91      *
92      * @param args the command line arguments
93      */
94     public static void main(String[] args) {
95         SimpleWriter out = new SimpleWriter1L();
96
97         final int[][] sequences = { {}, { 1 }, { 2, 2 }, { 3, 4, 3 }, { 5, 6, 7, 8, 8, 7, 6, 5 },
98                 { 9, 10, 11, 12, 13, 12, 11, 10, 9 }, { 1, 2 }, { 3, 4, 5 }, { 6, 7, 8, 8, 7, 9 },
99                 { 10, 11, 12, 12, 13, 10 }, { 14, 15, 16, 17, 15, 14 }, { 6, 7, 8, 18, 8, 7, 9 },
100                { 10, 11, 12, 19, 12, 13, 10 }, { 14, 15, 16, 20, 17, 15, 14 }, { 512 }, { 512, 512 },
101                { 512, 512, 512 }, { 512, 512, 512, 512 } };
102        final boolean[] results = { true, true, true, true, true, true, false, false, false, false, false, false, false,
103                false, true, true, true, true };
104
105        for (int i = 0; i < sequences.length; i++) {
106            Sequence<Integer> s = createFromArgs(sequences[i]);
107            Sequence<Integer> sCopy = createFromArgs(sequences[i]);
108            /*
109             * Check returned result and parameter restores mode
110             */
111            boolean correctResult = (isPalindrome(s) == results[i]);
112            boolean restoredParameter = s.equals(sCopy);
113            if (correctResult && restoredParameter) {
114                out.print("    Test passed: " + s + " is ");
115                if (!results[i]) {
116                    out.print("not ");
```

```
117                 }
118                 out.println("a palindrome");
119             } else {
120                 if (!correctResult) {
121                     out.print("*** Test failed: " + sCopy + " is ");
122                     if (!results[i]) {
123                         out.print("not ");
124                     }
125                     out.println("a palindrome");
126                 }
127                 if (!restoredParameter) {
128                     out.println("*** Test failed: " + s + " was not restored to its original value " + sCopy);
129                 }
130             }
131
132             out.println();
133         }
134
135         out.close();
136     }
137
138 }
139
```