


G20E-7 | G25N-7 | G25P-7 | G30E-7 | G33E-7 G35EC-7

Medium-Capacity LPG & DF Pneumatic Tire Forklifts



- Medium capacity: 4,000-7,000 lb.
- Powerful LPG and DF engines provides superb performance
- Rigid drive axle with OCDB (oil-cooled disc brakes)
- Shift ProTek autoshift transmission
- Enhanced cooling system

[Contact Dealer for Pricing](#)

[Find a Dealer](#)

[View Current Offers](#)

[Request a Demo](#)

Overview

The medium capacity LPG and DF (dual fuel) lineup is packed with features. Their lower overall cost of ownership ensures years of reliable service that won't break the bank.

- Structurally designed overhead guard and cabin offer great visibility and reliability.
 - Operators can easily switch to ECO mode from the dash. ECO mode can reduce fuel consumption by 15% compared to standard mode.
- Superior components, like larger king pins and tapered roller bearings, make the axle stronger. Angled rollers protect against side forces, and tapered roller bearings have an inner race, eliminating wear on the king pin.

Specs & Compare

Medium Capacity LPG & DF Pneumatic Tire Forklifts Key Specifications					
G20E-7	G25N-7	G25P-7	G30E-7	G33E-7	G35EC-7
Max Load Capacity					
4000 lbs	5000 lbs	5000 lbs	6000 lbs	6500 lbs	7000 lbs
Engine					
G20E-7	G25N-7	G25P-7	G30E-7	G33E-7	G35EC-7
Max Torque					
2000 RPM					
Performance					
G20E-7	G25N-7	G25P-7	G30E-7	G33E-7	G35EC-7
Load Center					
24 in	24 in	24 in	24 in	24 in	24 in
Travel Speed - Loaded					
12 mph	12 mph	12 mph	11 mph	11 mph	11 mph
Travel Speed - Unloaded					
12.5 mph	12.5 mph	12.5 mph	12 mph	12 mph	12 mph
Max Load Capacity					
4000 lbs	5000 lbs	5000 lbs	6000 lbs	6500 lbs	7000 lbs
Machine Rated Capacity					
4000 lbs	5000 lbs	5000 lbs	6000 lbs	6500 lbs	7000 lbs
Dimension					
G20E-7	G25N-7	G25P-7	G30E-7	G33E-7	G35EC-7
Load Management Center					
18.9 in	18.9 in	18.9 in	19.1 in	19.1 in	19.5 in
Height - Mast Lowered					
85.6 in	85.6 in	85.6 in	85.6 in	85.6 in	85.6 in
Overhead Guard Height					

85.9 in	85.9 in	85.9 in	85.9 in	85.9 in	85.9 in
Free Lift					
6 in	6 in	6 in	6 in	6 in	6 in
Length					
140 in	140 in	140 in	140 in	140 in	140 in
Wheelbase					
64 in	64 in	64 in	66.9 in	66.9 in	66.9 in
▲ Electrical System					
G20E-7	G25N-7	G25P-7	G30E-7	G33E-7	G35EC-7
Rated power					
59 hp	59 hp	59 hp	59 hp	59 hp	59 hp

Features & Benefits

Expand All ▾

- ▾ Operational Enhancements 9
- ▾ Simplified Serviceability 4
- ▾ Enhanced Productivity 6
- ▾ Durable Reliability 4
- ▾ Lower Cost of Ownership 2

Related Models





[View All Internal Combustion Pneumatic Tire Forklifts >](#)



WARNING: *This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.*

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.