

Safety Data Sheet

REJUVE

SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME REJUVE
SYNONYMS Product is a mixture: No synonyms are available
PRODUCT USE Alkaline Chlorinated Material
SUPPLIER United Formulas
SUPPLIER'S ADDRESS 601 6th St SW, Unit 5
 Great Falls MT 59405, (406) 727-4144
EMERGENCY RESPONSE PHONE Infotrac: 1-800-535-5053



SECTION 2 – HAZARD IDENTIFICATION

GHS – US CLASSIFICATION : H290 Metal corrosion Category 1
 : H314 Skin Corrosion Category 1A
 : H318 Serious Eye Damage Category 1
 : H335 STOT SE 3
 : H400 Aquatic Acute Category 1
 : H411 Aquatic Chronic Category 2

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE
 The product is classified and labeled according to the Globally Harmonized System (GHS).

LABEL ELEMENTS

GHS – US LABELING
HAZARD PICTOGRAMS :


SIGNAL WORD

: **DANGER**

HAZARDS STATEMENTS (GHS-US)

: H290 May be corrosive to metals.
 : H302 Harmful if swallowed
 : H314 Causes severe skin burns and eye damage.
 : H335 May cause respiratory irritation.
 : H400 Very toxic to aquatic life.
 : H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY HAZARDS (GHS-US)

: P234 Keep only in original container
 : P260 Do not breathe vapors/mist/spray.
 : P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
 : P264 Wash skin and contaminated clothing thoroughly after handling.
 : P273 Avoid release into the environment.
 : P280 Wear suitable protective gloves/protective clothing/eye protection / face protection.
 : P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 : P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 : P304+P340 IF INHALED: Remove victim(s) to fresh air and keep comfortable for breathing.
 : P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet**REJUVE**

- : P310 Immediately call a POISON CENTER or doctor/physician.
- : P312 Call a POISON CENTER/doctor/physician if you feel unwell.
- : P321 Specific treatment (See Section 4.)
- : P363 Wash contaminated clothing before reuse.
- : P390 Absorb spillage to prevent material damage.
- : P391 Collect spillage.
- : P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- : P405 Store locked up.
- : P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- OTHER HAZARDS** : Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.
- CLASSIFICATION SYSTEM:** : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.
- NFPA ratings (scale 0-4):** : Health = 3, Fire = 0, Reactivity = 1
- HMIS ratings (scale 0-5):** : Health = 3, Fire = 0, Reactivity = 1
- OTHER HAZARDS** : Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

- CHEMICAL CHARACTERIZATION** : Mixtures
- DESCRIPTION** : Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Sodium Hypochlorite	5-7	7681-52-9	321-668-3	Metal Corr. Cat 1, Skin Corr. Cat 1B Eye Damage Cat. 1, STOT SE 3 Aquatic Acute Cat. 1, Aquatic Chronic Cat 1.
Sodium Hydroxide	0.1-4.25	1310-73-2	215-185-5	Metal Corr. Cat. 1, Skin Corr. Cat. 1A Eye Damage Cat. 1, Aquatic Acute Cat. 3

Corr = Corrosion, Cat = Category, STOT SE = Specific Target Organ Toxicity Single Exposure.

SECTION 4 – FIRST AID MEASURES

- EYE CONTACT** : Immediately flush the eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician.
- SKIN CONTACT** : Remove contaminated clothing and shoes. Wash affected skin area with water for at least 15 minutes. Delayed skin damage is possible if the product is not completely washed off. Get immediate medical attention. Wash contaminated clothing before reuse.
- SWALLOWING (INGESTION)** : If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Immediate call a POISON CENTER or doctor/physician.
- INHALATION** : When symptoms occur, go into open air, and ventilate suspected area. Remove victim(s) to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER/doctor/physician.
- GENERAL MEASURES** : Never give anything by mouth to an unconscious person. Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.
- MOST IMPORTANT SYMPTOMS AND EFFECTS: BOTH ACUTE AND DELAYED**
- GENERAL** : Causes severe skin burns and eye damage. Effects of exposure (inhalation, ingestion, or skin contact) to substance may be delayed. If exposed or concerned, get medical attention

Safety Data Sheet

REJUVE

INHALATION	: Inhalation may cause immediate severe irritation progressing quickly to chemical burns.
SKIN CONTACT	: Causes severe irritation which will progress to chemical burns.
EYE CONTACT	: Causes serious eye damage. Contact may cause immediate severe irritation progressing quickly to chemical burns.
INGESTION	: Contact may cause immediate severe irritation progressing quickly to chemical burns.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA	: Water spray, fog, carbon dioxide, foam, dry chemical
SPECIAL HAZARDS (FIRE)	: Not flammable. Contains sodium hypochlorite which may act as an oxidizer in some cases intensifying a fire.
EXPLOSION HAZARDS	: Product is not explosive.
REACTIVITY (FIRE)	: Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release toxic chlorine gases, and explosive hydrogen gas. When heated to decomposition, emits toxic fumes. Ammonium or Nitrogen containing compounds can react with sodium hypochlorite in this product releasing toxic chlorine gas. May be corrosive to metals.
SPECIAL INSTRUCTIONS TO FIRE FIGHTERS	
PRECAUTIONARY MEASURES	: Exercise caution when fighting any chemical fire.
FIREFIGHTING INSTRUCTIONS	: Use water spray or fog for cooling exposed containers.
PROTECTION DURING FIREFIGHTING	: Do not enter fire area without proper protective equipment, including respiratory protection.
HAZARDOUS COMBUSTION PRODUCTS	: Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides. Chlorine gas. Nitrogen oxides. Carbon oxides (CO, CO ₂). Explosive Hydrogen gas.
OTHER INFORMATION (FIRE)	: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	: Do not allow products to spread into the environment. Do NOT breathe vapors, mist, or spray. Avoid all contact with skin, eyes, or clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Ventilate area.
ENVIRONMENTAL PRECAUTIONS	: Keep spilled material away from sewage/drainage systems and waterways. This product contains a U.S. EPA Reportable Quantity (RQ) substance. If amounts exceeding the Reportable Quantity are released, notification of the National Response Center (800) 424-8802 is required. See section 15 for more information.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP	: Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill, or leak area in all directions. Cleaning Up: Clear up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage. Contact competent authorities after a spill.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink, or smoke when using this product. Wash hands and forearms thoroughly after handling.
CONDITIONS FOR SAFE STORAGE	: Store in a dry, cool, and well-ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat, and incompatible materials (Strong acid, Strong oxidizers).

Safety Data Sheet

REJUVE



SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE) : The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT (USA)	OSHA PEL – TWA	ACGIH TLV-Ceiling	ACGIH – STEL
Sodium Hypochlorite	2 mg/m ³	Not Established	2mg/m ³
Sodium Hydroxide	2 mg/m ³ (Ceiling)	2mg/m ³	2mg/m ³ (Ceiling)

EYE PROTECTION : Wear chemical splash goggles or face shield.

SKIN PROTECTION : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION : In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION : Ensure adequate ventilation.

ADDITIONAL MEASURES : Emergency eyewash and safety shower facilities should be available in the immediate work area.

REQUIRED WORK/HYGIENE : Wash hands thoroughly after handling. Keep away from all food stuff, beverages, and feed. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear light yellow liquid

ODOR : Mild Chlorine Odor

ODOR THRESHOLD : Not available

PH : > 13.5

MELTING POINT/FREEZING POINT : Not available

BOILING POINT : Not available

FLASHPOINT : Not applicable

EVAPORATION RATE : Not available

FLAMMABILITY : Nonflammable, Noncombustible

LOWER FLAMMABILITY LIMIT : Not applicable

UPPER FLAMMABILITY LIMIT : Not applicable

VAPOR PRESSURE : Not available

VAPOR DENSITY (AIR=1) : Not available

RELATIVE DENSITY : 1.13

SOLUBILITY IN WATER : Soluble in water

**PARTITION COEFFICIENT n-
OCTANOL/WATER** : Not available

AUTOIGNITION TEMPERATURE : Not available

**DECOMPOSITION
TEMPERATURE** : Not available

SECTION 10 – STABILITY AND REACTIVITY

Safety Data Sheet**REJUVE**

REACTIVITY	: Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release toxic chlorine gases. Explosion hydrogen gas. When heated to decomposition, emits toxic fumes. Ammonium or nitrogen containing compounds can react with the sodium hypochlorite in this product releasing toxic chlorine gas. May be corrosive to metals.
STABILITY	: Stable under recommended storage conditions.
HAZARDOUS CONDITIONS TO AVOID	: Direct sunlight. Extremely high or low temperatures. Heat. Combustible materials. Incompatible materials.
INCOMPATIBLE MATERIALS	: Strong acids. Strong oxidizers. Metals. May be corrosive to metal. Phosphorous. Nitrogen containing compounds, ammonium compounds.
HAZARDOUS DECOMPOSITION PRODUCTS	: Carbon oxides (CO, CO ₂). Thermal decomposition generates: Corrosive vapors. Toxic gases. Chlorine gas. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium oxides. Potassium oxides.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION	: Sodium Hypochlorite
PRIMARY ROUTES OF EXPOSURE	: Eye, skin contact, inhalation
POTENTIAL HEALTH EFFECTS	: Causes skin burns. Onset of symptoms may be delayed following exposure.
EYE CONTACT	: Causes severe eye damage.
SKIN CONTACT	: Causes skin burns. Onset of symptoms may be delayed following exposure.
INHALATION	: Corrosive to respiratory tract.
INGESTION	: May be harmful if swallowed. Ingestion may cause chemical burns, pain vomiting, difficulty breathing and other gastrointestinal effects.
CARCINOGENICITY	: The components of this product are not classified as carcinogenic by OSHA, NTP or IARC.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	: Asthma and other respiratory conditions, skin disorders.

TOXICOLOGICAL INFORMATION	: Sodium Hydroxide
ACUTE TOXICITY	: LD/LC50 values: Sodium Hydroxide: Oral LD50 = 500 mg/kg (rat). LC50 dermal and inhalation: Not listed. LD50 values: Potassium Hydroxide: Oral (rat): 214 mg/kg. LC50 dermal and inhalation: Not listed

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION	: Sodium Hypochlorite
ECOTOXICITY	: This material may be toxic to aquatic organisms.
BIODEGRADABILITY	: Degrades slowly to sodium chloride, sodium chlorate and oxygen
TOXICOLOGICAL INFORMATION	: Sodium Hydroxide
AQUATIC TOXICITY	: LC50 fish: 40mg/l.
PERSISTENCE AND DEGRADABILITY	: No relevant information available.
BIOACCUMULATIVE POTENTIAL	: No relevant information available.
NOTES	: Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted products or large quantities of this product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or un-neutralized. Rinse off larger amounts into drains or the aquatic

Safety Data Sheet

REJUVE

environment may lead to increased pH-values. A high pH-value harms aquatic organisms.

SECTION 13 – DISPOSAL CONSIDERATIONS

- WASTE DISPOSAL RECOMMENDATIONS** : This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
- ECOLOGY-WASTE MATERIALS** : This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14 – TRANSPORTATION INFORMATION

- DOT/IMDG/ IATA PROPER SHIPPING NAME** : UN1791, HYPOCHLORITE, SOLUTION 8 PGIII
- HAZARD CLASS AND LABEL** : 8 (Corrosive)
- UN NUMBER** : UN1791
- PACKAGING GROUP** : PGIII
- EPA REPORTABLE QUANTITY (RQ)** : 100 LBS. (454 KG) as Sodium Hypochlorite 100%.
- MARINE POLLUTANT** : Marine Pollutant
- EMERGENCY RESPONSE GUIDE** : ERG-154



SECTION 15 – REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

- LISTED CARCINOGEN** : Not listed
- TSC STATUS** : The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.)
- SARA SECTION 302** : None
- SARA SECTION 311/312** : Immediate (acute) health hazard.
- HAZARD CLASS** : Not Listed
- SARA SECTION 313** : Not Listed
- NFPA HEALTH** : 3
- NFPA FLAMMABILITY** : 0
- NFPA REACTIVITY** : 1

CANADIAN REGULATORY INFORMATION

- WHMIS CATEGORY** : Class E: Corrosive



- INGREDIENT DISCLOSURE LIST** : Listed, this product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all the information required by the CPR.
- DOMESTIC SUBSTANCES LIST (DSL)** : Listed

SECTION 16 – OTHER INFORMATION

Safety Data Sheet

REJUVE

DISCLAIMER	: The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. United Formulas assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
CERCLA	: Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS	: European Inventory of Existing Commercial Chemical Substances
IMDG	: International Maritime Code for Dangerous Goods
IARC	: International Agency for Research on Cancer
IATA	: International Air Transportation Association
ACGIH	: American Conference of Governmental Industrial Hygienists
NFPA	: National Fire Protection Association (USA)
NTP	: National Toxicology Program
SARA	: Superfund Amendments and Reauthorization Act
TSCA	: Toxic Substances Control Act
HMIS	: Hazardous Materials Identification System (USA)
WHMIS	: Workplace Hazardous Materials Information System
LC50	: Lethal concentration, 50 percent
LD50	: Lethal dose, 50 percent
STOT	: Systemic Target Organ Toxicity
DATE PREPARED	: MAR 1, 2018
DATE REVISED	: SEP 24, 2025