Technical English II

IT DICTIONARY

Name: Camilo Masseras
Group: 3 MB
Teacher: Lorena Punciolo

🔤 B

Backup
Definition: A full copy of systems and data stored securely to prevent loss before upgrading or altering software.
Translation: Copia de seguridad
Example: Before installing the new software, you must do a full backup of the system.

Batch (running in batch)
Definition: Programs or data processing operations that run automatically as a group without user interaction.
Translation: Procesamiento por lotes
Example: The server updates patient history metrics by running data in batch overnight.

Bill
Definition: A document or paper showing money owed for services or products provided.
Translation: Factura / Cuenta
Example: The waiter brought the restaurant bill after we finished our meal.

🔤 C

Cell
Definition: The individual intersection box of a row and a column in a spreadsheet where data or values are entered.
Translation: Celda
Example: To fix the date formatting error, right-click on the cell and select 'Format cells'.

Column
Definition: A vertical series of cells or data fields in a spreadsheet or database table.
Translation: Columna
Example: This spreadsheet column displays the prices for all medical items.

Conceptual schema
Definition: The overall logical design and structural blueprint of an entire database.
Translation: Esquema conceptual
Example: The Database Management System inspects the conceptual schema to route the access request.

Company
Definition: An organization or business that sells or provides services to customers or clients.
Translation: Empresa
Example: The systems administrator manages the IT infrastructure for the entire company.

🔤 D

Database Management System (DBMS)
Definition: A specialized software component that manages multi-user database structures, controls access permissions, and handles user queries.
Translation: Sistema de gestión de bases de datos (SGBD)
Example: All requests for patient files are safely processed through the hospital's DBMS.

Deploy
Definition: To install, distribute, or implement new software applications or major upgrades across an entire network of computers simultaneously.
Translation: Desplegar / Implementar
Example: The systems administrator plans to deploy the new database application tomorrow morning.

Dispatch Number (Ref. Number)
Definition: A unique reference identifier printed on business letters to track correspondence and filing.
Translation: Número de despacho / Número de referencia
Example: Always include the dispatch number when replying to official business correspondence.

🔤 E

Enclosure / Attachment
Definition: Additional documents, sheets, or files attached to a formal business letter or electronic mail.
Translation: Anexo / Archivo adjunto
Example: Please find the invoice contract in the email attachment.

External schema
Definition: The user's permitted, restricted, or customized view of the specific data structures inside a database.
Translation: Esquema externo
Example: An administrator and a surgeon will access different views via the external schema.

🔤 F

Field
Definition: An individual element or column header within a database record that stores a specific item of data, such as a name or ID number.
Translation: Campo

Example: The 'Email address' field is used to log the digital contact of club members.
Form
Definition: A digital object layout used to make entering information into database tables easier and more efficient for users.
Translation: Formulario
Example: You can add new user accounts by opening a form and typing data directly into the fields.

Formula
Definition: A mathematical sequence or expression entered into a spreadsheet cell to calculate values automatically.
Translation: Fórmula
Example: The accountant typed the wrong formula and got an annoying error message.

🔤 I

Image compression
Definition: A technical process for reducing the digital file space that a graphics or scanning image occupies in computer memory.
Translation: Compresión de imágenes
Example: Recent improvements in image compression allow hospitals to store large X-rays inside databases.

Inquiry (Enquiry)
Definition: A formal written request sent to a company asking for information regarding services, pricing, or products.
Translation: Consulta / Solicitud de información
Example: We received a business inquiry regarding our server maintenance services.

Internal schema
Definition: The structural configuration detailing exactly how data is physically held and structured inside computer storage hardware.
Translation: Esquema interno
Example: The system maps logical user requests down into the internal schema configuration.

Invoice
Definition: A formal itemized business document sent by a seller to a buyer requesting payment for provided goods or services.
Translation: Factura comercial
Example: Our packages don't include the physical invoice for your order.

🔤 L

Letterhead
Definition: Printed heading at the top of a paper sheet specifying company name, logo, address, and official contact details.
Translation: Membrete
Example: Official business letters must always be printed on company letterhead.

Log (Logs)
Definition: Data or files automatically produced by a computer program while running to document actions, system states, or performance metrics.
Translation: Registro del sistema / Historial (Logs)
Example: It is part of the technician's job description to check the server logs every evening.

Logical record
Definition: A collection of related data fields representing one comprehensive subject structure as seen from the user's perspective.
Translation: Registro lógico
Example: The system fetches various rows to build a unified logical record for the user.

🔤 M

Multi-user
Definition: A computing environment or database system designed to be safely accessed by more than one user simultaneously.
Translation: Multiusuario
Example: Our company relies on multi-user databases to keep client data open to all branches.

🔤 P

Patch
Definition: A quick piece of software code deployed to update, fix, or mitigate security bugs and performance vulnerabilities.
Translation: Parche de seguridad / Actualización
Example: The system administrator applied the security patch to fix the database vulnerability.

Permissions
Definition: Configured access settings on a computer system, file, or folder that explicitly declare who can open, edit, or use them.
Translation: Permisos de acceso
Example: The systems administrator must set permissions before the new designer logs into his workstation.

Physical record
Definition: The basic physical unit or collection of data that is transferred and read from a computer storage device as a single entity.
Translation: Registro físico

Example: A single user query might require the system to fetch data from more than one physical record.

Primary key
Definition: A unique field within a database record that ensures no two entries contain identical information.
Translation: Clave primaria
Example: A staff ID or national identity card number serves as an ideal primary key.

🔤 Q

Query
Definition: A formal request for specific data or combined information retrieved from a database table or a mix of tables.
Translation: Consulta (Base de datos)
Example: We can quickly calculate total monthly sales numbers by querying the database.

🔤 R

Record
Definition: A complete row inside a database table that contains all relevant information about a single specific item, entity, or person.
Translation: Registro
Example: The database keeps a single patient record for every individual admitted to the ward.

Report
Definition: A polished database object designed to aggregate, organize, and format combined data so it looks good for print or distribution.
Translation: Informe / Reporte
Example: By running a report, the administration staff printed out a list of active customers.

Row
Definition: A horizontal line of data cells stretching across a spreadsheet or database table structure.
Translation: Fila
Example: Each row in this data sheet holds information about something the company sells.

🔤 S

Salutation
Definition: The standard formal greeting used at the start of a business letter (e.g., 'Dear Sir/Madam').
Translation: Saludo formal
Example: Include a polite salutation at the top of your letter.

Spreadsheet
Definition: A software interactive sheet modeled in columns and rows, primarily utilized to manipulate numbers, calculate totals, and store data values.
Translation: Hoja de cálculo
Example: She typed all product prices neatly into an office spreadsheet.

Subject line
Definition: A single line of text summarizing the main topic and objective of a letter or email.
Translation: Línea de asunto
Example: Make sure your subject line clearly states the purpose of the email.

Systems administrator
Definition: A specialized IT professional explicitly responsible for looking after network security, setting up user accounts, and maintaining computer systems.
Translation: Administrador de sistemas
Example: If your computer gets locked out of the network, you must notify the systems administrator.

🔤 T

Table
Definition: A primary database object that models data systematically into rows and columns for fast processing and querying.
Translation: Tabla
Example: Most relational databases have at least two related tables to store employee data.

Ticket
Definition: A small piece of paper, card, digital token, or logged support request detailing an issue or service authorization.
Translation: Boleto / Ticket de soporte
Example: Submit a support ticket to request access to the database.

Transaction
Definition: Any single processing event or sequence of database operations executed as an individual unit of work.
Translation: Transacción
Example: Every patient checkout registers as a new transaction in our system.

Troubleshooting
Definition: A systematic approach to solving technical problems or errors on a computer system or network.
Translation: Resolución de problemas / Diagnóstico técnico
Example: Network technicians spent two hours troubleshooting the server connectivity issue.

🔤 V

Value
Definition: Specific numerical or text data entered into an individual cell of a spreadsheet sheet.
Translation: Valor
Example: Enter the correct monetary value into cell B3 to clear the calculations.

GRAMMAR REINFORCEMENT: PAST SIMPLE vs. SEQUENCING

PAST SIMPLE

We use the past simple to describe finished actions, states, or events that took place in the past, frequently accompanied by distinct time expressions (e.g., *yesterday, in 2020, two years ago, etc*).

- **Form:**
    - Add -ed to regular verbs (*check → checked, correct → corrected*).
    - Irregular verbs follow unique spelling variations, for example, some of them are;

write - wrote
find - found
run - ran

    - Questions and negative expressions utilize the auxiliary verb did / didn't followed by a bare infinitive.

- **Examples:**
    1. Relational databases **became** highly popular during the 1980s.
    2. ***Did you*** *check the formulae in the spreadsheet?* Yes, **I did**. I found one mistake and **corrected** it straight away.

EXPRESSING SEQUENCES (While, Before, After)

We use the conjunctions while, before, and after to indicate the chronological order of system events or system administration actions.

If the identical person or entity performs the actions in both clauses, we can use the -ing form of the verb immediately after these terms.

Examples:

1. ***Before*** installing the software, remember to perform a full backup.
2. ***While*** you install the operating system, the computer will ask you some questions.
3. ***After*** resetting the password, log in to check that the new one works.

TECH STRUCTURES & TALK

BY + -ING (Expressing How to Do Things)

- **Usage:** We can use the structure by + -ing to explain the specific method, tool, or action used to achieve an objective in computing environments.
- **Examples:**
    1. We can find the total number of hours ***by querying*** the database.
    2. ***By running*** a report, we can easily print a clean list of active customers.
    3. You can enter data ***by opening*** a form and entering text into fields.
    4. ***By scanning*** all physical documents, your company will use significantly less paper space.

Technical words

- **Run a query / Run a report** (Ejecutar una consulta / informe)
- **Set permissions / Set up accounts** (Establecer permisos / configurar cuentas)
- **Check logs** (Verificar registros del sistema)
- **Reset passwords** (Restablecer contraseñas)
- **Be up and running** (Estar operativo y funcionando correctamente)
- **Lock s**