

Feature		Scenario				Step			
Name Duration		T	P	F	S	T	P	F	S
As a Admin, user able to login	24.249 s	1	0	1	0	3	2	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	eature Name Scenario Name	
1	As a Admin, user able to login	Admin can login with valid credentials

FEATURES SUMMARY -- 4 -



#	Feature Name	T	P	F	S	Duration
1	As a Admin, user able to login	1	0	1	0	24.249 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	As a Admin, user able to login	Admin can login with valid credentials	3	2	1	0	24.244 s

DETAILED SECTION -- 6 --

As a Admin, user able to login

FAILED	DURATION - 24.249 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 10:23:08.206 pm //	10:23:32.455 pm /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	📜 ĭ 📕
		Skip - 0		Skip - 0	

Admin can login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user able to load application	PASSED	0.009 s
2	When User enter username as "admin@email.com", password as "admin@123" and click on login button	PASSED	4.025 s
3	Then User should able to login	FAILED	1.374 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertFalse(Assert.java:65) at org.junit.Assert.assertFalse(Assert.java:75) at stepDefination.LoginStep.user_should_able_to_login(LoginStep.java:30) at ?.User should able to login(file:///C:/Users/arupk/eclipse-workspace/cucumber7framework/featurefiles/login.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.292 s
	Admin can login with valid credentials		

#		Step / Hook Details	Status	Duration
	() Lean Automation Courses			