Cucumber Report

Start : Nov 04, 4:11:57.329 pm	*End : Nov 04, 4:12:05.186 pm*	*Duration : 7.857 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
As a Admin, user able to login	*7.857 s*	*1*	*0*	*1*	*0*	*3*	*2*	*1*	*0*

#	Feature Name	Scenario Name
1	*As a Admin, user able to login*	*Admin can login with valid credentials*

#	Feature Name	T	P	F	S	Duration
1	*As a Admin, user able to login*	1	0	1	0	7.857 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	As a Admin, user able to login	Admin can login with valid credentials	3	2	1	0	7.853 s

As a Admin, user able to login

FAILED	DURATION - 7.857 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:11:57.329 pm // 4:12:05.186 pm /					

Admin can login with valid credentials

FAILED	DURATION - 7.853 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:11:57.333 pm // 4:12:05.186 pm /				
As a Admin, user able to login				

#	Step / Hook Details	Status	Duration
1	Given user able to load application	PASSED	0.005 s
2	When User enter username as "admin@email.com", password as "admin@123" and click on login button	PASSED	3.591 s
3	Then User should able to login	FAILED	0.789 s

	java.lang.AssertionError
	   at org.junit.Assert.fail(Assert.java:87)
	   at org.junit.Assert.assertTrue(Assert.java:42)
	   at org.junit.Assert.assertFalse(Assert.java:65)
	   at org.junit.Assert.assertFalse(Assert.java:75)
	   at stepDefination.LoginStep.user_should_able_to_login(LoginStep.java:30)
	   at ?.User should able to login(file:///C:/Users/arupk/eclipse-workspace/cucumber7framework/featurefiles/login.feature:25)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - hooks.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.205 s
	Admin can login with valid credentials		

#	Step / Hook Details	Status	Duration