Cucumber Report

Start : Nov 08, 11:53:49.140 pm	End : Nov 08, 11:54:08.274 pm	Duration : 19.134 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
As a Admin, user able to login	*19.134 s*	*1*	*0*	*1*	*0*	*3*	*2*	*1*	*0*

#	Feature Name	Scenario Name
1	*As a Admin, user able to login*	*Admin can login with valid credentials*

#	Feature Name	T	P	F	S	Duration
1	*As a Admin, user able to login*	1	0	1	0	19.134 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	As a Admin, user able to login	Admin can login with valid credentials	3	2	1	0	19.132 s

As a Admin, user able to login

FAILED	DURATION - 19.134 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 11:53:49.140 pm // 11:54:08.274 pm /					

Admin can login with valid credentials

FAILED	DURATION - 19.132 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 11:53:49.142 pm // 11:54:08.274 pm /				
As a Admin, user able to login				

#	Step / Hook Details	Status	Duration
1	Given user able to load application	PASSED	0.000 s
2	When User enter username as "admin@email.com", password as "admin@123" and click on login button	PASSED	3.638 s
3	Then User should able to login	FAILED	10.072 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Manage']"} (Session info: chrome=118.0.5993.120) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [bbe0968e360b28f0670ebea56ca1b0df, findElement {using=xpath, value=//span[text()='Manage']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.120, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\arupk\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52235}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52235/devtoo..., se:cdpVersion: 118.0.5993.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe0968e360b28f0670ebea56ca1b0df
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at stepDefination.LoginStep.user_should_able_to_login(LoginStep.java:30) at ?.User should able to login(file:///C:/Users/arupk/eclipse-workspace/cucumber7framework/featurefiles/login.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.tearDown(io.cucumber.java.Scenario) Admin can login with valid credentials 	PASSED	0.180 s