```
<!DOCTYPE html>
<html lang="en">
<head>
<title>CSS Template</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
* {
box-sizing: border-box;
body {
font-family: Arial, Helvetica, sans-serif;
}
/* Style the header */
header {
background-color: #666;
padding: 30px;
text-align: center;
font-size: 35px;
color: white;
}
/* Create two columns/boxes that floats next to each other */
nav {
float: left;
width: 30%;
height: 300px; /* only for demonstration, should be removed */
background: #ccc;
padding: 20px;
}
/* Style the list inside the menu */
nav ul {
list-style-type: none;
padding: 0;
}
article {
float: left;
padding: 20px;
width: 70%;
background-color: #f1f1f1;
height: 300px; /* only for demonstration, should be removed */
/* Clear floats after the columns */
section::after {
content: "";
```

```
display: table;
clear: both;
}
/* Style the footer */
footer {
background-color: #777;
padding: 10px;
text-align: center;
color: white;
}
/* Responsive layout - makes the two columns/boxes stack on top of each other instead of next to each
other, on small screens */
@media (max-width: 600px) {
nav, article {
width: 100%;
height: auto;
}
}
</style>
</head>
<body>
<h2>CSS Layout Float</h2>
In this example, we have created a header, two columns/boxes and a footer. On smaller screens, the
columns will stack on top of each other.
Resize the browser window to see the responsive effect (you will learn more about this in our next).
chapter - HTML Responsive.)
<header>
<h2>Cities</h2>
</header>
<section>
<nav>
<a href="#">London</a>
<a href="#">Paris</a>
<a href="#">Tokyo</a>
</nav>
<article>
<h1>London</h1>
London is the capital city of England. It is the most populous city in the United Kingdom, with a
metropolitan area of over 13 million inhabitants.
Standing on the River Thames, London has been a major settlement for two millennia, its history
going back to its founding by the Romans, who named it Londinium.
</article>
```

```
</section>
<footer style="background-color: red">
Footer
</footer>
</body>
</html>
```