SENTINEL

Continuous monitoring & early warning for Caribbean SMBs

v3.16.3 · branch `hardening/production-readiness` · eb4e620

TrinTech Digital Defense · Trinidad & Tobago

28 October 2026

This document is the operator and sales-facing overview of **Sentinel**: what it is, how to install and run it, the numbered menu, multi-host agents, dashboard/PDF reports, and a one-page cheatsheet. Authorized defensive use only.

1. What Sentinel is

Sentinel is TrinTech Digital Defense's **host-focused line of defense** for Caribbean SMBs. It watches a machine (and optional remote agents) for suspicious processes, reverse-shell style activity, file integrity changes, canary-file touches, and network device presence—then alerts operators and produces owner-friendly PDF reports.

Visibility	Processes, persistence, FIM, optional network/fleet discovery
Deception	Canary files on the sensor host; remote canaries via agent install
Hunt	Continuous persistence hunting with heartbeat / service mode
Firewall plane	Host firewall helpers with dry-run default (not a perimeter appliance)
Multi-host	Central API + agent bundles + SSH push (authorized keys only)
Dashboard	Local web UI: status, fleet, actions, one-click PDF
Reporting	Branded client PDF + technical/evidence exports

It is not: a full SOC, cloud EDR, or a guarantee of zero compromise. SSH auto-block and live firewall apply are **opt-in**. Supervised review is preferred before client-critical flags.

2. Install (single path)

Linux / Ubuntu / Termux-proot style environments with Python 3.10+:

```
git clone https://github.com/trintechdigitaldefense/Sentinel.git
cd Sentinel
git fetch origin && git checkout hardening/production-readiness
python3 setup.py
python3 sentinel.py doctor
```

Config: `~/.sentinel/config.json` (mode 0600) · Data: `~/.sentinel/data/` · Current tip: `eb4e620`

3. How to use

3.1 Interactive menu

Run `python3 sentinel.py` with no arguments. Every number maps to a real CLI command (verified in v3.16.3).

#	Main menu
1	START continuous protection (fleet + scan + hunt + dashboard)
2–7	Scan · hunt · canaries · FIM · processes · report
8	Detection tools submenu
9–14	Info · alerts · hardening · ops · service install/status
15–17	Doctor · go-live · pilot
18	Firewall tools submenu (dry-run first)
19	Ops: PDF, dashboard, cases, SIEM
20	Fleet + agents: discovery, central, bundles, review
21–22	Phase 4 advanced · WhatsApp digest schedule
0	Exit

3.2 Recommended pilot sequence

1) `doctor` — fix FAILs · 2) `go-live` / deception + integrity · 3) `fleet-scan` · 4) `service-install` or overnight hunt · 5) Force a canary touch; confirm alert · 6) Dashboard PDF for the owner · 7) Optional agent on a second host · 8) Field-soak 1–2 weeks before steady-state claims.

3.3 Dashboard & PDF

```
python3 sentinel.py dashboard
# leave running — open the printed URL (?token=...)
# Generate PDF report / Client PDF — opens branded owner report
# Direct: http://127.0.0.1:8792/api/report/pdf?token=TOKEN
```

3.4 Multi-host (fleet + agents)

```
python3 sentinel.py fleet-scan
python3 sentinel.py agent-bundle
python3 sentinel.py agent-push user@HOST --identity ~/.ssh/id_ed25519
python3 sentinel.py central # terminal A
python3 sentinel.py agents-list
python3 sentinel.py agent-stale 15
```

Remote canaries require an agent on each target host. SSH push needs an authorized key—Sentinel does not force access.

4. Operator cheatsheet

Core commands

Menu	`python3 sentinel.py`
Health	`python3 sentinel.py doctor`
Go-live	`python3 sentinel.py go-live`
Hunt	`python3 sentinel.py hunt`
Full start	`python3 sentinel.py start`
Canaries	`python3 sentinel.py deception`
FIM baseline	`python3 sentinel.py integrity`
Always-on	`python3 sentinel.py service-install`
Dashboard	`python3 sentinel.py dashboard`
Client PDF	`python3 sentinel.py client-report` or dashboard button
Fleet	`python3 sentinel.py fleet-scan`
Agent bundle	`python3 sentinel.py agent-bundle`
Agent push	`python3 sentinel.py agent-push user@host --identity KEY`
Central	`python3 sentinel.py central`
Agents list	`python3 sentinel.py agents-list`
Review queue	`python3 sentinel.py review-list`
Quiet hours	`python3 sentinel.py quiet on|off`
Firewall status	`python3 sentinel.py firewall status`
Pilot	`python3 sentinel.py pilot`

Central API (token required except /health)

```
GET /health · GET /agents · GET /fleet · GET /agent/status · GET /agent/stale
POST /agent/report · GET /canary/beacon
Auth: X-Sentinel-Token or Authorization: Bearer <shared_token>
```

Paths

```
~/.sentinel/config.json configuration (0600)
~/.sentinel/data/ alerts, fleet, agents, evidence
~/.sentinel/data/agents/ per-host agent snapshots
~/.sentinel/data/fleet_devices.json
~/.sentinel/data/agent_bundles/ install_agent.sh packs
```

Safety defaults (do not weaken for pilots)

• SSH auto-block **off** until opted in · Firewall **dry-run** until confirmed apply
• Dashboard control is host-local with token · Supervised review preferred before client-critical flags
• Reports are operational visibility — not a certification of clearance

---

5. Support

TrinTech Digital Defense — Trinidad & Tobago / Caribbean
WhatsApp: **+1 868 362-0679**
Product: Sentinel continuous monitoring · Authorized defensive use only

Document generated for Sentinel v3.16.3 (eb4e620). Prefer branch hardening/production-readiness until merged to main after release checklist sign-off.