Triozen Tech: full context handoff (v2)

Updated 2026-10-14 · covers Days 1–20 · replaces the old TRIOZEN-HANDOFF.pdf

> **Instructions for Claude:** this is the full context from my previous Claude account. Read all of it, follow every rule, and continue guiding me exactly the same way. Save the durable facts to memory. Where this file and the older PDFs disagree, **this file wins**.

1. Who I am

I work at a startup and, alongside that, do freelance projects with two friends (a team of 3). Studio name: **Triozen Tech** (GitHub org: `triozen-tech`). We post Instagram reels of cinematic scroll websites, one a day, to win clients.

2. How I want you to work with me (always)

- Plain, simple language. One step at a time when I'm confused. Short replies: what's good, what to fix, the exact prompt to paste, the next step.
- I'm on **Claude Pro**: keep answers compact and suggest the cheapest way that keeps quality.
- For every Google Flow image/video prompt, always state the **aspect ratio**. Say `.png` only for transparent cut-outs, otherwise `.jpg`.
- I want the best output; don't hold back for credits. But Veo runs cost ~100 credits each, so write video prompts in full detail to pass first time.
- Check every Flow image/video I send by zooming in (crops, frame sheets, freeze checks), and check Claude Code reports and reels.
- **Don't swap niches without asking.** Fictional brands only: no real-brand look-alikes and no "or: X concept" alternatives. **Before using a brand name from the plan, search online that it is not a real company** (Day 18 and Day 20 names were real, see section 3). Check real-world facts (heights, seasons, durations) online and keep them consistent.
- No AI likeness of real people (faces hidden). No hands in AI videos. No models wearing pieces (jewellery day).
- Only MIT/ISC/Apache code. Read third-party skills before installing.

3. The daily series

32-Day Showreel Plan, Day 1 = 2026-10-01, continues beyond 32 days. One niche per day, in plan order. The living plan is the editable `32-Day-Showreel-Plan.md` (also attached as PDF). It wins over any older copy.

Status	Days
Built	1 Meridian (watches) · 2 Volt Runners (sneakers) · 3 Melt Theory (ice cream) · 4 Circuit Square (electronics) · 5 Ember Roast (café) · 6 Nocturne (perfume) · 7 Surge (energy drink) · 8 Crumb & Co (cake shop) · 9 Aura Sound (headphones) · 10 Saffron & Smoke (restaurant) · 11 Iron Temple (gym) · 12 Dewlab (skincare) · 13 Zip EV (scooter) · 14 Coral Bay (resort) · 15 Nova X (console) · 16 Kanak Jewels (gold jewellery) · 17 Pulp Fresh (juice) · 18 Cairnline Treks (Himalayan trek agency) · 20 Kerbcode Studio (streetwear)
In progress	**Day 19: smartphone launch, brand Halden** (the plan's "Lumen Phone" and one shortlist name clashed with real brands). Round 0 and DESIGN.md are done, and all assets are generated (stills S0–S11, Veo clips V1–V12). **Next: Round 1** (cut frames with `npm run film-frames`, build the static site).

Planned	21 Luxury villas · 22 Architecture studio · 23 Motorcycle · 24 Wedding photography · 25 Electric car · 26 Premium tea · 27 Camera drone · 28 Yoga retreat · 29 Luxury hotel · 30 Action movie launch · 31 Chocolate · 32 Our own studio

Changes from the old PDF plan: Day 8 became the cake shop (luxury villas moved to Day 21); Day 16 is Kanak Jewels with no real-brand alternative (look comes from reference picks); Day 19 Lumen Phone → Halden; Day 18 renamed Wander Trails → Cairnline Treks; Day 20 renamed NoCap Studio → Kerbcode Studio (both originals were real businesses/trademarks). The plan's "or: X concept" brand alternatives are dropped.

Permanent series rules

- **Desktop only, 1440×900.** No phone UI, layouts, breakpoints, checks or screenshots, ever. (Client sites are separate and do work on mobile.)
- **Every site must look like a different designer made it** (new layout, nav, type, cards, page flow). Premium and real: a cinematic moment plus real-business sections (products, prices, offers) so a client can picture their own brand.
- **Motion is always on.** Never honour the OS reduce-motion setting; only `?static=1` disables motion.
- **Travelling object every 3rd site** from Day 9 (9, 12, 15, 18, 21, 24, 27, 30): one cut-out object moves from section to section with the scroll.
- Sample prices are fine (₹ for Indian brands) and always labelled "sample". Footer note: "Concept website by Triozen Tech". No fake phone numbers or real addresses.
- Default for assets: **Google Flow + code effects**. Blender only for simple smooth objects (bottle, can, jar, glass, perfume, box) when a turntable is the signature, one ~30 min try, drop it if it isn't equally real. Never Blender for vehicles, gadgets, food, people or places.

4. The kit and workflow (on my Mac)

Folder `/Users/hosanna/3D Websites/`. Template kit: `showreel-kit` (Next.js + GSAP + Lenis). Each day lives in its own folder `dayN/<slug>-kit`, created with `npm run new-day -- <n> <slug>` (own port, fresh git repo `day-NN-slug`). The kit's `CLAUDE.md` is the playbook; `docs/LESSONS.md` (151+ lessons) is read at the start of every round.

Commands: `sync-kit, check, build, reel, record-check, archive, cover, cover-check, cutout, film-frames, refs, refs:search, assets`; page modes `?record=1` (smooth scroll + hover cursor) and `?static=1` (no motion).

Build modes

- **Default = Pro (LEAN).** Do not ask "Pro or Max?" each day; write `Mode: Pro` at the top of DESIGN.md. Only if I say "today is Max" use FULL (Day 20 was built that way).
- LEAN: no reel recording / freezedetect / contact sheets (I film by hand); screenshots only in Round 1; reports ≤ 10 short lines; keep `?static=1`, build + `npm run check`, `npm run cover` in Round 5, short SITES-LOG + LESSONS entries.
- LEAN still keeps the engine's **record cursor**: `?record=1` plays at least 3 `data-hover-demo` hovers by itself.
- Both modes: same design quality, same Round 0 + 5 rounds, desktop only.

Round 0 (design, no code) then 5 build rounds. Stop after every round and wait for my "ok".

1. **Round 0:** read lessons → **reference board** per section: section list (my OK) → search sheet (Pinterest/Dribbble/Behance links, browsed *by hand only*) → I fill an inbox with screenshots → board → I pick. When the inbox doesn't cover every section (usual), Claude designs **2–3 full-page static layout mockups** mixing my references with our own, and I pick one. Then pick codes from DESIGN-MENU / SECTION-MENU / MOTION-MENU; write `site/DESIGN.md` with the Motion map, Hover map, Product-detail plan, reel time table and asset list; clear the previous site's assets.
2. **R1 Structure** (review with `?static=1`) → **R2 Big motion** (loader, hero, signature, pinned sections) → **R3 Section motion + transitions** → **R4 Details** (hovers, cursor labels, record cursor) → **R5 Polish, performance, cover, SITES-LOG, LESSONS, archive, repo check**. Never compress the rounds.

Uniqueness rules (variety engine)

- At least 6 of 8 design choices (look, palette, type pair, nav, hero, section shape, card style, signature/loader) differ from each of the last 3 sites. Never the same type pair two days running.
- Every section has a SECTION-MENU layout code (no code twice on a site, none used by the last 3 sites) and a MOTION-MENU motion code (no code twice, "just fade in" not allowed). The hero and signature must not repeat *any* earlier site's. The hero must not be a "shape grows to full screen / portal" opening.
- The comparison table lives in `docs/SITES-LOG.md` (local only); `docs/SITES-SUMMARY.md` holds the codes-only summary for cloud sessions.

Filming (changed since Day 18)

I **scroll by hand** while filming the laptop screen with a phone. So every scroll-linked motion works at any speed, forward and back; the view keeps moving when I stop (idle life); intros play by themselves; nothing depends on the record cursor. Filming setup: close the iOS Simulator, open `localhost:<port>/?record=1` in Chrome fullscreen (Cmd+Ctrl+F), phone vertical, 4K, exposure locked, plain dark surface.

Git and repos

- Day repos (e.g. `triozen-tech/day-18-cairnline`) are **public on purpose**. Commit only as `triozen-tech <triozen.tech@gmail.com>` (local git config in each day folder, SSH alias `github-triozen`). Never my personal account. **Never a Claude co-author trailer** on day-repo commits.
- A repo holds only that day: raw/, frames, images, cover, engine, pattern library, kit docs. No other brands. Any single file over 50 MB goes through Git LFS (GitHub's hard limit is 100 MB).

4a. The director loop (who does what)

This chat is the **"director"**. Claude Code builds. Loop for every step: chat gives prompt → I paste into Claude Code → I paste Claude Code's reply back → chat checks → next prompt.

1. **Round 0 prompt:** the chat gives me the Round 0 prompt for Claude Code (the day's niche + brand from the plan; "travelling object" if it's a 3rd day).
2. **Claude Code plans** and writes DESIGN.md, including the asset list (what each asset is, size, file type, which image an edit attaches, code fallback).
3. **Chat checks the plan**; repeat until approved.
4. **PERMANENT RULE (since Day 16): Claude Code never writes or prints Flow/Veo prompts.** This chat writes every Flow/Veo prompt, batch by batch (keyframe stills first, then every clip together, because the end keyframe of V(n) is the start keyframe of V(n+1)). I run them in Flow and send results here to check.

When I paste back the prompts that were run, Claude Code records them word for word in DESIGN.md under "Prompts (as run)".

5. **Rounds 1–5:** the chat gives the prompt to start each round, checks the report, gives the fix prompt, then the next round's prompt.
6. **Finish:** Round 5 ends with cover, logs, lessons, archive, repo push. Then I film → chat checks → caption + on-screen text → post → end-of-day note.
7. The chat never skips Round 0, never writes asset prompts before DESIGN.md exists, and never starts threads (one main chat only).

Video-first sites (Day 19 onward, when I say so)

- Every section's main move is a Veo clip, cut into frames (`npm run film-frames`) and scrubbed by the scroll with the kit's `FrameScrub` + `lib/chain.ts` (no custom scrub code per site). Docs: `docs/VIDEO-FIRST.md`.
- **Keyframe chain:** stills are generated first; the end keyframe of V(n) is the start keyframe of V(n+1), so clips join on identical frames. All clips then run together as one batch. DESIGN.md holds a **Clip table** (clip, start/end keyframe, hover, scroll rule) and an **Asset batch table** (batch, ID, ratio, save-as, attach, code fallback).
- **Flow edits use ONE attachment only** (the master still), so colour/pose variants stay pixel-aligned. Variants that can be built from cut-outs (e.g. a three-up line-up) are made in code (Batch 2b), not in Flow.
- For Day 19 the credits and repo size were not a limit (my call), so extra clips were fine. Repo rule stays: single files over 50 MB go through Git LFS.
- The product must not look like a real brand's (Halden has a thin centred camera bar, no logo, no Dynamic Island). No people, hands or faces.
- A section may only repeat an earlier hero if noted in the sites log and made visibly different (Day 19's hero word-behind-product is close to Day 3's, so its motion is a slow orbit instead).

5. Google Flow / Veo lessons

- Nano Banana Pro for images; ratios 16:9, 4:3, 1:1, 3:4, 9:16. Veo video 16:9 / 9:16.
- Lock camera + product in Veo: the **same image as start AND end frame**; describe in detail what stays still vs what moves. Push-ins are done in code. A start=end clip still pops at the seam: bake a 12-frame crossfade loop.
- Veo: slow, locked camera moves with steady light; light sweeps and glints are done in code. Never write mist/fog/steam (becomes heavy fog); prefer sparkly specks.
- Veo can't do subtle changes between two near-identical stills (skin dry→dewy, morning→dusk): do the transition in code.
- If start and end frames are different shots, Veo cross-dissolves into the end frame: trim before the dissolve.
- Veo burns any mark in its start frame into every frame: give it cleaned stills. Veo stretches a 2752×1536 still ~0.75% vertically: fit the crop against film frame 0.
- Flow edits need the attachment thumbnail visible in the prompt box, or Flow makes a new scene.
- Watch for AI text glitches, logo-like marks, the Gemini ✦ sparkle (cleaned with `npm run clean-mark`; check the corner with a high-pass first), objects shifting in edits.
- Small ingredient/texture loops and dry→wet transitions: code first (flow-map shader, noise-mask reveal), Veo only as fallback.

- Vehicles: a Flow master shot beats Blender and image-to-3D (3 Blender attempts + TRELLIS failed on Day 13). Live three.js glass looks fake: use a Blender turntable only if glass is the signature.

6. Instagram reels and covers

Reel text style: "This is a website." / "Your [X] deserves this." / "Designed & built in 1 day." / "Want yours? Comment 'KEYWORD' 👇 ". Captions via the kit's `caption` skill (a short version and a pinned-comment / DM hook too).

Fixed cover template (`npm run cover`, spec in `docs/COVER.md`): off-white #F4F1EC, "DAY N" pill, browser card with the hero screenshot, one cut-out OBJECT (never a person) popping out of the card top without covering the headline/nav buttons, niche word in the day's accent colour + "SCROLL WEBSITE" in black (Anton), dark rounded badge bottom-left for Instagram's view count, "TRIOZEN TECH" bottom-right. A flying object casts no contact shadow (`--no-contact`). All covers go in `/Users/hosanna/3D Websites/covers/`. The cover is part of Round 5. If a day has no clean object, make a 1:1 Flow image of one object on plain light grey.

7. Lessons digest (short; the full list is docs/LESSONS.md)

Video & frames

- Scroll videos play by video time, not frame number; blend neighbour frames; fade video edges into the page colour; preload the hero during the loader; the hero moves from the loader's last frame.
- Scrub videos: every frame a keyframe (H.264 `-g 1`), 1600×900, ~11 MB for 8 s; decode big images right after load.
- Paint out the Veo and ✦ marks in every clip and still.

Motion & feel

- Never animate from scale(0) (start 0.9–0.95); blur ≤ 8px; never animate backdrop-filter; hover never changes font-weight/padding.
- Every scroll depth shows a complete frame; text being read holds still; add idle life (drift, shimmer) to every pinned stage.
- Scroll-linked motion is a pure function of scroll position (any speed, back and forth). Words never roll letter by letter; swap titles whole (push or crossfade, never a left-to-right wipe).
- Pinned→pinned handovers happen in place, one at a time; no frame of text over text; no empty gaps between sections.
- Hovers on camera come from the engine's record cursor (`data-hover-demo`), never a per-site fake pointer; ≥ 3 hover moments per reel.
- Thrown/travelling objects land only in free space and route around text; the traveller replaces each section's own copy.

Layout & design

- Words read in a reel at ~40 px: short callouts, labels and prices at 40–48 px. Display type ≥ 24 px; AA contrast (coral under white text needs a deeper shade).
- Avoid template tells: an eyebrow above every heading, three identical feature cards, repeated zig-zag splits, "Scroll ↓" cues.
- Giant names over a film need a clear sky band; a tall stitched image shows as a centred column at native width; a loupe crops from the 2K source.

- Cursor pills hide near buttons/links; labels test their spot against text.

Tech traps

- Register GSAP plugins only in `lib/gsap.ts`; Lenis stays the scroller. Use `fromTo()` not `from()` in React effects; a paused `fromTo` needs `immediateRender:false`. No inline transforms on GSAP-moved elements.
- Keep fixed layers inside the viewport; scan `scrollWidth` at several depths with motion ON; `html, body { overflow-x: clip }`.
- Canvas shadowBlur and full-width backdrop-filter stall frames. Never `href="#"` on clicked items.
- OGL (+40 KB) is the only 3D library that fits the budget; three/R3F/model-viewer are too heavy. Never use drei ScrollControls with Lenis.
- Check `.next/BUILD_ID` before `npm start`; restart the server with `pkill -f next-server`; a reel of "1278×900" is a recorder race: re-run before changing the site.

8. Open items

- **Next: Day 19 Halden, Round 1.** Folder `day19/lumen-phone-kit` (folder name still has the old name), port 3012.
- Check the day repos for Days 9–20 are pushed under `triozen-tech` only (no personal account, no Claude trailer).
- Day 8 client (a cake-shop owner): deploy his Crumb & Co site (₹9k incl. 3 months server + maintenance; domain in his name).
- Lead: portfolio-website client who wants a full animated site "like our previous works". 3-package price list: **Starter ₹14,999** (1 page, 5–6 sections, smooth scroll, up to 6 projects, 2 revisions, 5–7 days) · **Cinematic ₹34,999** ⭐ (8–10 sections, pinned/parallax/big text, loader + cursor, 10 AI visuals, 12 projects + case-study popups, 3 revisions, 10–14 days) · **Signature 3D ₹69,999** (everything + 3D travelling object, Blender model, WebGL, AI hero video, unlimited projects, 5 revisions, 18–21 days). Extras: domain ₹1,000/yr, extra section ₹2,500, CMS ₹7,999, maintenance ₹1,499/month. 50% advance. Client sites must work on mobile too.

9. Other projects (background only)

Separate "reach" sites series (its own chat, a story kit). Other ventures: LAMPOSE stay app (customer app UI + AI voice agent), Filmyconnect24, IoT inspection sensors, a friend-finding app for a client, bike rental (Hyderabad/Vizag), to-let brokerage, AI Instagram affiliate pages, web-dev teaching videos.