


CYBERDRISHTI — TECHNICAL PIPELINE



AI-Based Network Attack Forecasting from Network Traffic Data

Forecast probable future cyberattack stages from temporal network behaviour — not only detect the current attack.




CORE IDEA


Learn network-state transitions → simulate future states → estimate attacker progression before compromise.

TRAFFIC TO TEMPORAL NETWORK STATES

How raw network telemetry becomes a chronological state sequence for forecasting




TEMPORAL STATE SEQUENCE




Preserve timestamps and scenario order — temporal forecasting depends on the sequence of network states.

WORLD MODEL & K-STEP FORECASTING

Learn transition dynamics $P(S_{t+1} | \text{recent states})$ and roll the model forward across multiple future steps



K-STEP FORWARD ROLLOUT



Forecasts are probabilities and possibilities — not guaranteed outcomes.

FORECAST TO ANALYST INTELLIGENCE



Convert model outputs into concise, interpretable decision-support information for defenders



CYBERDRISHTI SOC DASHBOARD

Risk

78/100

Current

Reconnaissance

Next

Initial Access

Infiltration


82%

Prototype principle: support analyst decisions; do not automatically block or isolate assets.

END-TO-END CYBERDRISHTI PIPELINE



Complete technical flow from network telemetry to proactive cyber-defence intelligence



Detect what is happening → Forecast what could happen next → Give defenders a head start