AI for Sustainability & Green Initiatives

Submitted to: Mr. Chintan Patel

Submitted by: Riti Tripathi

Enrolment No.: 20262010

1. Problem. Business Challenges

A big Indian conglomerate wants to cut its carbon footprint use energy and meet its sustainability goals. We must suggest one AI solution that helps with energy use, waste and environmental monitoring across the group.

The hard part is that a conglomerate is not one factory. It has plants, offices, warehouses and transport networks each with its own meters, software and ways of working. These are the problems.

• Much energy use and too many emissions. Machines, cooling and lighting mostly run on fixed schedules not on what's actually needed. A lot of power gets wasted.

•. Wasted resources. Waste is mostly sorted by hand so mistakes happen. Things that could be recycled end up in landfill and one units leftovers are rarely used by another unit.

• Monitoring comes late. Emissions and water are often checked once in a while so problems are found after the damage is done.

• Data is scattered. Energy, waste and emissions data sit in systems and formats. Nobody sees the picture so decisions at group level are slow.

• No single AI system. Most companies run separate pilots. What they lack is one system that joins data, predictions, rules and actions.

2. Proposed AI-Based Sustainability System

Objectives. Use energy send less waste to landfill keep emissions inside the limits automatically and give leaders one clear view of how the company is doing.

How the system works (see Figure A1 in the Appendix). It has six parts:1. Data collection. Sensors, meters, ERP records, waste records

and camera feeds all go into one central data platform. The data is cleaned so every plant uses the format.

2. Knowledge graph. This is a map of how things connect (Figure A7 shows an example): which machine feeds which line, which plant makes which waste and which material can be reused where. The AI system helps the AI system think across the group. For example it can match one plants scrap with another unit that can use it.

3. Rule-based system. These're fixed limits and safety rules like emission caps and legal limits. Rules are easy to check. Regulators like that.

4. Expert system. The expert system turns what experienced engineers know into if-then advice. For example if boiler efficiency drops the expert system tells you the cause and what to check first.

5. Machine learning. Forecasting, spotting readings and recognising waste in images. The next sections cover this.

6. Sustainability dashboard. One screen for plant managers and the board. The sustainability dashboard shows live energy use, carbon levels, waste recycled, alerts and progress on targets.

Table A1 sums up each part. We mixed rules, expert knowledge and ML on purpose. ML is good at finding patterns. Cannot explain itself well. Rules and expert logic are the way round. Together they are much safer for industry.

3. AI for Energy Optimization

Forecasting energy demand. If the AI system can guess how power it will need the AI system can plan for it. The AI system predicts the load of each plant from use, production plans, weather and electricity prices.

Figure A5 shows how the forecasts and anomaly checks feed the scheduler.

Types of machine learning. Supervised learning learns from data with known answers so the machine learning system uses it for forecasting. Unsupervised learning finds groups and odd readings without labels. Reinforcement learning learns the actions by trying things and getting feedback which suits cooling and process control.

Regression and time-series models. Regression estimates energy use from things like output, temperature and shift timing. Time-series models, like ARIMA, Prophet and LSTM pick up seasonal patterns.

Clustering and anomaly detection. Clustering and anomaly detection groups machines or plants that use energy in ways so comparisons are fair. Isolation Forest or autoencoders flag strange readings. For example a compressor using power than usual often means a leak or a part that is failing.

AI-based energy scheduling. AI-based energy scheduling moves jobs, like chillers, batch processes and EV charging to cheaper or greener hours. It also makes use of rooftop solar and cuts peak demand charges.

Case study: Google. Google used machine learning through DeepMind to run data center cooling. The system learned from sensor data. Suggested cooling settings and Google reported cutting cooling energy by up to about 40 percent. The lesson is that AI works well when there are lots of sensors and constant data, which our plants have. Humans also stayed in charge. We do the same in Section 7.

4. Search Algorithms for Planning

Many green decisions are really planning problems: which route to take which schedule to follow which steps to do in what order. Search algorithms are made for this. Table A2 compares them.

- Breadth-First Search (BFS). Checks every option level by level. Finds the shortest path. It works for problems like checking all machine start-up orders but uses a lot of memory.

- Depth-First Search (DFS). Goes down one path first. It uses memory and is useful for tracing a fault or following links in the knowledge graph but it may not give the best answer.

- Greedy search. Always picks what looks best now like going to the nearest waste bin next. It is fast. Can lead to a poor plan overall.

- A-star search. Looks at the cost far plus a guess of the cost left. It finds the route quickly so it is our choice for waste collection and in-plant transport to save fuel and emissions.

- Adversarial search. Used when conditions work against you such as changing grid prices or plants competing for renewable power. It helps us plan for the case.

Where they are. Their limits. These methods suit routing, scheduling and ordering tasks. But the number of options grows fast as plants and rules increase good guesses (heuristics) are hard to design and search cannot learn from data. So we pair it with ML forecasts. Do not use it alone.

5. AI for Waste Reduction & Circular Economy

Sorting waste with computer vision. Cameras over conveyor belts and collection points spot what kind of waste is going past: plastic, metal, paper organic or hazardous. Figure A6 shows the path from collection to recovery.

CNN-based waste recognition. A convolutional neural network (CNN) learns from labelled images looking at shape, texture and colour. We can start from pre-trained models like ResNet or MobileNet so we do not need a dataset.

Knowledge graph for material recovery. Once waste is identified the graph answers a question: what can this become and who can use it? Fly ash can go to cement makers, food waste to biogas and scrap packaging back to recyclers. This is the economy in practice (Figure A7 shows how the graph links waste to reuse).

Planning waste collection with search. A-star style routing plans pickup routes using how full each bin is the distance and the trucks capacity. Trucks go where they are needed of following fixed rounds.

Case study: ITC. ITCs Well-Being Out of Waste (WOW) programme has built a waste collection and recycling system in Indian cities and the company says it recycles more solid waste than it creates. AI adds sorting, better routes and better data on where material gets lost. It shows that an Indian company can treat waste as a resource and not just a cost.

6. AI, for Environmental Impact Monitoring

Carbon footprint calculation. The system takes activity data such as electricity, fuel, raw materials and transport. Turns it into emissions using standard factors for Scope 1 ,2 and 3. By doing this the yearly spreadsheet task is replaced by numbers that are almost real time.

Air and water monitoring. Sensors keep watching pollutants such as particulates, also track water quality and effluent discharge. The readings flow into the platform.

Rule-based alerts. If a reading goes over a limit an alert is sent right away. As Figure A4 shows this layer is kept simple on purpose. Cannot

be skipped, because compliance should never depend on a models guess.

ML-based anomaly detection. Rules only catch a breach after it happens. ML can see the drift before it for example emissions slowly rising because a filter is getting clogged. That gives people time to act early.

Expert system for fixes. When an alert goes off the expert system suggests the cause and a fix, such as checking the scrubber or reducing furnace load. It uses knowledge that engineers have already shared.

Case studies: Reliance Industries and Adani Group. Both work in energy-heavy sectors. Have publicly announced big goals to cut carbon and use renewable energy. Reliance has set a carbon zero target for 2035. Reaching big goals across large asset bases is only realistic with constant automatic monitoring and reporting which is what this layer gives. Table A5 compares all the case studies.

7. Ai & Intelligent Automation

So far the system predicts and warns. Agentic AI lets it also take action within limits.

How it works. Agents follow a loop: Observe, Analyze, Plan, Act (Figure A2). They watch data analyze it with ML models plan using search and optimization and act through connected controls, such as changing setpoints, updating schedules or raising maintenance tickets. The results go in to improve the next round.

What each part does.

• ML decision support gives forecasts and anomaly scores.

• Search-based planning finds the order of steps, such as the best load-shifting plan.

• Rule-based safety limits act as guardrails. No agent can break a safety or legal limit no matter what the model suggests.

• Human approval. Low-risk actions, like changing a lighting schedule can run alone. High-impact actions, like shutting down a line need a person to approve. I think this is the responsible way to use agents in industry.

8. Implementation, KPIs & Expected Impact

Pilot and scaling. Start with two or three sites that use a lot of energy for 6 to 9 months. Prove the savings fix data problems then roll out step by step across business units (Figure A3). Starting keeps cost and risk low and builds trust inside the company.

KPIs. Table A3 has the list. In short:

• Energy: energy per unit produced, peak demand, share of energy.

• Carbon: emissions, emissions per unit produced, reduction by Scope.

• Waste and recycling: waste going to landfill, recycling rate, sorting accuracy.

• AI quality: forecast error (MAPE) anomaly precision and recall CNN accuracy.

Risks. The main risks are data models getting stale (drift) cyber attacks on connected equipment, too much trust in automation and unclear responsibility. Table A4 sets out the fixes. We handle these with data checks, regular retraining and monitoring access controls, human approval for actions, written decision logs and a named owner for every model.

Expected benefits. Lower energy bills, lower emissions, less waste, faster and more believable sustainability reports, easier compliance and

a better name with investors and customers. The targets in Table A3 are example planning numbers. clusion. The best thing about this solution is not one model. It is the mix: data, ML for predictions rules for safety search for planning and people for oversight. That mix is what makes it practical, for a group.

References

Bureau of Energy Efficiency. (n.d.). *Perform, Achieve and Trade (PAT) scheme*. Government of India, Ministry of Power. https://beeindia.gov.in

Evans, R., & Gao, J. (2016, July 20). *DeepMind AI reduces Google data centre cooling bill by 40%*. DeepMind. https://deepmind.google/discover/blog/deepmind-ai-reduces-google-data-centre-cooling-bill-by-40/

GHG Protocol. (2004). *A corporate accounting and reporting standard (Revised edition)*. World Resources Institute & World Business Council for Sustainable Development. https://ghgprotocol.org/corporate-standard

Hart, P. E., Nilsson, N. J., & Raphael, B. (1968). A formal basis for the heuristic determination of minimum cost paths. *IEEE Transactions on Systems Science and Cybernetics, 4*(2), 100–107.

He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 770–778.

ITC Limited. (n.d.). *Well-Being Out of Waste (WOW) programme*. In *Sustainability Report*. https://www.itcportal.com

Liu, F. T., Ting, K. M., & Zhou, Z.-H. (2008). Isolation Forest. *Proceedings of the 8th IEEE International Conference on Data Mining (ICDM)*, 413–422.

Reliance Industries Limited. (2021). *Annual Report 2020–21* (Net Carbon Zero by 2035 commitment). https://www.ril.com

Russell, S., & Norvig, P. (2021). *Artificial intelligence: A modern approach* (4th ed.). Pearson.

Schneider Electric. (n.d.). *EcoStruxure: Digital energy management for industry and buildings*. https://www.se.com

Sutton, R. S., & Barto, A. G. (2018). *Reinforcement learning: An introduction* (2nd ed.). MIT Press.

Taylor, S. J., & Letham, B. (2018). Forecasting at scale. *The American Statistician, 72*(1), 37–45.

Adani Group. (n.d.). *Sustainability report*. https://www.adani.com

Appendix

The appendix collects the tables and figures referred to in the report.

Table A1: Solution Components at a Glance

Component	What it does	Main technique	Benefit
Data integration	Collects sensor, meter, ERP and camera data in one platform	IoT, data pipelines	Single source of truth
Knowledge graph	Links machines, plants, waste and materials	Graph database	Group-wide reasoning, material reuse
Rule-based system	Enforces limits and safety rules	If-then rules	Compliance and auditability
Expert system	Recommends fixes from engineer knowledge	Inference rules	Faster troubleshooting
ML layer	Forecasts, detects anomalies, recognises waste	Regression, LSTM, clustering, CNN	Prediction and early warning
Agentic layer	Plans and executes actions with approval	Search plus rules plus ML	Automation with control
Dashboard	Shows KPIs and alerts	BI tools	Better decisions

Table A2: Comparison of Search Algorithms

Algorithm	Idea	Optimal?	Memory use	Sustainability use case	Limitation
BFS	Explore level by level	Yes (equal step costs)	High	Checking all machine start-up sequences	Does not scale to large spaces
DFS	Go deep first	No	Low	Fault tracing, dependency chains	May return poor solutions
Greedy	Pick the best-looking next step	No	Low	Quick nearest-bin collection	Can get stuck in poor plans
A*	Cost so far plus estimate to goal	Yes (admissible heuristic)	Medium to high	Waste collection and logistics routes	Needs a good heuristic

Algorithm	Idea	Optimal?	Memory use	Sustainability use case	Limitation
Adversarial	Plan against worst-case opponent	Depends on setup	Medium	Planning against volatile grid prices	Assumes a defined opponent model

Table A3: KPI Framework (illustrative targets)

Area	KPI	How measured	Illustrative target
Energy	Energy per unit of output	kWh per unit produced	8 to 12 percent reduction
Energy	Peak demand	Maximum kVA per month	5 to 10 percent reduction
Energy	Renewable share	Renewable kWh / total kWh	Increase year on year
Carbon	Total emissions	tCO2e (Scope 1, 2, 3)	Aligned to the company's net-zero pathway
Carbon	Carbon intensity	tCO2e per unit of output	10 percent reduction
Waste	Landfill waste	Tonnes per month	20 to 30 percent reduction
Waste	Diversion and recycling rate	Recycled tonnes / total tonnes	Above 80 percent
AI quality	Forecast accuracy	MAPE	Below 10 percent
AI quality	Waste classification accuracy	Correct labels / total	Above 90 percent
AI quality	Anomaly detection	Precision and recall	Reviewed monthly

Table A4: Risk and Governance Summary


Risk	Impact	Mitigation
Poor data quality	Wrong forecasts and alerts	Validation checks, sensor calibration
Model drift	Accuracy drops over time	Scheduled retraining and monitoring
Cybersecurity	Attack on connected equipment	Network segmentation, access control
Over-automation	Unsafe or unwanted actions	Rule guardrails, human approval for high-impact actions

Risk	Impact	Mitigation
Unclear ownership	Slow response to failures	Named owner per model and process

Table A5: Case Study Summary

Company	Focus area	What they did	Takeaway for our solution
Google	Energy	ML recommendations for data centre cooling, up to about 40% cooling energy saving reported	AI works well on sensor-rich systems with human supervision
ITC	Waste	WOW programme, reports recycling more solid waste than it generates	Waste can be treated as a resource at scale
Reliance and Adani	Emissions monitoring	Large decarbonisation and renewable goals (Reliance net carbon zero by 2035)	Big targets need continuous monitoring
Schneider Electric	Energy management	Digital energy management platforms for industry and buildings	Integrated energy data and analytics is a proven approach


Figure A1: System Architecture



system architecture · 5 layers

Data flows upward through the layers, and nothing reaches a plant control without passing the agentic layer and its approval step.


Figure A2: Agentic AI Workflow (Observe, Analyse, Plan, Act)



agentic loop · 4 steps, 1 guardrail

The loop repeats continuously; safety rules and human approval sit on the planning and acting steps.


Figure A3: Implementation Roadmap



rollout roadmap · 3 phases, 2 gates

Each gate has to be passed before the next phase starts.


Figure A4: Environmental Monitoring and Alert Flow



monitoring alert flow · 1 decision

The rule check is a hard compliance line, while the ML check watches for slow drift under it.


Figure A5: Energy Optimisation Pipeline



energy optimisation pipeline · 3 inputs, 2 models

Both model types read the same inputs, and the scheduler turns their output into load-shifting decisions.

Figure A6: Waste Reduction and Recovery Flow



waste to recovery flow · 6 steps

Collection planning brings waste to the cameras, and the knowledge graph decides where each sorted stream goes next.

Figure A7: Knowledge Graph Example for Material Recovery



knowledge graph example · 3 waste streams

The same structure extends to machines, plants and materials across the whole group.